## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





"Weber's Quality Plants" Will Duplicate This Picture

# Webers Guide 1928

H. J. WEBER & SONS NURSERY CO., AFFTON, MISSOURI







We grow a very complete list of Annual Bedding Plants. See page 32.



# ROSES

Your garden is not complete without a bed of Everblooming Roses. We have a complete stock of the best selected varieties in two-year plants. Plant a bed of "Weber's Quality Plants" and be convinced.

See pages 23 and 24 for list of varieties with prices

Silver Moon — See page 25.





S BUILDERS of natural beauty the Nurserymen are the proper authority. It is through their life-long experience that they are capable to give you the benefit of their efforts, in the selection of plants most suitable for the particular needs of each individual.

We have been in business for over sixty years and have always endeavored to please our long list of regular customers. We want to extend a hearty word of appreciation to all who have helped to make our business a success, also extend a hearty welcome to all who may be interested in beautifying their home grounds.

This annual Guide is presented to you with our compliments, and we earnestly hope the valuable information given herein will prove of inestimable value to each and every one who receives same.

Prices in this Guide are made on nothing but selected stock, up to grades and specifications in the various classes.

Our shipping and delivering facilities are the best, for the prompt and efficient handling of any order that may be entrusted to us.

Do not overlook our Greenhouse and Perennial Department, in which you will find a full assortment of stock suitable to this section.

Planting time usually begins about March 15th for spring delivery, depending entirely on weather conditions, lasting until May 1st for all Nursery Stock. Greenhouse stock can be planted about May 1st, after danger of frost is over.

For Fall delivery we usually begin digging Evergreens, Poppies, Phlox, Iris and Delphiniums about September 1st to 10th. General Nursery stock is not dug until after heavy frost to set foliage.

#### MISSOURI STATE PLANT BOARD

Office of the Chief Inspector, Columbia

CERTIFICATE OF NURSERY INSPECTION

No. 1C 31 Issued Aug. 3, 1927.

This is to certify that in accordance with the provisions of the Missouri Plant Act of 1925, the nursery and premises thereof belonging to H. J. Weber & Sons Nursery Co. of Afton, Mo., have been inspected by a duly authorized inspector and were found to be apparently free of injurious insect pests and plant diseases.

This certificate is not transferable and may be revoked for cause. This certificate expires Sept. 1, 1928.

L. HASEMAN, Chief Inspector.

We extend a cordial invitation to visit our Nurseries. We, however, wish to announce that our offices will be closed all day Sunday excepting during the months of September, October and November, also March, April and May, when we will have open Sundays from 8 to 11:30 to accommodate those who cannot come during the week.

Soliciting your correspondence, inquiries and favors, we are

H. J. WEBER & SONS NURSERY CO., INC. Capital, \$150,000.00.

Established 1867. Incorporated 1903.

# **Terms, Conditions and General Remarks**

#### READ CAREFULLY BEFORE MAKING UP ORDER

Payment Terms. Our terms are invariably cash on delivery. We, however, do not send orders C. O. D., unless conditions warrant. The invoice immediately follows delivery and payment of same is expected within a few days. Unknown parties will please send cash with order or give satisfactory reference. C. O. D. orders must be accompanied by one-half cash.

**Prices** in this list include free packing on all trees, plants, etc. They are, however, made subject to stock being unsold upon receipt of order.

Four plants of a kind will be furnished at the ten rate, forty plants at the one hundred rate, four hundred or more at the thousand rate. Less than four plants of any variety will be charged at the single rate.

Shipping. We pack all orders leaving St. Louis in the best possible manner in bales or boxes to insure safe and prompt delivery. If no route is given we use our best judgment and ship by most direct route, either by freight or express as to nature of shipment. All goods travel at purchaser's risk after they are received in good condition by transportation company.

Parcel Post shipments as packed by us will travel long distances without the least damage to contents. Postage will be charged to consignee.

If wanted by insured Parcel Post we will gladly comply with your wishes.

**Our Agents** are equipped with credentials showing their authority to act as such, and anyone soliciting for us without this authority is false. We would appreciate being advised of such action.

would appreciate being advised of such action.

Non-Warranty Clause. If nursery stock proves untrue to the name under which it is sold by us, a replacement of the stock, as originally ordered, without charge, or a refund of the purchase price shall be a complete satisfaction of our liability. Except for such liability, we give no undertaking or warranty, express or implied, as to description, quality, growth, productiveness, or any other matter on any nursery stock we sell. We assume no liability for delays in delivery, or for non-delivery of nursery stock caused by frost, fire, flood, drought, hail, strikes, embargoes, war or other causes beyond our control. Our responsibility ceases upon the delivery of stock in good condition. Complaints, if any, must be made within five days after delivery.

Errors. Any errors that may occur in filling orders must be reported.

**Errors.** Any errors that may occur in filling orders must be reported within five days after receipt of goods. We will immediately correct same. Complaints entered after the above stated time will not be entertained.

Losses. All stock will be sent out in good condition. We do not guarantee stock to live, nor do we make up any losses whatever, due to climatic conditions or after-culture on the part of the purchaser. Immediately upon receipt of stock, open the package and ascertain the condition of same; check up the varieties and compare with your order and report to us at once any complaints that are to be made.

**Inspection.** Our nurseries are annually inspected by the State Entomologist and have been found free of San Jose Scale and other dangerous insects and diseases. A copy of certificate of inspection will be attached to every package that leaves our establishment.

Substitution. It is customary, should the supply of a variety become exhausted (as will occasionally occur in all establishments), to substitute in its place a similar sort if there is such. Should it be desired for us not to do this, please state on your order "No substitution."

Selections. Persons not acquainted with the different varieties can leave the selection to us, in which case we will select as if planting for ourselves.

Liberal Replacement Offer made because of our confidence in the vitality of our plants. We agree to re-supply F. O. B. our nurseries at one-half of the original purchase price, any nursery stock purchased from sa t catalog rates that may fail to grow by July 1st following season planted from causes other than abuse or neglect. This offer applies only to accounts that are promptly paid in full when due. Any labor involved in planting such replace orders is to be borne by the customer.

Replacement. There are good reasons why plants may sometimes fail to grow well after transplanting. Poor soil, dried condition due to transportation delay, careless or improper culture, excessive drought, neglect, insect or disease attacks are some of the causes often to blame. After delivering plants in good order to your home or to the transportation company it is obvious that we have no control whatever over these future conditions. It is not reasonable, therefore, to ask us, nor do we in any way agree, to guarantee the results or the outcome of plantings. Should any plant prove untrue to variety ordered we will replace it without charge or refund the purchase price.

## NOMENCLATURE

The names of Trees, Shrubs, Perennials, etc., published in this Catalog are in accordance with the recommendations adopted by the American Joint Committee on Horticultural Nomenclature, representing the American Association of Nurserymen, Ornamental Growers' Association, American Society of Landscape Architects, American Pharmaceutical Association, American Association of Park Superintendents.

Webers' Paeonies are the most beautiful of all Hardy Perennial Plants and

should be in every garden, large or small.

See page 30 for complete listing of the very best varieties.





An Ideal Planting for a Small Home

# Landscaping

Our business is the growing and supplying of trees and plants of all kinds described in our catalogue for Landscape work.

Artistically planted home grounds are not the result of chance. They come from careful planning, and proper selection of varieties. Thousands of dollars are spent each year for nursery stock which is practically wasted because people do not know what to plant and where to plant it. In order to have something of enduring value, artistic and satisfying, to show for the money you spend on your grounds, you should have some set plan to follow. The beauty of a planting often depends less upon the plants used than it does upon their proper disposition, grouping and arrangement.


Your property will not have reached its full development until you have beautified it thoughtfully with trees and shrubs. Are you aware that you can increase its money value 25% to 100% with a very small investment? The same sun and rain that wears and deteriorates the value of your house is the natural friend of the landscaped grounds, and it increases wonderfully in beauty year after year. If you will consult us, we will endeavor to assist you by advising the proper plants to use and amount you would require.

Real landscape possibilities exist on even the smallest places. Let us help discover them for you. A few well placed trees and shrubs will have a magic effect. In fact, individual beauty and real distinctiveness are more often achieved in the decoration of modest grounds than in the more pretentious plantings of large places. Some of the best examples of harmonious and artistic lawn planting are to be found on small places.

For a given expenditure of time and money nothing will effect so great and pleasing a transformation as an artistic base planting. Practically every house needs the softening, harmonizing effect of well placed masses of shrubbery. The finest architecture will not save a house from an unpleasant aspect of bareness if this planting has been neglected, while on the other hand the simplest cottage

#### PRACTICAL LANDSCAPE DESIGNS

Suitable shrub types in selected varieties, assigned to particular locations against the various foundation facings of typical modern houses. Plans shown here, give you an approximate quantity and variety also arraingement of an ordinary planting. Best quality stock in normal shipping sizes is considered in the succeeding plans; which you can order by number.




#### WITH THE PORCH ACROSS THE FRONT

Whether this porch is covered or merely a terrace, the planting characteristics would correspond. The tall types are at the corners; the steps are treated both sides alike.

A	2	Honeysuckle Morrowi.
В	8	Spirea Van Houtte.
С	4	Snowberry.
D	6	Philadelphus Lemoine.
E	4	Weigela Variegata.
F	á	Deutzia Lemoine.

SUNNY.

HAL	ED:	
A	2	Honeysuckle Morrowi
В	8	Regel's Privet.
С	4	Snowberry.
D	4 6	Berberis Thunbergi.
E	4	Hydrangea P. G.
F	4	Forsythia Suspensa.



#### PORCH PART WAY ACROSS THE FRONT

SU

A balanced entity, although locused on the on-side porch.									
INN	Y:		SHADE	D:					
A	I	Spirea Van Houtte.	A	I	Rhodotypus Kerrioid				
В	4	Honeysuckle Morrowi.	В	4	Honeysuckle Morrow				
С	5	Weigela Rosea.	С	5	Viburnum Dentatum				
D	4	Berberis Thunbergi.	D	4	Berberis Thunbergi.				
E	4	Snowberry.	E	4	Snowberry.				
F	4	Philadelphus Lemoine.	F	4	Spirea Froebelii.				
G	8	Berberis Thunbergi.	G	8	Berberis Thunbergi.				
H	2	Spirea Thunbergi.	H	2	Forsythia Fortunii.				



It is not a Home Until Planted with Trees, Shrubs, Vines, and Flowers

## **Deciduous Ornamental Trees**

A few good trees and an even, luxuriant lawn are the two real essentials for beauty and comfort on the home grounds. Since the trees require several or more seasons to become well established, it is important for the home-owner to get them planted on the property as soon as possible. The opportunity given by the year's rather short planting season should be taken advantage of.

Planting. After setting the tree in a hole much larger than the actual spread of the roots, carefully lay the roots in their natural directions and fill in with good garden soil. When the hole is three-quarters filled, firm the soil with the feet. Then add water liberally and when this has become absorbed, complete the filling of the hole with soil. Top-pruning is absolutely essential to good growth; the branches should be shortened back about one-third after planting. On poor soil, fertilizing is essential but manure should never be put in the hole directly around the roots. Spread the fertilizer on the soil above, after planting is completed. This may also be well mixed with the soil before filling in.

Fertilizing. We are now prepared to offer a fertilizer, especially adapted for use among shrubbery and trees. When planting new trees it may be worked into the soil before filling in around tree. For fertilizing gardens and among plants, it can be put on top of ground and spaded or hoed in so as to mix with soil. Ask us about it.

**Pruning Trees at Planting Time.** This consists in cutting back the top and side branches in such a way as to form a symmetrical shaped top. All broken roots must be cut from the underside to hasten the emission of new fibers.

Trees with branching heads should have the small branches cut clean out, and the larger ones, intended for the framework of the tree, cut back till within two or three buds of their base. In cases where there is an abundant root, and small top or few branches, the pruning need be very light, but where the roots are small and the top heavy, severe pruning will be necessary. These remarks are applicable to all Deciduous Trees and Shrubs. Evergreens seldom require pruning, but Arborvitae and other

Evergreens planted in hedge rows may be advantageously shorn immediately after planting.

mediately after planting.

Pruning, as practiced by some people, has the effect to render trees and shrubs unnatural and inelegant. We refer to the custom of shearing trees, particularly Evergreens, into cones, pyramids and other unnatural shapes. Every tree, shrub and plant has a habit of growth peculiar to itself, and this very peculiarity is one of its beauties. If we prune all trees into regular shapes we destroy their identity. The pruning knife, therefore, should be used to assist nature, and handled with judgment and care; to top off straggling branches, to thin the head of a tree which sometimes becomes too dense, and to remove dead wood. Sometimes it becomes necessary to prune severely to keep a tree from attaining too great size.

#### CLASSIFICATION OF ORNAMENTAL TREES

For the convenience of purchasers we have classified the various ornamental trees as follows:

#### Class I-Trees Suitable for Street and Avenue Planting:

Class I—Trees Suitable for Street and Avenue I
Acer Saccharinum (Silver Leaved Maple).
Acer Platanoides (Norway Maple).
Acer Saccharum (Sugar Maple).
Fraxinus Alba (White Ash).
Liriodendron (Tulip Tree).
Platanus Occidentalis (American Sycamore).
Platanus Orientalis (European Sycamore).
Populus Mooiliera (Carolina Poplar).
Populus Migra (Grecian Poplar).
Populus Nigra (Grecian Poplar).
Quercus Palustris (Pin Oak).
Quercus Rubra (Red Oak).
Salisburia (Maiden Hair).
Tilia Americana (American Linden).
Tilia Platyphyllos (Large Leaved European Linden).
Ulmus Americana (American Elm).

#### Class II-Trees with Cut or Lanceolated Foliage:

Acer Saccharinum var. Weirii (Weir's Cut-leaved Maple). Betula Alba var. Lacinata Pendula (Cut-leaved Weeping Birch). Sorbus Quercifolia (Oak-leaved Mountain Ash).

#### Class III-Trees with Colored Foliage:

Acer Platanoides var. Schwedlerii (Schwedler's Maple). Purple foliage in spring.

Prunus Pissardi (Plum). Purple foliage. Populus Alba Bolleana (Popular). Silver foliage. Salix Regalis (Silver Willow). Silver foliage.

#### Class IV-Trees Producing Conspicuous Flowers:

Aesculus (Horse Chestnut).
Aralia (Angelica Tree).
Catalpa Speciosa.
Cercis (Red Bud).
Chionanthus (White Fringe).
Cornus (White and Red Flowering Dogwood).
Craetaegus (Thorn). White and Scarlet Flowering.
Cytisus (Golden Chain).
Halesia (Silver Bell).
Liriodendron (Tulip Tree).
Magnolia, in variety.
Persica (Peach). Double Flowering.
Pyrunus Triloba (Plum). Double Flowering.
Pyrus (Crab), in variety.

In order to make it easier for planter to select trees for particular purposes, we have adopted

In order to make it easier for planter to select trees for particular purp letters to denote the various classes, as follows:

T—Denotes trees that attain a height of 50 feet and over at maturity.

M—Denotes trees that attain a height of 25 to 40 feet at maturity.

D—Denotes trees that attain a height of 8 to 15 feet at maturity.

D—Denotes trees that attain a height of 2 to 8 feet at maturity.

#### ACER-MAPLE

A. platanoides (Norway). 1. A native of Europe. Its large, compact hab		
green shining foliage, render it one of the most desirable species for streets, parl		
	Each	
I to I ¼ inch, 6 to 8 feet	\$4.50 \$	42.50
1 1/4 to 1 1/2 inch, 8 to 10 feet	5.50	52.50

70.00 A. platanoides var. Schwedleri (Purple Norway Maple). M. The beautiful leaves attract attention at all seasons, but are especially fine in spring, when their gleaming red and purple contrasts brightly with the delicate green of other trees. In mid-summer they are purplishgren; in autumn, golden-yellow. \$5.00

A. saccharinum (Silver Leaved). T. A hardy rapid-growing native tree of large size, valuable for producing a quick shade. Excellent for street planting.

Each 



Silver Leaved Maple



**A. saccharum** (Sugar). T. A very popular American tree, and for its stately form and fine foliage justly ranked among the very best, both for lawn and avenue.

Each

10 \$4.00 \$35.00

#### **AESCULUS—Chestnut**

A. hippocastanum (Horse). T. This magnificent, large-sized tree has no superior on the lawn. In the spring it is profusely covered with panicles of white flowers dotted with red.

Each \$4.50

#### AILANTHUS—Tree of Heaven

A. altissima (Glandulosa). T. A rapid-growing, lofty tree, long, elegant foliage. A distinct ornamental tree with pinnate foliage, exempt from diseases and insects. Useful in producing tropical effects.

Each \$2.00

## AMELANCHIER—Juneberry or Shadblow

A. canadensis (Service Tree or Shadblow). M. A small, slender tree that bears a profusion of drooping spikes of white flowers, rendering the tree quite conspicuous about the time that shad are running up the river. Also grown for its fruit.

Each \$0.90 \$7.50 3 to 4 feet..... 1.25 10.00



A. persica rosea (Double pink-flowering Peach).

#### AMYGDALUS-Almond, Peach and Plum

Amygdalus (Almond Double-flowering). See Deciduous Shrubs.

A. persica alba (Double-flowering Peach). S. Very ornamental. Flowers pure white and double; superb.

Each Per 10 \$1.75 \$16.00 1.50 12.50 A. persica rubra (Double red-flowering Peach). S. Flowers semi-double, bright red, fine. \$ to 6 feet. Each Per 10 \$1.75 \$16.00

Each 5 to 6 feet. SI.75 \$10.00
4 to 5 feet. I.50 I2.50

A. triloba (Double-flowering Plum). D. A beautiful small tree or shrub of fine habit, with elegant, double, rosy flowers, set very closely on slender branches.

Each Per 200

 Each
 Per 10

 3 to 4 feet
 \$1.40

 4 to 5 feet
 1.60

 14.00

#### ARALIA-Angelica Tree

A. spinosa (Hercules Club). S. A very showy sort, yet which produces suckers quite freely. Immense clusters of small, white flowers in July.

Each Per 10 ..... \$1.25 \$11.00

A. pentaphylla. See Acanthopanax, Deciduous Shrubs.



**Double Flowering Plum** 

C

#### BETULA—Birch

B. alba (European White Birch). T. Of which Coleridge says: "Most beautiful of forest trees; the lady of the woods."

Each Per 10 6 to 8 feet.... ..... \$2.75 \$25.00 alba laciniata pendula (Weeping Cut-leaved Birch). See Weeping Trees.

#### CATALPA—Indian Bean

C. bignonioldes nana (Chinese Catalpa Bungei). D. A small species that grows 8 to 10 feet high, as broad, forming a broad head clothed with a dense mass, heart-shaped leaves. Among our hardy trees there are but few, if any, that are more effective for park or lawn. Grafted on stems of the common Catalpa 5 to 6 feet from the ground, forming an umbrella-shaped top. Each Per 10 Per 100

2-year heads, standard			
1-year heads. standard	2.00	17.50	150.00
C. speciosa (Western). T. One of the most rapid growers. Large heart-shaped	l, downy	leaves,	and com-
pound panicles of white flowers, tinged with violet and dotted with purple and y	ellow.		
	Each	Per 10	Per 100
8 to 10 feet			
1 ¼ to 1 ½ inch diameter	1.75	15.00	125.00
1 ½ to 1 ¾ inches diameter	2.50	22.50	200.00

#### CERCIS—Red Bud

C. canadensis (American Judas). M. A small tree of irregular rounded form, with pretty foliage. and very showy when in bloom; the branches and twigs are covered with a dense mass of small pink flowers before the leaves expand.

Each Per 10 Per 10 oo 3 to 4 feet.

\$1.50 \$13.50 \$10.00 4 to 5 feet.

1.75 15.00 120.00

#### CHIONANTHUS—White Fringe

C. virginica. S. A small national elegant fringe.
2 to 3 feet..... S. A small native tree, with ash-like leaves and clusters of snow-white flowers, resembling Each Per 10 ..... \$1.50 \$13.50 3 to 4 feet . .



White Birch

#### CORNUS—Dogwood

C. florida (White Flowering). M. An American species, of spreading irregular form, growing from 16 to 20 feet high. The flowers are produced in spring before the leaves appear; they are white and very showy. 17.50

ì	pornus florida alba plena. Same as Cornus florida but has white flowers.	double
	Fooh	Per 10
	2 to 3 feet	\$25.00
	florida rubra (Red Flowering). M. Recently introduced. A producing flowers suffused with bright red; blooms when quite	
	One of the finest flowering trees.	Each
	One of the finest flowering trees. 2 to 3 feet	
	4 to 5 feet	9.50

#### CRATAEGUS—Thorn

C. coccinea (Scarlet-fruited Thorn). M. A fine native variety. Single white flowers in spring, scarlet fruit in autumn.

-		-,			Cach Per	TO
3 to 4 fe	et			S2	2.00 \$17.	50
C. oxycan	itha var. P	aulii (Paul's	Double Scarl	et Thorn).	S. Flowe	rs
bright c	armine-red.	Superior to	any of its colo	r. ´	Eac	ch
3 to 4 fe	et	<del>.</del>			\$3.0	00

#### FRAXINUS—Ash

F. americana (American White). M. A rapid-growing native tree, valuable for planting along streets or in parks; may be extensively planted for timber; largely used in the manufacture of agricultural implements.

Each Per 10 Per 100 8 to 10 feet, 11/4 to 11/4 inches...............\$3.00 \$25.00 \$200.00 

#### GINKGO—Salisburia (Maiden Hair Tree)

8 to 10 feet, 1 to 1½ inches. 3.00 8 to 10 feet, 1½ to 1½ inches. 3.50 10 to 12 feet, 1½ to 1¾ inches. 4.00 27.50 32.50 250.00 300.00 350.00

#### GYMNOCLADUS—Kentucky Coffee Tree

#### HALESIA—Silver Bell

Brown light green foliage, dense growing trees of small size and well adapted for lawn culture and grouping with other plants. Their chaste, pure white flowers are produced in abundance along the entire length of the branches as the leaves appear in the spring, and give a very charming picture. Best grown in well-drained soil in somewhat sheltered position.

H. tetraptera (Carolina). S. The hardiest species. Very choice.

		Per 10
3 to 4 feet	\$1.50	\$12.50
4 to 5 feet	1.75	15.00

## JUGLANS—Walnut—(See Nut Trees, Page 40.)

#### LIQUIDAMBER—Sweet Gum

. styraciflua. T. A large native tree, with rough, corky bark and shining, deep lobed, star-shaped leaves. changing to deep crimson in the autumn. Each Each
...B.&B. \$4.50
...B.&B. 6.00
...B.&B. 8.00 6 to 8 feet.

B. & B. denotes Balled and Burlapped. Our stock is very limited this season and prices


## LIRIODENDRON—Tulip Tree

L. tulipifera. T. One of our very largest native trees, with large, smooth,		
	Each	
4 to 5 feet	\$1.40	\$12.00
6 to 8 feet	2.50	20.00
8 to 10 feet		
0 to 10 feet	0.5-	0

#### MAGNOLIA

M. glauca (Sweet Bay or Swamp Magnolia). S. When planted in moist soil this makes a handsome tree of medium size. Its leaves are glossy, laurel-like, almost evergreen. In June its pure white flower-cups are lovely and grand.

Each



3 to 4 feet ....



#### MALUS-Crab

M. loensis flora plena (Bechtel's Double-Flowering Crab). S. The beauty and delicate fragrance of the bloom of the sweet-scented crab is a theme for poets, and this new variety is a gem among hardy plants. The flowers are sometimes mistaken for small pink roses, and the perfume tends to increase rather than correct the delusion.

			fee											22.50
be	eat	ıti	ful	ca	rmi	ine	in	b	ud;	W	hit	e v		Flowers n; May.
F	rui	t	ver	y o	rna	me	nt	al i	n a	ut	tum	ın.		Each

4 to 5 feet	Each \$2.00
M. atrosanguinea. S. Red flowers.	Each
4 to 5 feet	\$2.00
M. coronarius. S. Sweet-scented crab. I	Largely

	Eacn	Per 10
2 to 3 feet	\$1.25	\$10.00
3 to 4 feet	1.50	12.50
M. parkmannii (Parkman's Cr habit, foliage dark green, flowers double dark rose.		on late;
		Each
4 to 5 feet		\$2.75
Malus purpurea. A form of darker red flowers.	Floribun	da with
	Each	Per 10
4 to 5 feet	\$2.00	\$17.50

# PLATANUS—Sycamore or Plane

The Sycamore is probably the hardiest of all street trees for our larger cities. It can stand more abuse than any other tree we know of; it can stand the smoke and gases better than can most other ornamental street trees. We recommend the Sycamore for general planting in large cities.

P. occidentalis (American Plane). T. A tree of the largest size, growing rapidly, very ornamental and entirely hardy. Fine for street planting.

	Each	Per 10	Per 100
6 to 8 ft	\$1.75	\$15.00	\$125.00
8 to 10 ft	2.50	20.00	175.00
1 ½ to 1½ in 1½ to 1¾ in	3.25	30.00	250.00
1½ to 1¾ in	4.00	37.50	325.00

P. orientalis (European Plane). T. A lofty, wide-spreading tree; large five-lobed leaves. This is undoubtedly the best variety of the Sycamores for general street planting, on account of its more compact growth than the American variety. Holds its foliage later in the fall.

	Each	Per 10	Per 100
6 to 8 ft	\$2.00	\$17.50	\$150.00
8 to 10 ft	3.00	25.00	200.00
1 1/4 to 1 1/2 in. dia.	3.75	35.00	300.00
1 ½ to 1¾ in. dia.	4.50	40.00	350.00
134 to 2 in. dia	6.50		



**Lombardy Poplars** 



Pin Oaks



**Avenue Planted with Sycamores** 

#### POPULUS—Poplar

P. alba pyramidalis (I	Rollean	a) (Silve	er). M.
New pyramidal form	leave	a dark	rreen on
upper side, brillian	, icave,	ow und	ownood b
Warn bandiful	t SHV		
Very beautiful.		Each	Per 10
6 to 8 feet		\$2.00	\$17.50
8 to 10 feet			22.50
P. deltoides monilif	era ((	Carolina	Poplar)
(Carolina). M. A tive tree of rapid gro	vigorot	ıs, heal	thy na-
tive tree of rapid gro	wth. n	vramid	in form.
with large, glossy lea	vee v	luable	for park
or street planting.			
	Each	Per 10	Per 100
6 to 8 ft., 1 to 1 1/4 in.	\$0.60	\$5.00	\$40.00
8 to 10 ft., 1 1/4 to 1 1/2			
in	T TO	0.00	80.00
10 to 12 ft., 1½ to	1.10	9.00	00.00
-3/:-			
1 ¾ in	1.50	12 50	100.00
10 to 12 it., 1% to 2			
in	2.00	17.50	150.00
12 to 14 ft., 2 to 2 ½			
in	2.50	22.50	200.00
P. nigra italica (Lomb			
grows to an immense			
able for its columnar	growth	ı. In la	andscape
work, breaks the mo	noton	v of th	e lower.
round-topped trees.			
istic trees of Lombar			
	-		-
Italy.	Each	Per 10	Per 100
6 to 8 ft	\$0.80	\$6.50	\$50.00
8 to 10 ft., I to 1 1/4 in.			80.00
10 to 12 ft., 1 1/4 to 1 1/2	1.00	9.00	00.00
	* **	70 70	700 00
in,	1.50	12.50	100.00
12 to 14 ft., 1 1/2 to 13/4			
in 14 to 15 ft., 13/4 to 2	2.25	20.00	150.00
14 to 15 ft., 13/4 to 2			
in	3.00	27.50	
15 ft. and up, 2 to 2 1/2	0	_,.50	
in 2010 and ap, 2 to 2 /2	4 00	25 72	

## PRUNUS-Plum, Cherry

Comprises the genus cerasus (Cherry) and Prunus (Plum). These contain many beautiful flowering and bright foliaged varieties.

P. avium alba plena (Double-flowering Cherry) (Cerasus). M. The double white flowers, like little roses, cover the tree completely.

4 to 5 feet	Each \$3.50
P. cerasifera Pissardii (Purple-leaved Plum). S. A very remarl beautiful tree with black bark and dark purple leaves, rem	kable and
3 to 4 feet	Per 10 \$9.00
4 to 5 feet	11.00
PTELIA—Hop Tree	
P. trifoliata. A large shrub or small tree, of rapid growth and rob	ust habit.

Q. palustris (Pin Oak). M. Foliage deep green, finely divided: assume a drooping form when it acquires age. One of the most valuable for stree	9
a drooping form when it acquires age. One of the most valuable for stree	t
planting. Each Per 10 Per 10	0
1 1/4 to 1 1/2 in. dia \$4.00 \$37.50 \$350.00	
1 1/2 to 1 3/4 in. dia 5.00 47.50 450.00	
1 ¾ to 2 in. dia	
Q. rubra (Red Oak). T. An American species, of large size and rapid	
growth, foliage purplish-red in the fall. Each Per 10	
1½ to 1¾ in. dia \$6.00 \$55.00	
2 to 2½ in. dia 9.00 85.00	0

#### **DECIDUOUS TREES—Continued**

#### SALIX—Willow

All Willows should be pruned annually for best results.

caprea (Goat Willow). S. Also known as Pussy Willow, catkins silky, preceding the leaves; very useful for early effects. Each Per to

3 to 4 feet. \$6.50

S. pentandra (Laurel Willow). A fine ornamental tree, with large shining leaves. Each Per 10

4 to 5 feet. \$0.75

S. vitellina aurea (Golden Willow). M. Grows into a massy low-headed tree. Light green leaves and brilliant golden-yellow bark in winter. Each Per 10

5 to 6 feet. \$0.75

S. vitellina britzensis (Salmon Barked Willow). L. A form of the above with yellow bark on the younger wood tinted with red winter.

5 to 6 feet. \$0.7\$ \$6.50

vitellina britzensis (Salmon Barked Willow). L. A form of the above with yellow bark on the younger wood, tinted with red.

Each Per 10

5 to 6 feet. \$0.7\$ \$6.50

For the Weeping Forms of Salix (Willow)—See Weeping Trees.

#### SORBUS-Mountain Ash

	aucuparia. M. A small tree with shining, pinnated cymes of white flowers, followed by clusters of bright red	fruit.	
			Per 10
	6 to 8 ft		
	1¼ to 1½ in	4.00	35.00
S,	quercifolia (Oak-Leaved Mountain Ash). M. A	hardy	tree of
	pyramidal habit. Foliage simple and deeply lobed, bri and downy beneath. A fine lawn tree.		
		Each	Per 10
	6 to 9 fact		\$00 FO

#### TILIA—Linden

T. americana (American). T. A fine pyramidal tree with large-sized leaves and fragrant flowers. Each Per 10 8 to 10 ft., 1 1/4 to 1 1/2 in..... \$4.75 \$45.00

#### **ULMUS**—EIm

U. americana (American). T. The noble, drooping, spreading tree of our woods. One of the grandest of park and street trees. Select speci-

Ea	ch Per	10 Per 100
8 to 10 feet\$2.	25 \$17.	50 \$150.00
10 to 12 feet, 1 1/2 to 1 1/4 in. diameter 3.	50 32.	.50
10 to 12 feet, 13/4 to 2 in. diameter 4.	50 42.	.50

#### **ULMUS PUMILA**—(Siberian or Asiatic Elm) (New)

A very rapid, graceful-growing tree, leafing out very early anding hold its dark green leaves late in the fall. Its extremely hardy and drought-resistant nature makes it a valuable addition to our list.

	Lacii	rei iu
8 to 10 feet. 6 to 8 feet		\$25.00 20.00

# **Weeping Deciduous Trees**

ACER-MAPLE

A. saccharinum var. Wierli (Wier's Cut-leaved Maple). See Deciduous Trees.

BETULA—Birch

B. alba laciniata pendula (Cut-leaved Weeping Birch). T. Trunk straight, slender, white as snow; branches hanging in long pendulous threads from a great height; leaves finely cut; a universal favorite.

Each Per 10

\$4.00
\$35.00 45.00

**MORUS**—Mulberry

M. alba pendula (Weeping Mulberry). S. A graceful and beautiful hardy tree, forming a perfect umbrella shaped head, with long, slender, willowy branches, drooping to the ground and gracefully swaying in the wind. Foliage small-lobed and of a delightful fresh, glossy green. Admirably adapted to cemetery planting.

Each Per 10



Weeping Mulberry

#### SALIX—Willow

S. babylonica (Babylonian Weeping Willow) M. A well-known and most graceful tree of large size. Its fresh, bright green tint and long, wavy branches make it very attractive.

			Per 10
8 to 10 feet		2,00	17.50
S. blanda (Wisconsin Weeping	Willow). M. Of drooping	habit and	beauti-
ful form. The most hardy of	f all Weeping Willows.		
		Each	Per 10
6 to 8 feet		0	0

S. elegantissima (Thurlow's Weeping Willow). M. Larger, hardier and more spreading than the Babylonica. A fine variety where a large size tree is desired.

6 to 8 feet	\$1.60	\$14.00
8 to 10 feet	1.90	16.00

#### **ULMUS**—Elm

U. var. camperdown pendula (Camperdown Weeping Elm). S. One of the finest weeping trees for the lawn. With broad foliage and branches drooping gracefully to the ground. 2-year heads, 5-foot stems......\$5.50

#### SUGGESTIONS ON PLANTING

In planting, due regard should be paid to the space available, and trees and shrubs should not be planted at random. Nothing is more handsome than a fine, well-cut lawn, with trees and shrubs planted along the drives leading to the house and other buildings. The background for a large lawn should be of the different varieties of larger growing trees, with groups of specimen trees in the foreground. Most shrubs are at their best planted in beds, either all of one variety or with several varieties so arranged that the higher growing ones will form the center with those of lower growing habits massed around them. These plants should be thoroughly cultivated and annually pruned. It is not well to plant so few that years must pass before a good effect is produced, but a surplus should be planted at first and this gradually taken out. Vines should be planted near the house and allowed to clamber on it or may be trained with fine effect over arbors or stakes placed in the lawn.



**Cut-Leaved Weeping Birch** 

# **Special Collection Offers for Spring, 1928**

Red, White and Blue Grape Collection 6—Concord

2-Brighton

Ten 2-year vines, first quality, postage paid, \$1.50.

Collection No. 2

6-Perfection Currants

The best red currant. Every home should have a few currant bushes in the garden.

Six 2-year No. 1 plants, postage paid, \$1.50.

Collection No. 3

5—Blackberry, Blower 5—Red Raspberry, King 5—Black Raspberry, Cumberland

All first class plants, postage paid, \$1.20.

Collection No. 4

5-Gooseberry

3 Downing 2 Ho
-Londen Market Currant 2 Houghton

2-year No. 1 plants, postage paid, \$1.70.

Collection No. 5

**Small Home Orchard Collection** 

2—Apple, 2-year 1—Pear, 2-year 2—Plum, 1-year 2—Sour Cherry, 2-year 1—Grape Vines, 2-year, blue, white & red 10—Raspberry, 1-year

5—Gooseberry, 2-year 5—Currant, 2-year

All first class stock. Catalog price, \$14.50. Special price packed for Express F. O. B. St. Louis, Mo., \$11.50.

Collection No. 6 **Town Lot Collection** 

-Cherry, 2-year -Plum, 2-year

10-Blackberry, 1-year

–Pear, 2-year –Peach, 1-year

All select trees, original cost, \$3.20. Special introductory price, packed for Express F. O. B. St. Louis, Mo., for \$2.50.

Collection No. 7

**New and Hardy Shrubs** 

1-Berberis Thunbergi Atropurpurea (Red-Leaf Berberis)

-Philadelphus Virginalis

I-Lilac, Red-flowering.

All first class, original cost, \$3.75. Special introductory price, postpaid, \$2.95.

Collection No. 8

Hardy Hybrid Perpetual Roses

Ten varieties, all different, 2-year budded stock, our selection.

The set for \$5.00, postage paid.

Collection No. 9

**Hardy Climbing Roses** 

-Climbing American Beauty

Three strong 2-year-old plants, postage paid, \$1.50.

Collection No. 10

Ten Everblooming or Hybrid Tea Roses

Ten select varieties. 2-year dormant plants.

Postage paid, \$5.00.

Collection No. 11

Assorted Rose Collection.

Five Everblooming or Hybrid Tea Roses, five separate varieties. Two Climbing Roses

i—Dr. Van Fleet

i—Cl. American Beauty

2-year No. 1 Dormant plants, postage paid, \$3.75.

Collection No. 12

Hardy Phlox

Ten select plants, five varieties, our selection.

Postage paid, \$1.80.



A few collections will give you a fine garden

Collection No. 13

**Special Assorted Perennial Collection** 

12 Hardy Perennial Plants

-Chrysanthemum

Coreopsis

-Coreopsis -Statice Latifolia -Purple Rudbeckia -Helianthus Soleil d'Or -Bleeding Heart -Hardy Aster -Mallow Hibiscus

Original cost, \$3.40. Special price, postage paid, \$2.50.

Collection No. 14

Ten varieties, one each, our selection of special selected varieties.

Postage paid, \$1.25.

Collection No. 15

Three special selected varieties, red, pink and white. 3 to 5-eye plants Postage paid, \$1.20.

Collection No. 16

German Iris

Special list of fancy varieties

I—Ambassadeur

I—King of Iris
I—S erwin Wright
I—Loreley

I — Monsignor

Catalog price, \$3.35. Special price, postage paid, \$2.59.

Parties who have never bought from us, we would ask that they order one or more of these collections, to acquaint themselves with the class of stock we send out.

# **Classification of Ornamental Shrubs**

Our collection of Hardy Shrubs is one of the finest and most complete in the West. To parties desiring to lay out new grounds, or to fill out missing sorts, we would kindly ask correspondence. To make it easier for planter to select shrubs for particular purposes we have adopted letters to denote the average height to which the various shrubs grow at maturity.

T—Denotes shrubs that grow 12 to 15 feet high. L—Denotes shrubs that grow 8 to 12 feet high. M—Denotes shrubs that grow 6 to 8 feet high.

S—Denotes shrubs that grow 3 to 6 feet high.

Shrubs classified as to height, color of flower and time of blooming.

SHRUBS THAT GROW	12 TO 15 FEET HIGH TIME OF
NAME. Amorpha fruiticosa Eleagnus augustifolia	Caran an Er
Eleagnus augustifolia	. YellowJune.
SHRUBS THAT GROW	8 TO 12 FEET HIGH TIME OF

NAME.	COLOR OF FLOWER.	
Colutea arborescens	. Reddish-yellow	July.
Euonymus americanus	Small yellow	May.
Euonymus europaeus	Small vellow	May.
Exochorda grandiflora	.White	May.
Hibiscus in variety	Red, white, purple.	
	pink	AugSept.
Philadelphus coronarius	.White	Tune.
Philadelphus coronarius fl. pl		
Philadelphus coronarius grandiflorus.		
Philadelphus coronarius lewisii		
Rhodotypos kerrioides		
Rhus cotinus	Purple	Midsummer.
Rhus glabra	Crimson seed	Fall.
Rhus typhina	.Crimson seed	Fall.
Rhus typhina laciniata	Crimson seed	Fall.
Sambucus canadensis		
Sambucus canadensis aurea		
Sambucus nigra		
Sambucus racemosus		
Tamarix africana		
Tamarix gallica	Delicate pink	Mav.
Tamarix odissina		
Tamarix hispida estivalis		
Tamarix tetandra purpurea	Purplish-pink	luly.
Viburnum lantana	White	May.
Viburnum lentago	Creamy-white	May.
Viburnum opulus		

#### SHRUBS THAT GROW 6 TO 8 FEET HIGH TIME OF

Name.	COLOR OF FLOWER. BLOOMING.
Calycanthus	. Maroon-purple June.
Cornus alba	.Green, white June.
Cornus amomum	.Green, white Tune.
C. Eleagantissima var	.Green, white June.
Cornus mas	Vellow May
Cornus sanguinea	Green white June
Cornus stolonifera	Green white June
Cornus stolonifera aurea	Green white Tune
Corylus	
Cydonia	Scarlet April
Doutgie in we mist ve	White Mer Tune
Deutzia in variety. Forsythia in variety. Hamamelis.	Vollage March April
Forsythia in variety	. Yellow
Hamamelis	. Yellow SeptOct.
Hydrangea paniculata grandiflora Jasminum officinalis Jasminum nudiflorum	. White July to Oct.
Jasminum officinalis	. White
Jasminum nudiflorum	. Yellow
Lagerstroemia	. Rose, red. whiteJuly-August.
Ligustrum amourense	.WhiteJune.
Ligustrum ibota	.WhiteJune.
Ligustrum regelianum	
Lonicera fragrantissima	.PinkMay.
Lonicera morrowii	. Pink May.
Lonicera tartarica alba	.WhiteJune.
Lonicera tartarica rosea	. Rose June.
Lonicera tartarica rubra	. Red Tune.
Philadelphus lemoinei	Vellowish-white Tune
Physocarpus opulifolia	. White Tune
Physocarpus opulifolia luteus	White Tune
Rhamnus catharticus	White Tune-Tuly
Ribes gordonianum	Orange-red May-June
Ribes odoratum	Golden-vellow May June
Ribes sanguineum	Crimeon May June
Robenia hispida	Pose Tune
Spirea billardi	Dose Mid
Spirea Douglassi	. Rose
Spirea Douglassi	Deep rose June-July.
Spirea Fontenavii alba	. white
Spirea Fontenavii rosea	. Rose
Spirea Margaritea	.Soft pinkMay.
Spirea prunifolia Spirea Reevesiana Spirea Reevesiana fl. pl.	.WhiteMay.
Spirea Reevesiana	.WhiteMay.
Spirea Reevesiana fl. pl	.WhiteMay.
Spirea salicitolia	. Rose lune-luly.
Spirea sorbifolia	.WhiteJuly.
Syringa japonica	. Cream-white June.
Syringa josikea	. Lilac April.
Syringa rothomagensis	. Rose April.
Syringa villosa	Purple shaded white May.
Syringa vulgaris	.PurpleApril
Syringa vulgaris alba	White April
Syringa, named varieties	All colors April
Viburnum dentatum	White May
Viburnum molle	Greenish white Inne
TADMINISTE MODICE	· O. Combil-Willice Julice

SHRUBS	THAT	GROW	6 <b>TO</b>	8 FEET	HIGH-Con't.
--------	------	------	-------------	--------	-------------

		TIME OF
Name.	COLOR OF FLOWER.	BLOOMING.
Viburnum tomentosum	.White	May.
Viburnum tomentosum plicatum	White	May
Weigela in variety	Red pink white	Tune
Weigela variegated	Dink, Wille	Tune.

#### SHRUBS THAT GROW 3 TO 6 FEET HIGH

		TIME OF
NAME.	Color of Flower.	BLOOMING.
Abelia	.White	June.
Acanthopanax	.Green	Tune.
Amygdalus	Pink and white	April.
Aronia arbutifolia	White	April-May
Aronia melanocarpa	White	April
Benzoin aestivale	Inconspicuous	April
Buddleia	I ilac	Tuly, Amount
Ceanothus	White	A pril
Cephalanthus	White	Tul-
Clethra	White	July.
Deutzia lemoineii	Wille	Jury.
Diervilla lutea	Walland	May.
Fleague longpines	Yellow	jury.
Eleagnus longpipes	. Yellow	June.
Hydrangea arborescens	. White	July.
Hypericum	Yellow	July-August.
Kerria japonica	Single yellow	All summer.
Kerria japonica fl. pl	Double yellow	All summer.
Lonicera ledebouri	. Red	Tune.
Lonicera ruprechtiana	Pink	Tune.
Rhus canadensis	White	April.
Rhus copalina	. Greenish-vellow	August.
Rubus odoratus	Rosy-purple	May.
Spirea Bumalda	Pink	Midsummer
Spirea multiflora arguta	White	April
Spirea Thunbergii	White	A pril
Symphoricarpus racemosus	Rose	Tune-Tuly
Vitex agnus castus	Purple	August Sont
Vitex agnus castus alba	White	Aug Sont
	. VV III CC	rugsept.

#### SHRUBS THAT GROW 2 TO 3 FEET HIGH

	TIME OF
COLOR OF FLOWER.	BLOOMING.
. Vellow	May.
Vellow	April
Insignificant	Angust
Rose-purple	September
White	April
Vellow	All cummer
White	All summer
Bright red	Tuna
Roev-red	Tuno
White	Tuno
V 1 TO 2 FEET H	IGH
	COLOR OF FLOWER. Yellow Yellow Insignificant Rose-purple White Yellow White Bright red Rosy-red White White

Berberis Thunbergii (Box) New dwar					Βī	.00	OM		G.		
"New Dwarf Privet Hedge" Lonicera nitida	 • • •	  • •	• •	• •	• •	• •	::	::	•	• •	•
Lonicera piliata	 	 									

#### SHRUBS SUITABLE FOR HEDGES

Baby Rambler Roses. For low hedges in the Rose garden, all of the Baby Ramblers are excellent, giving a wide range of color.
Berberis Thunbergii.—One of the finest and hardiest. Plant 12

Berbers inches apart.
Berberis Thunbergii (Dwarf Box variety).—Excellent for low dwarf hedges. Plant 8 inches apart.
Hibiscus Syriacus in varieties.—For large screens.
Ligustrum amorense (North).—The hardy Amoor River Privet for sections north of Quincy, Illinois, where the Ovalifolium is not hardy enough. Ligustrum Lodense—A new dwarf hedge to take the place of boxwoods.

Plant 12 inches apart.

Ligustrum ovalifolium (California Privet).—The great, almost evergreen hedge so largely planted in St. Louis. See page 16.

Philadelphus in variety. Fine for screening, and where a tall informal

Philadelphius in variety. Fine for screening, and where a tall informal hedge is desired.

Rhodotypos.—Makes a beautiful informal hedge 6 to 8 feet high. Spirea Anthony Waterer.—Makes a beautiful low hedge, and if flower heads are kept cut as soon as petals fall will bloom all summer. Plant this variety 12 inches apart in row.

Spirea Van Houttei.—Makes a beautiful hedge or screen. Should be more largely used on large grounds. For hedge purposes plant 18 inches apart in row.

apart in row.

SHRUBS WITH CUT OR LANCEULATED FULL	
Name.	HEIGHT.
Rhus glabra laciniata	6 to 8 ft.
Rhus typhina laciniata	8 to 12 ft.
Sambucus nigra laciniata	8 to 12 ft.


SHRUBS WITH BERRIES IN FALL A		SHRUBS W	ITH COLORED FOLIAGE
Aronia arbutifolia 3 to 6 ft	Color of Fruit. Scarlet.	NAME.	HEIGHT. COLOR OF FRUIT.
Aronia melancarpa	Black. Scarlet.	Cornus stolonifera aurea Eleagnus augustifolia	6 to 8 ftYellow.
Benzoin aestivale	Red.	Eleagrus longipes	
Colutea arborescens	Bladder-like seed	Hamamelis	3 to 6 ft Red in fall6 to 8 ft Bright red in fall6 to 8 ft Variegated.
Cornus alba siberica	pods. White.	Ligustrum ovalifolium aurea	3 to 6 ft Yellow.
Cornus amomum 6 to 8 ft Cornus mas 6 to 8 ft	Scarlet.	Philadelphus coronaritius au	reus2 to 3 ftYellow.
Cornus sanguinea	White.	Physocarpus opulifolia luteu	s6 to 8 ftYellow. 3 to 6 ftRed in fall.
Fleagange langings 2 to 6 ft	Orange-red	Rhus copalina	3 to 6 ft. Red in fall. Red in fall. Red in fall.
Euonymus alatus 3 to 6 ft. Euonymus americanus 8 to 12 ft.	Scarlet and orange.	Rhus glabra laciniata	
llex verticillata	Rosy rea. Red.	Rhus typhina laciniata	8 to 12 ftRed in fall. 8 to 12 ftScarlet in fall.
Ligustrum amourense	Black.	Sambucus canadensis aurea.	8 to 12 ftYellow.
Ligustrum Regelianum 6 to 8 ft Lonicera Bella albida 6 to 8 tt	Black.	Spirea callosa var. Froebelli	
Lonicera morrowi	Red.	Weigela nana variegata	3 to 6 ftWhite and green.
Rhamnus catharticus	Black.	CHENIDA I	
Rhus canadensis       3 to 6 ft.         Rhus copalina       3 to 6 ft.         Rhus glabra       6 to 8 ft.	Scarlet seed.	NAME.	FOR SHADY LOCATIONS HEIGHT.
Rhus glabra	Crimson seed. Scarlet seed.	Berberis Thunbergii	
Rhus typhina laciniata 8 to 12 ft Sambucus canadensis 8 to 12 ft	Scarlet seed.	Clethra alnifolia	
Sambucus nigra	Purplish-black.	Cornus amomum	
Sambucus racemosus	White.	Cornus sanguinea Cornus stolonifera	
Viburnum dentatum	Black. Red.	Deutzia gracillis	2 to 3 ft.
Viburnum lentago 8 to 12 ft Viburnum molle 6 to 8 ft	Bluish-black.	Forsythia (in variety)	
Viburnum opulus8 to 12 ft	Red.	Hypericum Henryii	3 to 6 ft.
SHRUBS WITH COLORED BARK IN	WINTER	Rhus canadensis	
Name. Height. Cornus alba	Crimson.	Ribes (in variety)	
Cornus amomum	Purple.	Symphoricarpus racemosus.	3 to 6 ft. 6 to 8 ft.
Cornus stolonifera	Red and green. Vellow.	Viburnum lentago	
Eleagnus angustifolia12 to 14 ft Eleagnus longipes3 to 6 ft	Silvery.		
Euonymus alatus	Corky bark.		should be used early in the season to give t promotes the development of a good
Kerria japonica 3 to 6 ft	Green.		ens the fibre of the plant. See page 44.
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the	BS ADAPTED o sense complete under le average small lot.	TO SMALL LOT Sthe various headings, but den	SPECIAL USES
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the state of the	BS ADAPTED  sense complete under	TO SMALL LOT Sthe various headings, but der	SPECIAL USES ote the types and varieties most generally
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the SI  DISTANCE APART TO SET THE PLANTS	BS ADAPTED  sense complete under le average small lot.  HRUBS FOR FOUND	TO SMALL LOT Sthe various headings, but den	SPECIAL USES ote the types and varieties most generally  PLANTING INTERVAL
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the SI  DISTANCE APART TO SET THE PLANTS  1. Sunny Exposure. A—HIGH GROWING:	BS ADAPTED  sense complete under the average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry.	TO SMALL LOT Sthe various headings, but der PLANTING PLANTING INTERVAL ian Currant, 3 -4 ft.	SPECIAL USES  ote the types and varieties most generally  PLANTING INTERVAL HONEYSUCKIE—MOTIONI
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the street of the special requirements of the specia	BS ADAPTED  sense complete under the average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry	TO SMALL LOT Stee various headings, but der PLANTING PLANTING INTERVAL ian Currant, 3 -4 ft. I	SPECIAL USES  ote the types and varieties most generally  PLANTING INTERVAL HONEYSUCKIE—MOTIONI
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the standard process.  DISTANCE APART TO SET THE PLANTS  I. Sunny Exposure. A—HIGH GROWING: Cornus Elegantissima Variegata4 -5 ft. Deutzias—Crenata, Watereri, etc4 -5 ft. Exochorda Grandiflora	e sense complete under le average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry Tamarix—Odessana Weigelas—Rosea, and	TO SMALL LOT Sthe various headings, but denoted by the various headings and current, and the variegated by the various headings, but denoted by the various headings headings have been considered by the various headings have been considered by the vari	PLANTING Honeysuckle—Morrowi
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the structure of the special requirements of the succeeding special requ	sense complete under le average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry	TO SMALL LOT Sthe various headings, but der PLANTING INTERVAL ian Currant,	PLANTING Honeysuckle—Morrowi. 4 -5 ft. 3—MEDIUM HEIGHT: Cornus—Paniculata. 3 -3½ ft. Hydrangea—Arborescens Grandiflora. 2½-3½ ft. Privets—Amoor, and Regel's. 2 -3 ft. Rosa Rugosa and Hybrids. 2½-3 ft.
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the structure of the succeeding special requirements of the succeeding s	sense complete under le average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry	TO SMALL LOT Sthe various headings, but der PLANTING INTERVAL ian Currant,	PLANTING INTERVAL 3-MEDIUM HEIGHT: Cornus—Paniculata
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the street of the special requirements of the specia	BS ADAPTED  sense complete under the average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry Tamarix—Odessana. Weigelas—Rosea, and  —LOW-GROWING: Barberry Callicarpa Purpurea. Deutzias—Gracilis, ar Kerria Japonica fi. pl. Philadelphus — Mar	TO SMALL LOT S  the various headings, but der  PLANTING  PLANTING  INTERVAL  ian Currant.  3 -4 ft.  Variegated-lf3 -4 ft.  Variegated-lf3 -4 ft.  2½-3½ ft.  and Lemoinei.2 -3 ft.  2½-3½ ft.  and Lemoinei.2 -3 ft.  12½-3½ ft.	PLANTING INTERVAL Honeysuckle—Morrowi 4-5 ft. 3-MEDIUM HEIGHT: Cornus—Paniculata. 3-3½ ft. Hydrangea—Arborescens Grandifora. 2-3 ft. Rosa Rugosa and Hybrids. 2 -3 ft. Rosa Rugosa and Hybrids. 2 ½-3 ft. Rhodotypus Kerrioides. 3 ½-4½ ft.
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of the succeeding lists of the succeeding lists of the policy of the succeeding lists of the succeedin	BS ADAPTED  sense complete under le average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry Tamarix—Odessana. Weigelas—Rosea, and  C—LOW-GROWING: Barberry Callicarpa Purpurea. Deutzias—Gracilis, ar Kerria Japonica fi. pl. Philadelphus — Mar mine Baby Rambler Roses-	TO SMALL LOT S  the various headings, but der  PLANTING INTERVAL ian Currant,	PLANTING INTERVAL 3-MEDIUM HEIGHT: Cornus—Paniculata
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of the succeeding lists of the succeeding lists of the plants  DISTANCE APART TO SET THE PLANTS  1. Sunny Exposure. A—HIGH GROWING: Cornus Elegantissima Variegata4 - 5 ft. Deutzias—Crenata, Watereri, etc4 - 5 ft. Bush Honeysuckle—in variety4 - 5 ft. Philadelphus—in variety4 - 5 ft. Ibota Privet	sense complete under le average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry	TO SMALL LOT Sthe various headings, but der control of the variety and	PLANTING Honeysuckle—Morrowi. 4 -5 ft.  B-MEDIUM HEIGHT: Cornus—Paniculata. 3 -3½ ft. Hydrangea—Arborescens Grandi- flora
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding special requiremen	sense complete under le average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry	TO SMALL LOT Sthe various headings, but der PLANTING INTERVAL ian Currant,	PLANTING Honeysuckle—Morrowi. 4 -5 ft.  B-MEDIUM HEIGHT: Cornus—Paniculata. 3 -3½ ft. Hydrangea—Arborescens Grandi- flora
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding special requiremen	BS ADAPTED  sense complete under the average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry	TO SMALL LOT Sthe various headings, but der PLANTING INTERVAL ian Currant.	PLANTING Honeysuckle—Morrowi. 4 -5 ft.  B-MEDIUM HEIGHT: Cornus—Paniculata. 3 -3½ ft. Hydrangea—Arborescens Grandi- flora
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of the succeeding lists of the policy of the plants.  DISTANCE APART TO SET THE PLANTS  1. Sunny Exposure.  A—HIGH GROWING: Cornus Elegantissima Variegata4 -5 ft. Exochorda Grandiflora4 -5 ft. Exochorda Grandiflora4 -5 ft. Common Lilac4 -5 ft. Philadelphus—in variety4 -5 ft. Viburnums—Dentatum, Opullus, etc4 -5 ft. Weigelas—in variety4 -5 ft. Weigelas—in variety4 -5 ft. Hydrangeas—A. G. and P. G. 3 -4 ft. Hydrangeas—A. G. and P. G. 3 -4 ft. Hydrangeas—A. G. and P. G. 3 -4 ft. Privet.—Amoor, and Regel's3 -4 ft. Privet.—Amoor, and Regel's3 -4 ft. Rhodotypus Kerrioides3 -4 ft. Spireas—Prunifolia, Van Houtte,	BS ADAPTED  sense complete under the average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry	TO SMALL LOT S the various headings, but der  PLANTING PLANTING INTERVAL ian Currant, 3 -4 ft. Variegated-if3 -4 ft. Variegated-if3 -4 ft.  12 2-3 ft. 12 2-3 ft. 12 2-3 ft. 12 2-3 ft. 13 2-4 ft. 14 2-3 ft. 15 2-2 ft. 16 Callosa Alba, 16 2-3 ft. 17 2-2 ft. 18 2-3 ft. 19 3-4 f	PLANTING Honeysuckle—Morrowi. 4 -5 ft.  B-MEDIUM HEIGHT: Cornus—Paniculata. 3 -3½ ft. Hydrangea—Arborescens Grandi- flora
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding special requiremen	BS ADAPTED  sense complete under the average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry Tamarix—Odessana. Weigelas—Rosea, and  C—LOW-GROWING: Barberry Callicarpa Purpurea. Deutzias—Gracilis, at Kerria Japonica fi. pl. Philadelplus — Mar mine Baby Rambler Roses- Spireas—A. Waterer, Froebeli, etc  1. Shady Exposure. —HIGH GROWING	TO SMALL LOT S the various headings, but der  PLANTING PLANTING INTERVAL ian Currant, 3 -4 ft. Variegated-if3 -4 ft. Variegated-if3 -4 ft.  12 2-3 ft. 12 2-3 ft. 12 2-3 ft. 12 2-3 ft. 13 2-4 ft. 14 2-3 ft. 15 2-2 ft. 16 Callosa Alba, 16 2-3 ft. 17 2-2 ft. 18 2-3 ft. 19 3-4 f	PLANTING INTERVAL B-MEDIUM HEIGHT: Cornus—Paniculata
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of the	sense complete under le average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry.  Tamarix—Odessana. Weigelas—Rosea, and C—LOW-GROWING: Barberry. Callicarpa Purpurea. Deutzias—Gracilis, at Kerria Japonica fi. pl. Philadelphus — Mar mine. Baby Rambler Roses- Spireas—A. Waterer, Froebeli, etc.  1. Shady Exposure. A—HIGH GROWING Ibota Privet. Viburnums—Dentatu etc.	TO SMALL LOT S the various headings, but der  PLANTING PLANTING INTERVAL ian Currant, 3 -4 ft. Variegated-if3 -4 ft. Variegated-if3 -4 ft.  12 2-3 ft. 12 2-3 ft. 12 2-3 ft. 12 2-3 ft. 12 2-3 ft. 13 15 16 16 16 16 16 16 16 16 16 16 16 16 16	PLANTING Honeysuckle—Morrowi. 4 -5 ft.  B-MEDIUM HEIGHT: Cornus—Paniculata. 3 -3½ ft. Hydrangea—Arborescens Grandi- flora
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists and	sense complete under le average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry	TO SMALL LOT S the various headings, but der  PLANTING  PLANTING INTERVAL ian Currant.  3 -4 ft. Variegated-lf3 -4 ft.  Variegated-lf3 -4 ft.  2 /2 3 ft.  2 /2 3 /2 ft.  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PLANTING Honeysuckle—Morrowi 4-5 ft.  B-MEDIUM HEIGHT: Cornus—Paniculata 3-3½ ft. Hydrangea—Arborescens Grandiflora Horeysuckle—Morrowi 4-5 ft.  Rosa Rugosa and Hybrids 2/-3 ½ ft. Rydrangea—Arborescens Grandiflora 3-4½ ft. Symphoricarpus—Indian Currant, Snowberry 3-4 ft.  C-LOW-GROWING: Barberry Thunbergi 2-3 ft. Box-Barberry Thunbergi 3-3 ft. Callicarpa Purpurea 2-2½ 3½ ft. Lodense Privet 1½-2 ft. Hypericum Henryi 1½-2 ft. Rhus Aromatica 3-3½ ft. Viburnum Opulus Nanum 2-2½ ft.
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of the plants.  DISTANCE APART TO SET THE PLANTS  1. Sunny Exposure.  A—HIGH GROWING:  Cornus Elegantissima Variegata 4 -5 ft.  Bush Honeysuckle—in variety 4 -5 ft.  Bush Honeysuckle—in variety 4 -5 ft.  Weigelas—in variety 4 -5 ft.  Hydrangeas—A - G, and P. G 3 -4 ft.  Hydrangeas—A - G, and P. G 3 -4 ft.  Honeysuckle Morrowi 4 -5 ft.  Philadelphus Aureus 3 -4 ft.  Privet—Amoor, and Regel's 3 -4 ft.  Rhodotypus Kerrioides 3 -4 ft.  Rhodotypus Kerrioides 3 -4 ft.  Rhodotypus Kerrioides 3 -4 ft.  SHRUBS  Sunny Exposure.  DISTANCE APART 10 SHRUBS	BS ADAPTED  sense complete under the average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry.  Tamarix—Odessana.  Weigelas—Rosea, and  C—LOW-GROWING: Barberry.  Callicarpa Purpurea. Deutzias—Gracilis, and Kerria Japonica fi, pl. Philadelphus — Mar mine.  Baby Rambler Roses- Spireas—A. Waterer, Froebeli, etc.  I. Shady Exposure.  A—HIGH GROWING Ibota Privet.  Wiburnums—Dentatu etc.  FOR BACKYARD O  3—MEDIUM HEIGH All shrubs in I-B. Aralia Pentanhylla	TO SMALL LOT S  the various headings, but der  PLANTING  PLANTING  INTERVAL  ian Currant,  3 -4 ft.  Variegated-if3 -4 ft.  Variegated-if3 -4 ft.  12 ½-3 ½ ft.  12 ½-3 ½ ft.  14 call benoine: 2 -3 ft.  15 calloss Alba,  16 calloss Alba,  17 calloss Alba,  18 calloss Alba,  19 calloss Alba,  10 calloss Alba,  10 calloss Alba,  11 calloss Alba,  12 calloss Alba,  13 calloss Alba,  14 calloss Alba,  15 calloss Alba,  16 calloss Alba,  17 calloss Alba,  18 calloss Alba,  19 calloss Alba,  19 calloss Alba,  10 calloss Alba,  10 calloss Alba,  11 calloss Alba,  12 calloss Alba,  13 calloss Alba,  14 calloss Alba,  15 calloss Alba,  16 calloss Alba,  17 calloss Alba,  18 calloss Alba,  19 calloss Alba,  19 calloss Alba,  10 calloss Alba,  10 calloss Alba,  10 calloss Alba,  11 calloss Alba,  12 calloss Alba,  12 calloss Alba,  13 calloss Alba,  14 calloss Alba,  15 calloss Alba,  16 calloss Alba,  17 calloss Alba,  18 calloss Alba,  18 calloss Alba,  19 calloss Alba,  19 calloss Alba,  10 calloss Alba,  11 calloss Alba,  12 calloss Alba,  13 calloss Alba,  14 calloss Alba,  15 calloss Alba,  16 calloss Alba,  17 calloss Alba,  18 calloss Alba,  18 calloss Alba,  18 calloss Alba,  19 calloss Alba,  10 callo	PLANTING Honeysuckle—Morrowi 4 -5 ft.  B-MEDIUM HEIGHT: Cornus—Paniculata 3 -3½ ft. Hydrangea—Arborescens Grandiflora. Horeysuckle—Morrowi 4 -5 ft.  B-MEDIUM HEIGHT: Cornus—Paniculata 3 -3½ ft. Hydrangea—Arborescens Grandiflora. Rosa Rugosa and Hybrids. 2 ½-3 ft. Rosa Rugosa and Hybrids. 2 ½-3 ft. Rhodotypus Kerrioides. 3 ½-4½ ft. Symphoricarpus—Indian Currant, Snowberry. 3 -4 ft.  C-LOW-GROWING: Barberry Thunbergi 2 -3 ft. Box-Barberry Thunbergi 2 -3 ft. Box-Barberry Thunbergi 2 -3 ft. Box-Barberry Thunbergi 2 -2 ft. Hypericum Henryi 1 ½-2 ft. Lodense Privet. 1 ½-2 ft. Rhus Aromatica. 3 -3½ ft. Viburnum Opulus Nanum 2 -2½ ft.  Chady Exposure.  PLANTING Chady Exposure.
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of the plants.  DISTANCE APART TO SET THE PLANTS  1. Sunny Exposure.  A—HIGH GROWING:  Cornus Elegantissima Variegata 4 -5 ft.  Bush Honeysuckle—in variety 4 -5 ft.  Bush Honeysuckle—in variety 4 -5 ft.  Weigelas—in variety 4 -5 ft.  Hydrangeas—A - G, and P. G 3 -4 ft.  Hydrangeas—A - G, and P. G 3 -4 ft.  Honeysuckle Morrowi 4 -5 ft.  Philadelphus Aureus 3 -4 ft.  Privet—Amoor, and Regel's 3 -4 ft.  Rhodotypus Kerrioides 3 -4 ft.  Rhodotypus Kerrioides 3 -4 ft.  Rhodotypus Kerrioides 3 -4 ft.  SHRUBS  Sunny Exposure.  DISTANCE APART 10 SHRUBS	BS ADAPTED  sense complete under the average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry.  Tamarix—Odessana.  Weigelas—Rosea, and  C—LOW-GROWING: Barberry.  Callicarpa Purpurea. Deutzias—Gracilis, and Kerria Japonica fi, pl. Philadelphus — Mar mine.  Baby Rambler Roses- Spireas—A. Waterer, Froebeli, etc.  I. Shady Exposure.  A—HIGH GROWING Ibota Privet.  Wiburnums—Dentatu etc.  FOR BACKYARD O  3—MEDIUM HEIGH All shrubs in I-B. Aralia Pentanhylla	TO SMALL LOT S  the various headings, but der  PLANTING  PLANTING  INTERVAL  ian Currant,  3 -4 ft.  Variegated-if3 -4 ft.  Variegated-if3 -4 ft.  12 ½-3 ½ ft.  12 ½-3 ½ ft.  14 call benoine: 2 -3 ft.  15 calloss Alba,  16 calloss Alba,  17 calloss Alba,  18 calloss Alba,  19 calloss Alba,  10 calloss Alba,  10 calloss Alba,  11 calloss Alba,  12 calloss Alba,  13 calloss Alba,  14 calloss Alba,  15 calloss Alba,  16 calloss Alba,  17 calloss Alba,  18 calloss Alba,  19 calloss Alba,  19 calloss Alba,  10 calloss Alba,  10 calloss Alba,  11 calloss Alba,  12 calloss Alba,  13 calloss Alba,  14 calloss Alba,  15 calloss Alba,  16 calloss Alba,  17 calloss Alba,  18 calloss Alba,  19 calloss Alba,  19 calloss Alba,  10 calloss Alba,  10 calloss Alba,  10 calloss Alba,  11 calloss Alba,  12 calloss Alba,  12 calloss Alba,  13 calloss Alba,  14 calloss Alba,  15 calloss Alba,  16 calloss Alba,  17 calloss Alba,  18 calloss Alba,  18 calloss Alba,  19 calloss Alba,  19 calloss Alba,  10 calloss Alba,  11 calloss Alba,  12 calloss Alba,  13 calloss Alba,  14 calloss Alba,  15 calloss Alba,  16 calloss Alba,  17 calloss Alba,  18 calloss Alba,  18 calloss Alba,  18 calloss Alba,  19 calloss Alba,  10 callo	PLANTING Honeysuckle—Morrowi
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the shown and used for certain special requirements of the shown and used for certain special requirements of the shown and used for certain special requirements of the shown and used for certain special requirements of the shown and used for certain special requirements of the shown and used for the shown and the sho	sense complete under le average small lot.  IRUBS FOR FOUND  Symphoricarpos—Ind Snowberry  Tamarix—Odessana. Weigelas—Rosea, and C—LOW-GROWING: Barberry  Callicarpa Purpurea. Deutzias—Gracilis, at Kerria Japonica fi. pl. Philadelphus — Mar mine  Baby Rambler Roses-Spireas—A. Waterer, Froebeli, etc  I. Shady Exposure.  I. Shady Exposure.  I. Shady Exposure.  FOR BACKYARD O  3—MEDIUM HEIGH All shrubs in I-B. Aralia Pentaphylla. Buddleia Magnifica. Desmodiums. Deutzias—Lemoinei, etc.	TO SMALL LOT S the various headings, but der  PLANTING PLANTING INTERVAL ian Currant.  3 -4 ft. Variegated-lf3 -4 ft.  2½-3½ ft.  12½-3½ ft.  14 cau d'Her-  -in variety 2 -2½ ft.  Callosa Alba,  2 -3 ft.  -1 -2½-3½ ft.  10 callosa Alba,  11 -2½-3 ft.  12 -3 ft.  12 -3 ft.  13 -4 ft.  14 cau d'Her-  -in variety 2 -2½ ft.  Callosa Alba,  15 ft.  16 CR BORDER PLANTING T: PLANTIN	PLANTING INTERVAL Honeysuckle—Morrowi 4 -5 ft. 3-MEDIUM HEIGHT: Cornus—Paniculata. 3 -3½ ft. Hydrangea—Arborescens Grandi- flora. 3 -3½ ft. Rosa Rugosa and Hybrids. 2 ½-3 ft. Rosa Rugosa and Hybrids. 2 ½-3 ft. Rhodotypus Kerrioides. 3 ½-4½ ft. Symphoricarpus—Indian Currant, Snowberry 3 -4 ft.  C—LOW-GROWING: Barberry Thunbergi 2 ½-3 ½ ft. Callicarpa Purpurea 2 ½-3 ½ ft. Callicarpa Purpurea 2 ½-3 ½ ft. Lodense Privet. 1 ½-2 ½ ft. Viburnum Opulus Nanum 2 -2½ ft. Wiburnum Opulus Nanum 2 -2½ ft. Cornus—in variety. 3 -5 ft. Bush Honeysuckle—in variety. 4 -5 ft. Wiburnum—in variety. 4 -5 ft.
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of the publication of the property of the publication of the property of the publication o	sense complete under le average small lot.  IRUBS FOR FOUND  Symphoricarpos—Ind Snowberry  Tamarix—Odessana. Weigelas—Rosea, and C—LOW-GROWING: Barberry  Callicarpa Purpurea. Deutzias—Gracilis, at Kerria Japonica fi. pl. Philadelphus — Mar mine  Baby Rambler Roses-Spireas—A. Waterer, Froebeli, etc  I. Shady Exposure.  I. Shady Exposure.  I. Shady Exposure.  FOR BACKYARD O  3—MEDIUM HEIGH All shrubs in I-B. Aralia Pentaphylla. Buddleia Magnifica. Desmodiums. Deutzias—Lemoinei, etc.	TO SMALL LOT S the various headings, but der  PLANTING PLANTING INTERVAL ian Currant.  3 -4 ft. Variegated-lf3 -4 ft.  2½-3½ ft.  12½-3½ ft.  14 cau d'Her-  -in variety 2 -2½ ft.  Callosa Alba,  2 -3 ft.  -1 -2½-3½ ft.  10 callosa Alba,  11 -2½-3 ft.  12 -3 ft.  12 -3 ft.  13 -4 ft.  14 cau d'Her-  -in variety 2 -2½ ft.  Callosa Alba,  15 ft.  16 CR BORDER PLANTING T: PLANTIN	PLANTING INTERVAL  PLOW-GROWING: Barberry Thunbergi 2 -3 ft. Box-Barberry 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of the publication of the property of the publication of the property of the publication o	BS ADAPTED  sense complete under le average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry	TO SMALL LOT S the various headings, but der  PLANTING PLANTING INTERVAL ian Currant.  3 -4 ft. Variegated-lf3 -4 ft.  2½-3½ ft.  12½-3½ ft.  13½-4 ft.  14  15  16  17  18  19  19  19  19  19  19  19  19  19	PLANTING INTERVAL Honeysuckle—Morrowi 4-5 ft. Burneysuckle—Morrowi 3-3½ ft. Honeysuckle—Morrowi 3-3½ ft. Honeysuckle—Morrowi 3-3½ ft. Hydrangea—Arborescens Grandi- flora 3-3½ ft. Hydrangea—Arborescens Grandi- flora 3-3½ ft. Rosa Rugosa and Hybrids 2/-3 ft. Rosa Rugosa and Hybrids 2/-3 ft. Rosa Rugosa and Hybrids 3/-4½ ft. Symphoricarpus—Indian Currant, Snowberry 3-4 ft. C—LOW-GROWING: Barberry Thunbergi 2-3 ft. Box-Barberry 1½ 2½ ft. Callicarpa Purpurea 2½/-3 ½ ft. Callicarpa Purpurea 2½/-3 ½ ft. Lodense Privet. 1½ 2½ ft. Lodense Privet. 3-3½ ft. Viburnum Opulus Nanum 2-2½ ft. Viburnum Opulus Nanum 2-2½ ft. Wiburnum Opulus Nanum 3-5 ft. Bush Honeysuckle—in variety 4-5 ft. Witch Hazel 4-5 ft. Witch Hazel 4-5 ft.
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the shown and used for certain special requirements of the shown and used for certain special requirements of the shown and used for certain special requirements of the shown and used for certain special requirements of the shown and used for certain special requirements of the shown and used for the shown and used for the shown and used for the shown and sh	BS ADAPTED  sense complete under le average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry	TO SMALL LOT S the various headings, but der  PLANTING PLANTING INTERVAL ian Currant.  3 -4 ft. Variegated-lf3 -4 ft.  2½-3½ ft.  12½-3½ ft.  13½-4 ft.  14  15  16  17  18  19  19  19  19  19  19  19  19  19	PLANTING INTERVAL Honeysuckle—Morrowi 4 -5 ft. B-MEDIUM HEIGHT: Cornus—Paniculata 3 -3½ ft. Privets—Amoor, and Regel's 2 -3 ft. Rosa Rugosa and Hybrids 2½-3½ ft. Privets—Amoor, and Regel's 2 -3 ft. Rosa Rugosa and Hybrids 2½-3 ft. Symphoricarpus—Indian Currant, Snowberry 3 -4 ft. C—LOW-GROWING: Barberry Thunbergi 2½-3½ ft. Callicarpa Purpurea 2½-3½ ft. Callicarpa Purpurea 2½-3½ ft. Lodense Privet 1½-2½ ft. Rusa Aromatica 3 -3½ ft. Viburnum Opulus Nanum 2 -3½ ft. Witch Hazel 4 -5 ft. Witch Hazel 4 -5 ft.  MEDIUM HEIGHT: All plants in II-B. Aralia Pentaphylla 3½-4 ft.  MEDIUM HEIGHT: All plants in II-B. Aralia Pentaphylla 3½-4 ft.  MEDIUM HEIGHT: All plants in II-B. Aralia Pentaphylla 3½-4 ft.  MEDIUM HEIGHT: All plants in II-B. Aralia Pentaphylla 3½-4 ft.  MEDIUM HEIGHT: All Dants in II-B. Aralia Pentaphylla 3½-4 ft.
CLASSIFIED SHRU  The succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of shrubs and vines is in no known and used for certain special requirements of the succeeding lists of the publication of the property of the publication of the property of the publication o	BS ADAPTED  sense complete under le average small lot.  HRUBS FOR FOUND  Symphoricarpos—Ind Snowberry	TO SMALL LOT S the various headings, but der  PLANTING PLANTING INTERVAL ian Currant,  3 -4 ft.  Variegated-if3 -4 ft.  Variegated-if3 -4 ft.  1 2 -3 ft.  2 2-3 ft.  2 2-3 ft.  1 2 2-3 ft.  1 2 2-3 ft.  1 2 2-3 ft.  2 3 ft.  2 3 ft.  3 -4 ft.  6 Callosa Alba,  2 -3 ft.  1 T.  PLANTING INTERVAL  3 1 ft.  6 Callosa Alba,  2 -3 ft.  6 Callosa Alba,  3 -4 ft.  1 Magnificata,  1 3 -5 ft.  Magnificata,  1 3 -5 ft.  and Melano-	PLANTING Honeysuckle—Morrowi 4 -5 ft.  B—MEDIUM HEIGHT: Cornus—Paniculata 3 -3½ ft. Hydrangea—Arborescens Grandi- flora 2 -3 ft. Rosa Rugosa and Hybrids 2 -3 ft. Rhodotypus Kerrioides 3 ½-4½ ft. Symphoricarpus—Indian Currant, Snowberry 1 ½-2½ ft. Callicarpa Purpurea 2 ½-3½ ft. Deutzia Gracilis 1 -2 ft. Hydrange Pivet 1 ½-2½ ft. Lodense Privet 1 ½-2½ ft. Lodense Privet 1 ½-2½ ft. Viburnum Opulus Nanum 2 -2½ ft.  hady Exposure. —HIGH GROWING: Barbery 1 ½-2½ ft. Lodense Privet 1 ½-2½ ft. Wiburnum Opulus Nanum 2 -2½ ft. Wiburnum Opulus Nanum 4 -5 ft. Bush Honeysuckle—in variety 4 -5 ft. Witch Hazel 4 -5 ft. B-MEDIUM HEIGHT: All plants in II-B. Aralia Pentaphylla 3 ½-4 ft.

## **Deciduous Ornamental Shrubs**

SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS

Because of their easy culture, rapid growth, adaptability to most any situation, and their great diversity in size, foliage and bloom, the shrubs are of first importance in creating landscape beauty. More pleasing effects can be produced in a few seasons' time by the judicious planting of shrubs than by the use of any other plant. Their cost, too, is quite moderate, and the investment will increase in value each season.

Situation. Suitable locations to plant shrubs about the home yards are many. The house foundation walls and the angles and corners should be softened by shrubs of medium height. Such plants as the Spirea (in variety), Snowberry, Hydrangea, Indian Currant, Barberry and others of like nature are suited to this use. Taller and heavier-growing varieties, such as Lilacs, Philadelphus and Bush Honeysuckle are better planted toward the sides and rear of the grounds. Here their growth can be used to give a frame to the property, block out undesirable views, and serve as a screen to the alley, clothes-yard, or service buildings. Such group plantings should be made in the nature of borders, and the shrubs selected and arranged to give a continuance of bloom, pleasing foliage contrasts, and fall and winter coloring of the bark and berries. Other uses and desirable locations for planting will suggest themselves on considering the characteristics of the ground—terrace and rough slopes can be covered, walks and drives bordered and bare corners of the lot filled in.



Planting. Space the larger-growing shrubs, such as Lilacs, about 4 to 5 feet apart, medium-growing shrubs, such as Bridal Wreath, 3 to 3½ feet apart, and dwarf growers, as the Japanese Barberry, 2 to 2½ feet apart. Dig the holes of ample size, place the plant, and after filling in the hole two-thirds with good top soil, add water to the level of the ground and allow this to settle. Complete the filling in of soil later. Always shorten back the top growth of the shrubs at least one-third after the planting. Failure to do this may cause the loss of the plant. Do not place any fertilizer directly around the roots but use it on the surface as a mulch.

Fertilizing. We are now prepared to offer a fertilizer, especially adapted for use among shrubbery and trees. When planting new trees it may be worked into the soil before filling in around tree. For fertilizing gardens and among plants, it can be put on top of ground and spaded or hoed in so as to mix with soil. Ask us about it.

Pruning Shrubs. Many persons train and shear them into regular shapes, imagining that regular outline adds to their effect and beauty. While symmetry and regularity of outline are to be admired in a shrub, this quality should never be gained at the expense of health and natural grace. Each shrub has its peculiarities of habit and foliage, and we should aim to preserve them as far as possible. Judicious pruning to secure health and vigor is necessary, but trimming all kinds of shrubs into any one form shows a lack of appreciation for natural beauty, to say the least. Weigelas, Spireas, Deutzias, Forsythia and Mock Orange flower on the wood of the previous season's growth, hence these shrubs should not be pruned in winter or spring, but in June, after they have finished flowering, when the old wood should be shortened or cut out, thus promoting the growth of the young wood which is to flower the following season.

Altheas and Honeysuckles may be trimmed during the winter or early in the spring, but the branches should only be reduced enough to keep them in good shape. The old growth should be occasionally thinded out and the suckers and root sprouts removed when they appear. The best time, however, for pruning all shrubs is when they have done flowering. Lilac should be pruned by cutting the little spikes and used as cut flowers. After blooming period is over all old flowers should be removed. The Hydrangea Paniculata Grandiflora should be severely cut back and thinned early in spring.

and thinned early in spring.

#### **ABELIA**

grandiflora. S. In the south this shrub is evergreen, but with us it sheds its leaves during the late winter. One of the most beautiful and satisfactory plants. Foliage is dark green and glossy, with a pronounced tinge of red in the young branches; a very graceful plant, covered with white flowers, tinged with pink. Should be given protection during winter in this clients.

in this chinate.	Fooh	Per 10
18 to 24 inches.		
2 to 3 feet	1.25	11.00
3 to 4 feet	1.80	16.00

#### ACANTHOPANAX—Aralia

A. pentaphylium. S. Shrub with long, slender branches and few spines. Fine for rocky slopes; foliage bright green, shiny. Flowers green in long umbels.

			Per 100
2 to 3 feet		\$5.00	\$45.00
3 to 4 feet	.70	6.00	55.00

#### AMORPHIA—False Indigo

after most of the spring-flowering shrubs are over.	nowers,	DIOUIIS	II June
with the second	Each	Per 10	Per 100
2 to 3 feet.	\$0.60	\$5.00	\$40.00
3 to 4 feet	8 =	7 00	60.00

#### AMYGDALUS—Almond

A class of ornamental shrub or small tree introduced from the mountains of Asia Minor, and succeeding well in common garden soil. The flowers are very showy, produced in great abund-ance, and useful for their earliness. Fine plants to use in grouping or for

A. nana rosea (Double Pink). S. Small double pink flowers borne in abundance in May.

	Eacn	Per 10
1 ½ to 2 feet	\$0.80	\$7.00
2 to 3 feet	I.00	9.00
3 to 4 feet		
A mama alba (Daubla U	Thital S	Small

double white flowers borne in abund-

ance in May.		
•	Each	Per 10
1 ½ to 2 feet	\$0.80	\$7.00
2 to 3 feet	1.00	9.00
3 to 4 feet		



#### ARONIA—Chokeberry

A. arbutifolia. S. Upright habit; very pretty in April and May with an abundance of white flowers; its fruit carries well into the winter. \$1.00 \$8.50 A. melanocarpa (nigra). Black-fruited form of above. Each \$6.50 \$0.80

#### **BACCHARIS—Groundsel Tree**

B. halimifolia. M. A pretty shrub with dark green foliage; especially attractive in autumn, with its fluffy white seed pods. Each \$1.20 \$10.00

#### BENZOIN—Spice Bush

B. aestivallis. An attractive shrub, valued for its handsome flowers, which come before the leaves in early spring. The foliage turns bright

yenow in autumin.	Fruit scarret and conspicuous.	Each	Per 10
2 to 3 feet		\$1.00	



#### BERBERIS-Barberry

B. thunbergii. D. From Japan. A very pretty species of dwarf habit, small foliage, changing to a beautiful coppery-red in autumn. Valuable as an ornamental as well as hardy hedge.

Plant 12 inches apart in row for hedge planting. After the plants are set and well watered in the soil should be filled in and tamped. After this is complete the plants should be sheared taking off about one-third of the young

	Each	Per 10	Per 100	Per 100
12 to 18 inches	\$0.25	\$2.25	\$18.00	\$150.0
18 to 24 inches	.40	3.25	26.00	240.0
24 to 30 inches		4.50	38.00	350.0
30 to 36 inches	.70	6.50	55.00	

B. atropurpurea (New Red-Leaved Japanese Barberry). It is similar in all respects to the green-leaved Japanese Barberry which is so popular for mixing in the shrubbery border, as single specimens, or for planting in clumps on the lawn, as well as for foundation plantings and for hedges, but the foliage of this new variety is of a rich, lustrous, bronzy-red. However, unlike these and other colored shrubs in which the coloring fades or disappears entirely as the season advances, this new Barberry changes to vivid orange, scarlet, and red shades, more brilliant and more effective than in the ordinary Japanese Barberry. In this coloring it is unequaled by any other shrub and is followed by the same brilliant scarlet berries common to the type, which remain on the plant the entire winter. All that is required to develop its brilliant coloring at all seasons is that it be planted in full exposure to the sun.

#### BERBERIS THUNBERGII ATROPURPUREA **New Introduction**

	Each	Per 10
2-year, 15 to 18-inch	\$1.40	\$12.50
2-year, 12 to 15-inch	I.30	11.50
B. thunbergii minor, dwarf (Box Barberry).	A dwarf form of	Berberis
Thunbergii recently introduced. Makes a sm	nall hedge very	compact
Takes the place of "Boxwood" where the B	oxwood does no	t thrive
Plant 8 to 10 inches apart.	Each Per 10	
12 to 15 inches	Each Fel 10	Lei 100
12 to 15 inches	\$0.50 \$4.50	\$40.00
15 to 18 inches	.00 5.50	50.00

## **BUDDLEIA**—Butterfly Bush

B. davidii magnifica. S. A most beautiful shrub and one that should be in every garden. A splendid shrub for park planting. It makes large shrubs even from small plants the first season. Single plants will often have 50 or more flower spikes the first year. The second year after planting it generally begins to bloom in June and continues throughout the summer until frost nips it. The flowers are produced on long, graceful stems that terminate in tapering panicles of beautiful liaccolored flowers of miniature size and borne by the hundred on flower heads frequently 10 inches long. This admirable shrub should be classed as semi-herbaceous, as it sometimes freezes back to the ground in severe winters, but comes up again from the roots. A mulch of manure, leaves or other suitable material should be given before heavy freezing weather sets in. You should try some of these; you will be delighted with them.

Each Per 10 Per 100 2-year-old plants... \$0.35 \$3.00 \$25.00

#### CALLICARPA—Beauty-Berry

**C. purpurea.** D. A pretty shrub with dense hairy foliage and showy pink flowers in small racemes. Fruit lilac-violet.

			Per 100
18 to 24 inches	\$0.60		\$40.00
24 to 30 inches	.75	6.50	55.00

#### CALYCANTHUS—Allspice or **Sweet Shrub**

floridus. M. A well-known native bush, bearing double, purple, fragrant flowers.

			Per 100
18 to 24 inches			\$55.00
2 to 3 feet	.90	8.00	75.00

#### CARYOPTERIS (Blue Beard)

C. incana (Mastacanthus) (Blue Spirea). D . Incana (Mastacantrus) (Bitte Spirea). D. A handsome, hardy perennial plant recently introduced from China. It is of a vigorous growth, producing flowers in great profusion the whole length of its branches, even young plants in small pots flowering freely. The color is of a rich lavender or sky blue. A valuable plant either for bedding or pot culture.

	Each	Per 10	Per 100
2-vear	\$0.50	\$4.50	\$40.00



**Butterfly Bush** 

C

#### CEPHALANTHUS-Button Bush

C. occidentalis. S. A native shrub with globular heads of white flowers in July.

Each Per 10 Per 100 \$0.60 \$5.00 \$40.00

## **CLETHRA—Sweet Pepper Bush**

C. alnifolia (Summer Sweet). S. A pretty little shrub that blossoms freely for several weeks in summer; very fragrant white flowers, in slender racemes; an excellent honey plant for bees.

	Each	Per 10
18 to 24 inches	\$0.70	\$6.00
24 to 30 inches	.90	7.50

#### COLUTEA—Bladder Senna

C. arborescens (Tree Colutea). L. July. Foliage compound, of a pleasing green; flowers pea-shaped, yellow and brownish-red, followed by showy, curiously inflated, reddish seed pods. This is the shrub which grows native Mount Vesuvius, and the last one seen in ascending

2	to	2	feet																				\$0.60	Per 10
2	to	3	feet	• •	•	٠.	•	۰	•	•	•	•	٠	٠	•	•	۰	٠	۰	٠	٠	٠		
3	to	4	1000	٠.	•	٠.	 ۰	•	•		٠	٠	*	•	۰	٠	۰	*	*	٠	٠	٠	.75	6.50

## CORNUS-Cornel or Dogwood

C. alba siberica (Siberian Red Dogwood). M. A possible form of the Cornus Sanguinea, with intensely colored bark of the deepest crimson. Fire.

	Each	Per 10	Per 100
18 to 24 inches	\$0.35	\$3.00	\$25.00
2 to 3 feet	.50	4.00	30.00
3 to 4 feet	.60	5.00	40.00
. alternifolia (Pagoda Dogwood). Flowers	creamy	white,	in large
bunches, very fragrant.			

\$1.20 \$10.00

C. amonum (sericea) (Silky Dogwood). S. Varies in height according to conditions, from 3 to 10 feet. Purplish branches and black fruit in winter. Flowers in dense cymes, greenish-white in early summer.

Each Per 10

2 to 3 feet	\$0.50	\$4.00
3 to 4 feet	.60	5.00
C. var. elegantissima variegata. D. One of the fire	nest vari	egated
shrubs; of rapid growth; the leaves are broadly margin	ned with	white,
while some are entirely white. Bark bright red in winter	er.	

\$0.95 2 to 3 feet. I.20 3 to 4 feet. I.20 • mas. (Cornelian Cherry). M. April. A small tree or large shrub with showy, yellow flowers in early spring, followed by deep scallet fruit. Each Per 10 Per 100

.....\$1.00 \$9.00 .50 Pointed leaves,

Each

Each Per 10

2 to 3 feet. So. 60

So.

2 to 3 feet 3 to 4 feet	\$0.50	\$4.00 5.00	\$30.00

C. stolonifera (Wild Red Dogwood). M. native species with smooth, slender branches, which are usually red in winter.

			Per 100
2 to 3 feet	\$0.50	\$4.00	\$30.00
3 to 4 feet	.60	5.00	40.00

C. stolonifera aurea (Golden Twig Dogwood).

M. A very pretty shrub for winter color effect, bark bright yellow.

			Let 100
2 to 3 feet	\$0.65	\$5 00	\$10.00
3 to 4 feet	.75	0.50	50.00

#### CORYLUS—Hazel or Filbert

C. americana (American Hazel). M. The common American Hazel.

Each Per 10 Per 100 2 to 3 feet ...... \$0.95 \$8.00 \$70.00

C. purpurea (Purple Filbert). Purple leaves, suitable for shrubbery groups; for color



#### COTONEASTER

A class of handsome fruiting shrubs only recently brought into general use. Their brilliant autumn foliage and vivid fruits adapt them to rockery and wall adornment, as well as to any usage in well drained soil with plenty of

Acutifolia. A dense-growing shrub with small oval, glossy, dark green leaves. Does not become very tall. Frequently used for specimen growth, and also for hedges. Each 24 to 30 inches.....\$0.70 \$6.00

#### CYDONIA—Japan Quince or Fire Bush

C. japonica.	M. Fine	Flowers v	very	abundant	, brillia	nt crim-
Son Scarice.			-3-	Each	Per 10	Per 100
18 to 24 inch						\$50.00
2 to 3 feet				80	7.00	60 00

#### **DESMODIUM** (Lespedeza)

penduliflorum. A low-growing shrub with rose-colored flowers in September. Dies to the ground in winter. Attains a height of 3 to 4 feet.

Each Per 10 Per 100 \$0.75 \$6.50 \$55 00 2-year plants..... Desmodium japonica alba. This variety grows taller and more upright than the penduliforum, with brighter foliage than sieboldii. The pure white flowers are produced two weeks later. Each Per 10 2-year, No. 1.....

\$1.00 \$9.00



Pride of Rochester

#### DEUTZIA

Showy Japanese shrubs of the highest ornamental merit, and adapted to all good soils. Their clean foliage, upright, dense growth, free flowering nature, render them especially

 
 Prices, unless otherwise noted:

 Each
 Per 10
 Per 10

 2 to 3 feet
 \$0.50
 \$4.00
 \$30.00

 3 to 4 feet
 .60
 5.00
 40.00
 D. scabra candidissima (Double White). M. Very pretty pure white.

D. scabra crenata. M. The beautiful white single-flowered species that is a mass of bloom in June. Often preferred to the double sorts.

D. pride of rochester. M. A fine double variety, rather earlier than D. Crenata. Flower pink in bud, white when

fully expanded.

fully expanded.

D. rosea plena (Double Pink). M. All the Deutzias are valuable and very profuse bloomers in the sixth month. This is one of the prettiest, tall-growing varieties.

D. scabra. M. A vigorous grower with rough, dull green foliage and clusters of showy double white bell-shaped flowers, in June and July.

D. s. watereri. M. A new white variety from England, with larger and more double flowers.

D. gracillis (Dwarf). D. A low bush, three or four feet in diameter; flowers pure white and graceful. One of the prettiest and most popular small shrubs. Fine for winter forcing.

Each Per 10 Per 100 

## DIERVILLA

D. sessilifolia (Lutea). S. Loose clusters small yellow flowers in June. A good shrub for a shady position on account of its fresh green foliage. Grows three to four feet high. Per 10 \$6.00 Each

#### DIERVILLA—Weigleia

Beautiful shrubs that bloom in June and July. The flowers are produced in so great profusion as almost entirely to hide the foliage. They are very desirable for the border or for grouping, and also as specimen plants for the lawn.

Prices, unless otherwise noted:

D. hendersonii. Dark pink, strong grower.

D. nana variegata. S. An exceedingly pretty variety, the variegation being very distinct.

D. van houttei. M. A good grower, with clear carmine flowers.

D. abel carriere. M. Bright rose. One of the best.

**D. candidata.** M. Flowers pure white and produced in great profusion in June and continue to bloom at intervals through the summer.

D. desboisii. M. Deep rose-colored flowers.

D. rosea. M. Flowers bright rose. popular.

eva rathke. M. Flowers brilliant crimson, a beautiful distinct, clear shade. Very D. eva rathke. scarce.

18 to 24 inches		\$6.50		
2 to 3 feet				
3 to 4 feet	1.25	10.00	90	.00
D. floribunda. M.	Flower	s dark	red.	Α
profuse bloomer.		Er ele	D	

\$8.00 9.00

#### **ELEAGNUS—Oleaster**

E. angustifolia (Russian Olive). T. A large shrub, sometimes of tree form, with long, narrow, silvery-green foliage. The flowers are yellow followed by yellow fruit.

Each Per 10 Per 100 2 to 3 feet.....\$0.60 \$5.00 \$40.00 3 to 4 feet......70 6.00 50.00

E. longipes (Cherry Eleagnus). S. A handsome, shapely silver-leaved shrub, with an ornamental, reddish-brown bark in winter; perfectly hardy and easy to grow; the bright yellow flowers appear in June on long stalks, but the greatest value of the shrub is in the fruit, which is produced in the greatest abundance along the wholelength of the branches, oval in shape and about one-half inch long. oval in shape and about one-half inch long; color deep orange-red; very showy and attractive. The fruit is not only very ornamental, but has a sprightly, sharp, pleasant flavor, and makes a delicious sauce when cooked.

	Each	Per 10
		\$8.00
2 to 3 feet	1.30	11.50



Weigela Rosea



**Deutzia Gracillis** 

#### **EUONYMUS**—Strawberry or Spindle Tree

alatus (Cork-barked Euonymus). Dwarf compact habit; wood very corky; leaves small; fruit red. Foliage turns bright red in fall. One of the very finest shrubs for autumn effect.

Each Per 10
2 to 3 feet. \$1.65 \$15.00
3 to 4 feet. 1.90 17.50 E. bungeanus (Winter Berry Euonymus). L. Very attractive on account of its rather large, yellowish fruit, which is borne profusely and remains so long upon the branches.

Each Per 10 \$1.00 \$8.50 E. europaeus (European Burning Bush). L. From Europe, and a favorite in old gardens; of good size, with rosy-red pods.

Each \$1.00 \$8.50 12.50 I.40

#### EXOCHORDA—Pearl Bush

E. grandiflora. L. A very hardy and hand-some shrub from Northern China and Japan. Pure white flowers in clusters on light, wiry branches. Unexpanded buds are like small, round beads of pearly-whiteness.

	Each	Per 10
2 to 3 feet	\$1.00	\$9.00
3 to 4 feet	1,25	11.00

#### FORSYTHIA—Golden Bell

Each Per 10 Per 100 flowering.

flowering.

suspensa (Weeping Forsythia). M. A very early and showy spring bloomer; flowers bright yellow; branches long and slender.

fortuneii (Fortune's Forsythia). M. Grows upright; foliage deep green; flowers bright yellow.

viridissima (Green Stem). M. A fine hardy shrub. Leaves and bark deep green; flowers yellow. shrub. Leaves and barrellow. Very early in spring.

#### HALESIA TETRAPTERA

See Deciduous Trees.

#### **HAMAMELIS**—Witch Hazel

H. virginica. M. A tall shrub; yellow flowers; late in fall, just before the leaves fall. Foliage changes to bright colors in the fall.

2 to 3 feet	 \$0.90	\$8.00
	 1.10	10.00
	 _	

#### **HYDRANGEA**

The massiveness of bloom on these valuable shrubs and their long blooming season, assure them a place in every group where solid white effects are required.



H. arborescens (Smooth Hydrangea). S. This beautiful shrub is being sent out under various names, as "Snowball Hydrangea," "Hills of Snow." etc. This new American Hydrangea is believed to be the most beautiful, hardy flowering shrub introduced for many years.

The plant attains a height of five or six feet, with about the same breadth, is far more graceful than the old form of Hydrangea Arborescens. Flowers are borne in large trusses, beautifully formed and of dazzling whiteness, rendering it a plant of peerless beauty. Seems to do best in rather damp or shady location.

The flowers, when cut, remain in good condition a long time, thus making the plant especially useful for cut flowers.

Each Per 10 Per 10 80.70 \$6.00 \$50.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00

H. paniculata grandiflora (Pee Gee) (Bush Shape). M. This is one of the most valuable hardy shrubs in cultivation. It attains a height of 6 to 8 feet and is perfectly hardy in all parts of the country. The flowers are white, borne in immense pyramidal panicles nearly a foot in length. If this plant is severely pruned every spring before the buds start, it will develop into a stocky plant, sending forth long stems with massive white flowers turning to pink, then red, bronze and green. It commences flowering in August and continues until autumn.

Each Per 10 Per 100

autumn.

18 to 24 inches.

20 70 \$6.00 \$50.00

2 to 3 feet.

80 7.00 \$6.00 \$50.00

2 to 3 feet.

80 7.00 \$6.00 \$50.00

80 7.00 \$6.00

80 7.00 \$6.00

80 7.00 \$6.00

80 7.00 \$6.00

80 7.00 \$6.00

80 7.00 \$6.00

80 7.00 \$6.00

80 7.00 \$6.00

80 7.00 \$6.00

80 7.00 \$6.00

80 7.00 \$6.00

80 7.00 \$6.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

80 7.00

8 ear. SI.60 \$14.00 3 to 4 feet ..

#### HYPERICUM—St. John's Wort

H. henryii. A new hardy St. John's Wort of shrubby habit, growing from 2½ to 4 feet high, producing masses of large clear yellow flowers during July and August, and retaining its neat foliage until late in the autumn.

Each Per 10
2-year \$0.90 \$8.00



Hydrangea Arborescens

#### HIBISCUS SYRIACUS—Althea or Rose of Sharon

These are very fine, hardy, free - growing, flowering shrubs, of very easy cultivation, and very desirable on account of their late summer bloom in g. Should be in every garden. Our collection comprises a great variety of colors and shades. (See descriptions below.)



Althea used as a hedge

#### Prices, Unless Otherwise Noted

18 to 24 inches		\$20.00
2 to 3 feet	.60	40.00
3 to 4 feet		50.00 casuring

H. anemoneflora. L. Very large flower; measuring 3½ to 4 inches across; semi-double, red with a very deep red base on outer petals. Stamens showing prominently.
H. ardens. L. Double violet, 2½ to 3 inches across flower; petals quilled; vigorous; very fine.
H. boule de feu. L. Large flowers, very double, well formed, light rose; petals flecked at base with cardinal; one of the finest reds.
H. duchesse deBrabant. L. Large, reddish-lilac flowers.

flowers.

H. jean d'Arc. L. One of the best; flowers pure white, double; strong grower.

H. lady stanley. L. Very double, white with beautiful blush markings, cardinal base.

H. lucy. L. Double, bright red, the brightest of our collections. A shade deeper than Anemone-flora.

flora.

H. paneoniaflora. L. Double, bright rose, dwarf grower, free-flowering.

H. totus alba. Single white.

H. variagata fl. pl. M. Variegated leaves, flowers very double, seldom open. This variety is very scarce. Have only limited stock.

Each 18 to 24 inches.

So. 90

18 to 24 fitches. 1.20
2 to 3 feet. 1.20
We have a limited list of tree-shaped varieties which we have priced as follows:
Each Per 10 Per 100
3 to 4 feet. \$0.80 \$7.00 \$60.00

Boul de Feu Duchesse de Brabant Aruens Anemonoeflora Lady Stanley

#### **ILEX**—Common Winterberry

 verticillata. M. Hardy native shrub, with attractive foliage and habit. Very ornamental in autumn when covered with brilliant red berries, remaining until midwinter. Each Per 10 \$0.95 \$8.50 \$8.50 

#### **JASMINUM**

J. nudiflorum. Branches flexible, green, desirable, hardy deciduous climber, thrives in almost any situation and grows with great rapidity; yellow flowers. J. officinalis. Pure white fragrant flowers. A splendid climber for a sheltered

Each Per 10 Per 100 2-year plants..... \$0.50 \$4.50 \$40.00

#### KERRIA—Corchorus

K. Japonica. (F) 3-4 feet. May, June. Yellow. Slender shrub, stonlon-iferous, with bright green branches, which remain so during winter. Foliage a deep green forming a pleasing background for the single yellow flowers that come throughout the summer months. Each Per 10

\$0.90 \$8.00 T 00 0.00 2 to 3 feet. 1.00 9.00

K. japonica flore pleno. (F). Identical to above, save globe-shaped double flowers from July to October.

From Per 100 Per 100

0.00 1.00 2 to 3 feet.....

#### LAGERSTROEMIA—Crepe Myrtle

L. indica rosea. M. Flowers bright pink, very handsome; petals curled, on long claws; panicle many-flowered, summer blooming. Not hardy here without protection.

L. indica purpurea. Fine lavender blue.
L. indica rubrum. dwart crimson.

2 to 3 feet.....

#### LESPEDEZA—See Desmodium

#### LIGUSTRUM—Privet

The Privet is now one of the best known shrubs, both for hedging and for ornamental planting on the lawn. All of the varieties offered have merit, some for their foliage, some for their berries. They are almost evergreen and of dense habit and bear shearing to any extent.

		vet.) A distinct type which
		e and habit of growth almost
black.	e variety grown in the	South. Flowers white, fruit

			Per 100
18 to 24 inches	\$0.20	\$1.60	\$12.00
2 to 3 feet			
**		4 Th	1


- L. ibolium (New). A cross between California Privet and Ibota, having the attractiveness of California Privet and the hardiness of Ibota.

  Each Per 10 Per 100 2 to 3 feet...... \$0.40 \$3.50 \$30.00
- L. ibota. M. The form is spreading, with curving branches. Foliage grayish green; flowers pure white, seeds bluish-black. A good border shrub and hedge plant.

			Per 100
18 to 24 inches		\$1.60	\$12.00
2 to 3 feet	.25	2,00	16.00

ibota regelianum. (Regal's Privet.) M. A fine, hardy variety, desirable when grown singly as a specimen, or in mass planting; also suitable for hedges. This is one of the berried varieties.

	I mo to one or the berried			
•		Each	Per to	Per 100
18 to 24 inches		50.30	\$2.50	\$20.00
- 1 - 6 - 1		*****		
2 to 3 reet		.40	3.50	25.00
-				



2-year old, 12 to 15 inches	\$0.30	\$2.50	\$20.00	
J Jear ora, 13 to 10 meneo.	•00	0	-5	



#### California Privet

L. ovalifolium. (California Privet.) M. A vigorous, hardy variety, of fine habit, and foliage nearly evergreen. Makes a desirable ornamental shrub as well as hedge. California Privet has long been recognized. mental sinto as well as neede. California Privet has long been recognized as one of the very best plants for hedge purposes, as it is remarkable for its beautiful, dark green, glossy foliage, its quick, strong and symmetrical growth, its freedom from insects and scale, and its ability to withstand pruning and trimming into any desired shape. Plant eight inches apart in row, cut back to 6 or 8 inches from ground.

							Per 10 I	Per 100]	Per 1000
12	to	18 inches,	I year				\$0.50	\$4.00	\$30.00
12	to	18 inches,	2-year				.60	5.00	40.00
18	to	24 inches,	2-year				.90	7.00	60.00
24	to	30 inches,	2-year				1.00	9.00	80 00
30	to	36 inches,	2- year						100.00
П		L. ovalif							
и		Californ	ia privet	but not	as stror	ng a gro			
ч,							Each	Per 10	Per 100

			1
24 to 30 inches, heavy	\$0.90		
24 to 30 inches, heavy	40	\$2 50	\$30 00
t men bors (mic)	.40	43.30	430 00

#### LONICERA TARTARICA—Upright Honeysuckle

Prices unless otherwise noted: Each Per 10 Per 100 5.00 40.00

- tartarica rubra. M. Pink flowers, which contrast with the foliage. June.
- L. bella albida. M. Flowers white, bright red fruit in great profusion; very fine.
- L. morrowi. M. A fine variety from Japan; valuable for its handsome red fruit.
- L. ruprechtiana. S. A fine variety from Manchuria, especially valuable for its showy red fruit.
- L. tartarica alba. M. Creamy white forms a high bush. May and June. Creamy white, fragrant flowers;
- tartarica grandiflora rosea. M. A beauciful shrub, very vigorous, and producing bright red flowers stripped L. tartarica grandiflora rosea. with white in June.
- **L. fragrantissima.** M. In sheltered situations the dark green leaves of this shrub are retained nearly all winter. Its pretty pink and white flowers are numerous, but not very showy. Delightfinto a handsome bush. Delightful fragrance. It is easily trained

			Per 100
2 to 3 ft	\$0.55	\$4.50	\$35.00
3 to 4 ft	.65	5.50	45.00



PHYSOCARPUS—Opulaster

opulifolius (Spirea). (Nine Bark.) M. A strong-growing shrub with white 2 to 3 feet. \$0.50 \$4.00 \$30.00 3 to 4 feet. 60 5.00 \$4.00 \$7.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$ Each Per 10 Per 100 \$0.50 \$4.00 \$30.00 .60 5.00

POTENTILLA—Cinquefoil **fruitcosa.** D. A good dwarf shrub with dense narrow foliage, gray-green leaves with numerous single yellow flowers throughout the summer. Particularly good for

swamps and rocky places.			
	Each	Per 10	Per 100
12 to 18 inches	\$0.50	\$4.50	
18 to 24 inches	70	6.50	\$55 OC
0.4 6.20 inches		8.00	
24 to 30 inches	.90	8.00	05.00

RHAMNUS (Buckthorn)

catharticus. (Common Buckthorn.) A stiff twiggy shrub with white flowers in June and July, succeeded by black berries. Splendid for massing in parks and public

grounds.	Foch	Per 10
2 to 3 feet	\$0.45	
3 to 4 feet	• 55	4.50

#### PHILADELPHUS—Syringa or Mock **Orange**

For grouping with other shrubs, forming large screens or hedges which may not require pruning, or used as single specimen lawn plants they are desirable. They will bear beavy pruning and quickly resume their free, semi-pendulous, picturesque effect.

Prices unless otherwise noted:

Each Per 10 Per 10

. coronarius (Sweet Mock Orange). L. Early June. Fragrant pure white flowers, in dense clusters so numerous as to bear the branches down when flowering. One of

- P. coronarius flore plena (Double-flowered Syringa).

  L. Partially double flowers; very fragrant.
- coronarious grandiflorus (Large Flowering). Has showy large flowers, slightly fragrant; branches somewhat straggling.
- P. coronarious lewisi (Gordon's Syringa). L. Vigorous grower and profuse bloomer; flowers slightly fragrant; late bloomer.
- P. lemoinei. M. A charming variety of upright growth; flowers small yellowish white, fragrant, completely covering the plant.

· ·	Eacn	Per 10	Per 100
18 to 24 inches	\$0.55	\$5.00	\$40.00
2 to 3 feet	.70	6.00	50.00

#### NEW **PHILADELPHUS**

P. virginalis. A magnificent new variety. The bush grows moderately tall, with good foliage and compact habit. The flowers are the largest, handsomest and most sweetly fragrant of any known variety, with longest blooming season.

	Each	Per 10	Per 100
18 to 24 inches	\$0.80	\$7.00	\$60.00
2 to 3 feet	1.00	9.00	80.00
3 to 4 feet	1.50	12.50	100.00

SEE CUT LAST COVER PAGE



#### Golden Elder

#### RHODOTYPOS-White Kerria or Jetbead

R. kerrioides. L. A choice and rare Japanese shrub, recently introduced. It is a slender branched bush, with very pretty, deeply veined leaves, and pure white flowers, borne at intervals all summer.

Each Per 10 Per 100
2 to 3 feet. So.80 \$7.00 \$65.00
3 to 4 feet . . . . 90 8.00 75.00

#### RHUS-Sumach

R. canadensis (aromatica) (Fragrant Sumach). S. A native variety, exhaling a strong odor. Flowers greenish-white; leaves lobed.

18 to 24 inches. \$0.80 \$7.00

lobed. Each Per 10
18 to 24 inches. \$0.80
2 to 3 feet. \$0.80
3 to 2 for 3 feet. \$0.80
3 to 3 feet. \$0.80
3 to 3 feet. \$0.80
3 to 4 feet. \$0.50
3 to 4 feet. \$0.80
5 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50
8 \$5.50

#### RIBES—Currant

Vigorous, remarkably healthy plants of easiest culture. Besides this ornamental folieasiest culture. Besides this ornamental foliage and flowers, the fruit of several of the varieties is showy and very attractive. Valuable for grouping as a class or with other shrubs. Each Per 10 Per 100 R. odoratum (aureum) (Missouri Currant). M. May. Golden-yellow, spicily fragrant flowers in showy racemes. Foliage shining and glabrous, taking on showy autumnal coloring.

## ROBENIA—Locust or Acacia

R. hispida (Rose or Moss Locust). M. A native shrub of spreading, irregular growth. Flowers rose-colored in long clusters in June and at intervals through the summer.

Each Per 10 

#### RUBUS-Bramble

R. odoratus (Flowering Raspberry). S. Foliage large; flowers pretty Each Per 10 Per 100 2 to 3 feet..... \$0.60 \$5.00 \$10.00

#### SAMBUCUS-Elder

Rapid growing shrubs with ornamental foliage, flowers and fruit. Will thrive in all soils, but give best fruiting results in that of a moist nature. The Golden Elder is one of the finest golden-leaved shrubs, and is very useful. It shows its color best on a dry soil.

S. canadensis (Common American Elder). L. Broad panicles of white flowers in June; reddish-purple berries in autumn. A well-known native shrub.

S. canadensis aurea (Golden). L. A beautiful golden-foliaged form.
 Very useful for foliage effect.
 S. nigra (Black-berried Elder). L. Of medium growth, with purplish-

S. nigra (Black-Berried Eder). L. Of medium growth, with purposablack berries in September.
 S. nigra laciniata (Cut-leaved). L. Deeply cut foliage.
 S. nigra variagata (Variegated). L. Foliage beautifully variegated with silver and green.
 S. racemosous (Pubens or Red-berried Elder). L. White flowers in panicles in spring, followed by bright red berries.

Each Per 10 Per 100 \$0.65 \$5.50 \$50.00 .85 7.50 70.00

#### SPIREA-Meadow Sweet

An indispensable class of small to medium-sized shrubs, embracing a wide range of foliage, habit of growth, color of flowers and season of blooming. All of easiest culture in all soils. S. opulifolia. (See Physocarpus.)
S. salicifolia (Willow-leaved). M. Long, narrow, pointed leaves, and rose-colored flowers in June and July.
S. vanhoutte. M. The grandest of all the Spireas. It is a beautiful ornament for the

#### Prices on following varieties:

3 to 4 feet.....

S. billardi. M. Medium sized shrub, producing spiked panicles of flowers, bright rose

color.

S. douglasii. M. Immense terminal spikes of deep rose-colored flowers. One of the best.

S. fontenayii alba. M. A pretty variety, with white flowers in summer. Upright grower.

# Spireas. It is a beautiful ornament for the lawn at any season, but when in flower it is a complete fountain of white bloom, the foliage hardly showing. Clusters of twenty to thirty flat, white florets make up the racemes, and these clusters are set close along the description. the drooping stems. Perfectly hardy and an early bloomer.

Special varieties quoted below:

Each Per 10 Per 100 12 to 18 inches... \$0.50 \$4.50 \$36.00 18 to 24 inches... .65 5.50 50.00



Spirea Vanhoutte

S. callosa var. froebelli. D. Flowers bright rosy-red, in flat umbels. This is one of our finest Spireas, excellent as a border shrub. Foliage turns purple in the fall. Branches willowy. Should be in every garden.

12 to 18 inches... \$0.40 \$3.50 \$25.00 18 to 24 inches... 50 4.00 35.00

S. collosa superba. Flowers deep rose-red. A fine garden variety.

A fine garden variety.

Each Per 10 Per 100 \$35.00

Each Per 10 Per 100

18 to 24 inches.... \$0.55 \$4.50 \$35.00

24 to 30 inches..... 65 5.30 45.00

S. margaritea (Margarets), M. Flowers soft pink. A plant of free growth, which should be allowed plenty of room to develop; it carries a great quantity of bloom.

Each Per 10 Per 100

18 to 24 inches... \$0.55 \$5.00 \$45.00

5. multiflora arguta. S. Of dwarf habit; flowers clear white. The best early-flowering White Spirea. Early May.

Each Per 10 Per 100

So 50 \$4.00 \$30.00

Each Per 10 Per

Each Per 10 Per 100
18 to 24 inches... \$0.45 \$4.00 \$30.00
2 to 3 feet.... 55 5.00 40.00
3 to 4 feet.... ... 65 6.00 50.00
. reevesiana flora plena (Lance-leaved—Double). M. A perfect gem, each individual flower as double as a Ranunculus and

very conspicuous. Each Per 10 Per 100

Each Per 10 Per 100
2 to 3 feet ... \$0.45 \$4.00 \$30.00
2 to 3 feet ... ... 55 5.00 \$40.00
3 to 4 feet ... ... 65 6.00 \$50.00

\*thunbergii (Snow Garland). S. Dwarf habit and round, graceful form; branches slender and somewhat drooping; foliage narrow and yellowish-green. Flower small white. Early bloomer.

\*\*Each Per 10 Per 100
5.05.05 \$4.00 \$35.00

18 to 24 inches... \$0.50 \$4.00 \$35.00 24 to 30 inches... 65 6.00 50.00

#### **STEPHANANDRA**

S. flexuosa. D. A beautiful low shrub with very ornamental deep green, dense foliage. Branches spreading and drooping. Flowers insignificant, in small terminal panicles. Freezes back during the winter.

Per 10 18 to 24 inches..... \$5.50 6.50 \$0.60 


#### SYMPHORICARPUS—St. Peter's Wort or Waxberry

S. racemosus (Snowberry). S. Flowers inconspicuous, rose-colored in June and July; leaves thin, dark green; fruits large, milk-white, clustered; persistent until late in winter.

Each Per 10 Per 100 

#### SYRINGA—Lilac

Lilacs are decidedly most effective when planted in groups. They produce an abundance of showy flowers in spring and early summer. In certain parts of the New England states, every farm has several large clumps of lilacs planted about the house, and during the spring months the air is fairly saturated with their delicate fragrance. This custom could easily be adopted anywhere, for the shrubs are easily transplanted in the fall and spring, and make a strong growth in any good soil. The only attention they require is the removal of dead flowers after blooming. Pruning should be done immediately after the blooms are removed; if done during the winter and spring it will destroy many of the flowers.



Each Per 10 \$8.50 2 to 3 feet ... \$0.05

josikea (Hungarian Lilac). M. A fine distinct species of tree-like growth, with dark shining leaves and purple flowers in June, after the other Lilacs have done blooming. Esteemed for its fine habit and foliage

Each Per 10

11.00

S. persica (Persian Lilac). Its pale lilac flowers are very fragrant and are borne in large, loose panicles in late spring.

Each Per 10 Per 100 \$1.00 \$9.00 \$80.00

S. rothomagensis (chinensis) (Rouen Lilac).
M. A distinct hybrid variety, with reddish flowers; panicles of great size and very

Each Per 10 Per 100
2 to 3 feet...... \$0.80 \$7.00 \$60.00
3 to 4 feet...... 95 8.50 75.00 3 to 4 feet.....

#### NAMED VARIETIES OF LILACS

The following list of Lilacs have larger spikes of flowers and are to be had in wider range of color than the common Lilacs. This group is very scarce this season owing to the shortage in available plants. We are, therefore, only offering these in limited quantity. No pruning necessary at planting time. These should be pruned after they have bloomed, by cutting off the dead flowers.

#### Single and Double Varieties

	Each P	er 10
2 to 3 teet	\$1.50 \$1	
3 to 4 feet	1.75 I	6.50

Alphonse Lavalle. Beautiful blue, shading violet. Double.

Congo. Deep red purplish single flowers.

Belle de Nancy. Great panicles of satiny rose, almost white center. Double. Marie Legrave. Single white flowers in large

panicles Michael Buchner. Double flowers of pale

Mme. Abel Chatenay. Double pure white flowers in large panicles.

Negro. Very dark violet-purple single flowers. President Carnot. Pale blue double flowers with white in center.

President Grevy. Beautiful blue flowers in huge panicles.

Souvenir de Ludwig Spaeth. Single dark purplish-blue flowers in long panicles.



S. villosa (Japan Lilac). M. A species from Japan. Large branching panicles; flowers light purple in bud, white when open, fra-grant. Especially valuable for late flowering.

Each Per 10 Per 100 2 to 3 feet...... \$0.80 \$7.00 \$60.00

S. vulgaris alba (Common White Lilac). M. Flowers in slender panicles, pure white and

Each Per 10 Per 100 2 to 3 feet...... \$0.90 \$7.00 \$60.00



Common Snowball

#### TAMARIX—Tamarisk

The Tamarisks are hardy shrubs, of strong growth, foliage light and feathery, their flowers delicate and fringing, usually in some light shade of red or pink. Will grow anywhere.

Prices, unless otherwise noted: Each Per 10 Per 100 2 to 3 feet. \$0.45 \$3.50 \$30.00
3 to 4 feet. \$0.45 \$3.50 \$40.00
4 to 5 feet. \$0.60 \$0.00

T. odessana (Caspian Tamarisk). A new variety with pale rose flowers, blooming earlier than Gallica.
T. tetranda purpurea. L. Of dwarfer and more dense growth than T. Africana. Purplish-pink flowers in mid-

T. africana. L. A tall, graceful shrub with small foliage like a Juniper, and delicate small rosy-purple flowers, produced in spikes; very pretty.
T. gallica (French Tamarix). L. Delicate pink or white flowers in slender panicled racemes; leaves bluish-green. An exceedingly pretty species.

T. hispida estivalis. L. A new variety, raised from T. Hispida. More vigorous and not so compact. In July the branches are covered on the half of their length with numerous inflorescences of large flowers of a nice bright carmine. Foliage silvery.

#### VIBURNUM—Snowball

The Viburnums are all beautiful, hardy shrubs, and are very attractive during the entire season. Their many clusters of creamy white flowers are followed, in late summer and fall, by fruit clusters, some black and some red, and all on a par of handsomeness. They also have the added charm of the dark green foliage changing to brilliant autumn shades.

V. dentatum (Arrow-wood). M. A fine shrub for massing for foliage effect. Flowers greenish white.

V. lantana (Wayfaring tree). L. A large, robust shrub, with soft, heavy leaves and large clusters of white flowers in May, suc-ceeded with red fruit; retains its foliage very

Each Per 10 Per 100 2 to 3 feet . . . . . . \$0.90 \$8.00 \$70.00

V. lentago (Sheepberry). L. Foliage light glossy green. Flowers creamy white, very fragrant.

frost late in fall.

Each Per 10 Per 100 18 to 24 inches... \$0.75 \$6.50 \$55.00
2 to 3 feet..... 90 8.00 70.00
3 to 4 feet.... 1.25 11.50 100.00
a opulus sterile (Common Snowball). L.
An old and well-known shrub, bearing large

balls of pure white flowers. Each Per 10 Per 100

Bach Per 10 Per 100

18 to 24 inches. \$0.75 \$6.50 \$55.00

2 to 3 feet. 0.90 8.00 70.00

3 to 4 feet. 1.25 11.50 100.00

V. tomentosum. M. The single form of V. Plicatum; flowers pure white, borne along the branches in flat cymes, in the greatest profusion early in June. Perfectly hardy, vigorous and free blooming. Desirable.

Each Per 10 Per 100

2 to 3 feet. \$0.90 \$8.50 \$80.00

V. tomentosum plicatum (Japan Snowball).

M. A rare and exceedingly beautiful species of Japan; flowers in large, globular heads; pure white, hanging long on the bush; a very choice and desirable shrub.

Each Per 10

Each Per 10 \$8.50 \$0.95

Each

\$0.60

\$5.00

#### VITEX—Chaste Tree

Vitex agnus castus. A graceful shrub, growing from 5 to 6 feet high, with dense spikes 6 to 8 inches long, of lilac-colored flowers late in summer.
 V. agnus castus alba. Same as Agnus Castus in growth, but has white flowers.

2 to 3 feet..... WEIGELA—see Diervilla, page 14.

## **Ornamental Vines and Climbers**

Climbing Vines are just as necessary in the beautifying of grounds as shrubs, trees, or grass; they have their important part in the planting of every

Around new buildings, they give shade quickly and are very cooling and cheerful. For verandas or trellises, there is nothing that adds more beauty than a proper selection of vines, and, by covering summer-houses or trunks of dead trees, a strikingly wild, naturalistic effect is secured.

Vines are often used for covering stone walls, rocky banks, and steep slopes, where they are not only beautiful, but the fragrance from the flowers is pleasing. Innumerable uses for vines will suggest themselves when improving a property. The ideas given here are from practical experiences.

A. quinata. A beautiful, hardy Japanese vine, with unique foliage and chocolate purple flowers of delightful fragrance, in large

Each 2-year-old-plants..... \$0.70

#### **AMPELOPSIS**

. quinquefolia engelmanni (Engelmanni Ivy). Shorter, jointed than Quinquefolia. A good climber; grows 6 to 10 feet in a

season.

Each Per 10 Per 10
2-year-old plants... \$0.45 \$3.50 \$25.00

quinquefolia (American Ivy or Virginia
Creeper). Has beautiful digitate leaves that
become rich crimson in autumn; a very rapid
grower. One of the finest vines for covering
walls, verandas or trunks of trees.

Each Per 10 Per 10
2-year-old plants.

So 45 \$3.50 \$55.00

2-year-old plants... \$0.45 \$3.50 \$25.00

A. tricuspidata veitchi (Boston Ivy). Of Japanese origin; entirely hardy, with foliage turning brilliant red in autumn. It clings tightly to walls, and is unsurpassed as a backet or was a lant. basket or vase plant.

Each Per 10 Per 100 \$0.85 \$7.50 \$60.00 1.00 .... 2-year-old plants... 2-year potted plants

#### BIGNONIA—Trumpet Vine

radicans (American Climbing Trumpet Vine). A splendid, hardy climbing plant, with large trumpet-shaped scarlet flowers in

Each Per 10 Per 100 2-year-old plants... \$0.50 \$4.00 \$30.00

#### CELASTRUS—Bitter Sweet

C. scandens. A native climber, with handsome, glossy foliage and large clusters of beautiful orange-crimson fruits, retaining all winter. Very bright in effect and charming for winter decorations.

Each Per 10 Per 100
2-year-old plants... \$0.50 \$4.00 \$30.00
C. orbiculatus (Japan Bittersweet). Brilliant red fruit in fall. Heavy fruiting variety.

Each Per 10
2 10.3 feet \$0.50.90 \$5.00

2 to 3 feet......\$0.60

\$5.00

#### **CLEMATIS**

A beautiful class of hardy climbers, excellent for pillars or trellises. They delight in a rich soil and sunny situations and are perfectly hardy.

C. coccinea. A native Southern species, quite bardy, forward most bright conducts a very

hardy, flowers smail, bright scarlet; a very interesting plant.

Fach Per 10 2-year-old plants...... \$0.50 \$4 50 . henryii. A magnificent, large white flower, a free grower and bloomer. Each

Each 2-year-old plants..... Potted plants, 2-year-old... \$1.25 1.40 \$11,00

#### **DOLICHOS JAPONICA-**Kudzu Vine

See Pueraria Thunbergiana.

#### EUONYMUS

E. kewensis. New variety, small dark green foliage. A fine rock plant or ground cover, Grows close to the ground, fine under trees where grass will not grow.

4-inch pot plants..... \$0.75 \$7.00 **E. radicans** (Winter Creeper). An evergreen vine, with dark green foliage; will cling to walls like ivy.

4-inch pot plants, strong... \$0.60 \$5.50

E. radicans variegata. An evergreen vine with variegated foliage that clings to walls like iv...

4-inch pot plants, strong... \$0.60 \$5.50

... radicans vegeta (Big Leafed Winter Creeper). A strong growing variety with larger leaves than the type, and producing bright orange-red berries which remain on the plant the greater part of the winter. As an evergreen, absolutely hardy wall cover, this plant is unequaled. An enthusi-astic horticultural writer predicts that it will become as popular for this purpose here as the Ivy is in England.

Each Per 10 Per 100 Strong plants.... \$0.60 \$5.50 \$45.00



Silver Lace Vine

## **HEDERA**—Ivy

The Ivies are evergreens and frequently suffer

The Ivies are evergreens and frequently suffer from exposure to the bright sunlight in winter. For this reason the north side of a wall or building is a better situation than the south.

H. helix (English Ivy). A familiar evergreen vine, dark green leaves, favors shady location. The young wood sometimes winterkills in this climate, due to the action of the sun more than the cold. Suitable to cover buildings, rocks, trellis work, graves, and as a carpet under trees in places where grass will not grow.

Each Per 10 Per 100 3-inch pots, strong \$0.35 \$3.00 \$25.00 4.50 35.00 plants.... .60 5.50 .....

#### LONICERA—Honeysuckle

- L. japonica aurea reticulata. A variety with beautifully variegated foliage; leaves netted and veined with clear yellow; flowers yellow and fragrant.
- japonica halleana (Hall's Honeysuckle). Color white, changing to yellow, very fragrant, blooms from June to November.
- sempervirens (Scarlet Trumpet). A strong, rapid climber; blooms very freely the entire season; bright red, trumpet-shaped flowers.

Each Per 10 Per 100 2-year-old, strong plants..... \$0.50 \$4.00 \$30.00

L. periclymenum belgica (Monthly) Fragrant). A fine, rapid growing variety; flowers large and very fragrant; color red and yellow; a constant bloomer. Each 65c; per 10

#### LYCIUM—Matrimony Vine

L. chinensis. Very hardy, grows anywhere The slender, drooping branches are somewhat thorny and bear grayish green leaves. Flowers small, pink and purple, from June to September, and are then succeeded by a profusion of bright searlet and orange fruits through late fall and winter. A good plant for covering trellis work and bowers; also for covering bare places of rock.

Each Per 10 Per 100
2 to 3 feet...... \$0.35 \$3.00 \$25.00

#### POLYGONUM—Silver Lace Vine

P. auberti. One of the most desirable flowering climbers. The plant is of strong, vigorous growth, attaining a height of 25 feet or more, producing through the summer and tall great foamy sprays of white flowers, and a well established plant during its long flowering period is a mass of bloom.

Strong plants Scott Sc

Strong plants.... \$0.90 \$8.00 \$70.00 Extra size..... 1.25 ....

#### **PUERARIA THUNBERGIANA** Kudzu Vine (Dolichos)

P. thunbergiana. This is without a doubt the fastest growing vine we know of; we have grown and recommended same to our customers wanting a fast-growing vine for covering arbors and trellises, also for covering arbors and trellises, also for covering arbors and trellises. ing rocky slopes.

\$4.50 r-year-old plants..... \$0.50

#### WISTARIA

The Wistaria is one of the most decorative of vines, and for porch decoration without too much shade it has no superior. The long, twining branches bear great sprays of foliage, while its charming flowers sway with every passing breeze.

**W. sinensis** (Chinese). Flowers in clusters pale blue, sometimes gives a second crop of flowers in the fall.

Each 2-year-old plants (Layers). \$1.00 \$9.00

W. sinensis alba. Of similar habit to Chinensis, with pure white flowers.

Each Per 10

2-year-old plants (Layers).. \$1.00 \$9.00 V. venusta. A new addition to our list. White flowering and is a better bloomer than the common sinensis alba.

2-year plants..... \$1.20 \$10.00

Our Wistaria are grown from layers or grafts from blooming plants, hence are guaranteed to bloom.



The Evergreen should not be overlooked in arranging your plantings. They make your home cozy in winter, when the shrubs are bare.

## **Evergreens—Coniferae**

Since the Evergreens retain their foliage continuously throughout the year, they have a value and use in landscape planting not possessed by any other class of plants. During the winter months, their cheerful green color, in contrast with the snow, is a continual source of pleasure. Their attractiveness is none the less certain during the summer months, as their character and appearance is such as to give a decided additional beauty to the grounds. A consideration of the many varieties we list, will acquaint the reader with their great diversity of form, color, habit of growth, and general appearance.

**PLANTING.** Our Evergreens are given special care, handled carefully, and transplanted frequently so that they are in proper condition to be successfully moved from the nursery. All prices listed are for trees balled with earth and wrapped in burlap (the Weber way), so that they reach customers in good condition. For immediate effects, we can supply large-sized

specimens in almost every variety. The best planting-time is in April, depending entirely on weather conditions. If the spring is late the planting season may be extended. Evergreens can also be easily transplanted in the fall, during September and October, providing we have sufficient rains to moisten the soil. In planting, a large-sized hole is required, that will receive the ball of earth without cramping. These should be dug about 6 to 8 inches wider than the ball, also 4 to 6 inches deeper, depending on the size of the tree; place the tree in the hole, roll the burlap covering enough to clear the trunk of the tree, and, after filling two-thirds with good garden soil, flood with water and allow this to soak into the ground. Soil can then be filled in to nearly the groundlevel. Newly moved Evergreens require thorough watering several times a week until established.

#### **HOW TO PLANT EVERGREENS**

- DIG A HOLE SEVERAL INCHES LARGER THAN THE BALL OF THE PLANT TO BE PLANTED.
- 2. SET TREE IN HOLE A TRI-FLE LOWER THAN IT STOOD IN THE NURSERY.
- 3. FILL GOOD TOP SOIL UP AROUND BALL, PACK FIRM-LY WITH FEET OR SETTLE BY FILLING FOLE WITH WATER.
- 4. LOOSEN BURLAP AT TOP OF BALL AND ROLL BACK OR CUT OFF.
- 5. FILL HOLE WITH SOIL. PACK FIRMLY AND LEAVE TOP OF GROUND COVERED WITH LOOSE EARTH OR BETTER MULCH WITH STRAW.



#### ABIES-Fir

A. canadensis (Hemlock). See Tsuga. A. douglassii. See "Pseudotsuga."



Berkman's Golden Arborvitae

#### **BIOTA—Oriental Arborvitae**

B. orientalis aurea nana (Berkman's Golden • orientalis aurea nana (Berkman's Golden Arborvitae). The most popular Biota grown. This conifer is of dwarf, compact and sym-metrical habit. A perfect gem for small gar-dens, cemetery lots or formal planting. For window boxes and vases this variety is most

	Lacii	Per 10
15 to 18 inches	\$4.00	\$35.00
18 to 24 in	6.00	
24 to 30 inches	7.00	65.00
30 to 36 inches	9.00	
P ariantalis (sammon Chine	oco Arbo	resitan)

A tall fast growing tree but not so compact.

	Each	Per 10
18 to 24 inches	\$1.50	\$13.00
2 to 3 feet	3.00	25.00
3 to 4 feet	5.00	45.00
4 to 5 feet	8.00	70.00

orientalis compacta. A compact form of Chinese Arborvitae. Foliage very dark green. Fine where low-growing, compact tree is 

orientalis pyramidalis (Baker's strain). Pyramidal growth, densely clothed with fresh, lively green foliage; very hardy; one of the

Dest.	Each	Per 10
30 to 36 inches	\$5.25	\$50.00
36 to 42 inches	6.00	55.00
42 to 48 inches	7.50	70.00
48 to 54 inches	10.00	90.00
54 to 60 inches	12.00	110.00

B. orientalis (Blue form). A beautiful form of the Oriental Arborvitae, evidently a cross be-tween Retinospora and the Biota varieties. Color of foliage a beautiful bluish-green.

	Each	Per 10
24 to 30 inches	\$4.25	\$40.00
30 to 36 inches	5.00	47.50

#### JUNIPERUS-Juniper or Cedar

J. chinensis pfitzeriana (Pfitzer's Juniper). Very distinct, being of a striking graceful habit; the color of foliage a bright silvery green; perfectly hardy.

		Each	Per 10
		\$5.00	
		 7.00	65.00
		 9.00	85.00
36 to 42	inches	 12.50	100.00

J. communis hibernica (Irish Juniper). One of the most popular Junipers known. Rigidly upright and formal in character, resembling a green column.

2 to 3 foot specimens..... \$3.50 \$32.50

J. scopulorum (Silver Cedar). A very narrow, compact and symmetrical form of Juniper. Color silvery blue and retains its color throughout the season. Desirable for formal planting.

Fach 15 to 18 inches \$3.50 \$30.00 18 to 24 inches \$4.50 \$40.00 24 to 39 inches 6.00 55.00 30 to 36 inches 7.00 65.00

J. virginiana canarti (Cannarti Juniper). Of pyramidal habit, branches graceful, of a pleasing dark green. A beautiful tree in very way.

12.00

J. virginiana (Red Cedar). One of the most valuable trees for screens and windbreaks; perfectly hardy; too well known to need de-scription. Our trees are all extra well shaped and have been several times transplanted.

	Each	Per 10
2 to 3 feet	\$4.00	\$35.00
3 to 4 feet	6.00	55.00
4 to 5 feet	8.00	75.00
5 to 6 feet	12.00	100.00



Black Hill Spruce

Evergreens need an occasional pruning. This should be done in the spring just when new growth starts. Use the pruning shears to keep the tree in a well balanced shape.

Watch your trees very carefully, for bagworms, red spider and scale.

Owing to limited space we are unable to advise proper remedy here. Ask us about spraying Evergreens.



Silver Red Cedar

J. virginiana glauca (Silvery Red Cedar).
Fine, vigorous grower; cone-shaped, and having a peculiar whitish color.

Each Per 10

J. virginiana schotti (Schotti Juniper). This variety is easily distinguished by its bright pea-green color. It has the characteristic soft, flexible foliage of the Junipers. Grows 12 to 15 feet high, but can be kept at any desired height or shape by the annual shearing. Its growth is very symmetrical and upright. Producing light blue and silvery colored berries, in season, which are very attractive.

#### PICEA—Spruce

pyramidal form, and greater symmetry than that of the Norway Spruce, but possibly of less vigorous growth; elegant silvery foliage.

Each Per Io

18 to 24 in \$3.00 \$25.00

2 to 3 ft 4.75 42.50 P. canadensis alba (White Spruce). Of compact,

2 to 3 ft. 4.75 42.50

P. canadensis albertiana (Black Hill Spruce).

In habit of growth something like P. Alba, except that foliage is of a bluish green. A very pretty, compact growing evergreen.

Fach

2 to 3 ft. 3 to 4 ft. 4 to 5 ft.

4 to 5 ft. 27,50

P. pungens kosteriana (Koster's Blue Spruce). Owing to the extreme shortage, we cannot offer this variety this season.

#### PINUS—Pine

P. nigra austriaca (Austrian Pine). From Central Europe. Leaves or needles stiff and dark green. Hardy everywhere and one of the most valuable conifers for windbreaks,

			T CI IO
2 to 3 ft		\$5.00	\$47.50
3 to 4 ft		7.00	65.00
. montana mugh	us (Dw	arf M	ountain
Pine). Very distinct	t, leaves	short,	stiff, a
little twisted and t			
the branches: does no			
over the ground, gen-		uming a	a globu-
lar form: very dense.			

		Each	Per 10
12 to 15	in	 \$5.00	\$45.00
15 to 18	in. wide	 6.50	60.00
18 to 24	in	 8.50	80.00

# P. sylvestris (Scotch Pine). A rapid grower, very hardy, from the central portion of Europe, with short, rigid, light green leaves. Very valuable for screens and for masses.

										Each	Per 10
2 to 3	ft.									\$4.50	\$40.00
3 to 4	ft.									6.00	55.00
										7.50	

strobus (White Pine). An old and well known native tree of rapid growth and entirely hardy.

		Each	Per 10
2 to 3 ft	 	 \$4.00	\$35.00

On account of embargo this variety cannot be shipped outside of Missouri.

#### THUYA—Arborvitae

T. occidentalis (American Arborvitae). A well known native species of great value. It forms an upright conical tree of only medium size, and is especially valuable for screens

	Each	Per 10
18 to 24 inches	\$3.50	\$30.00
2 to 3 feet	4.50	42.50
3 to 4 feet	6.00	55.00
T. occidentalis globosa (Glo	be Arbo	orvitae).
Same shade of green as Pyran	midalis.	
	Each	Per 10
15 in. wide and 15 in. high.	\$3.50	\$32.50
18 in. wide and 18 in. high.	5.00	45.00

#### PSEUDOTSUGA—Fir

P. douglassli (Douglas Fir). Large, conical form; branches spreading, horizontal; leaves light green above, glaucous below.

	Each	Per 10
2 to 3 feet	\$5.00	\$45.00

T, occidentalis wareana (Siberian Arborvitae). Forms a dense, broad, regular pyramid with dark green foliage. Very hardy.

\$5.00

24 to 30 inches	6.00
T. occidentalis pyramidalis (Pyramidal	nidalis
Arborvitae). Of upright pyramidal pact habit. Very desirable.	
Each :	
2 to 3 feet \$5.00 \$	45.00
3 to 4 feet 7.50	70.00

#### TSUGA—Hemlock

T, canadensis. A native species of undoubted worth and beauty. Entirely hardy, with with drooping branches and dense habit.

		rei 10
2 to 3 feet	\$6.00	\$55.00
3 to 4 feet	8.00	75.00
0 1		



American Arborvitae



**Austrian Pine** 

## **Evergreen Shrubs**

Evergreen shrubs are coming into use more and more, as they are so desirable in landscape work. The foliage helps out and enlivens the bareness of deciduous trees and shrubs in winter. They are all fond of shady places and are suitable for north sides of houses, garages and north hillsides.

The soil for this class of shrubs should be carefully prepared with leaf mold, peaty soil, and should be mulched annually with well decomposed manure or partly decomposed forest leaves.

forest leaves.

Spring is the proper time to transplant.

#### AZALEA AMOENA

A bushy, dwarf grower with small green leaves that deepen to a lustrous coppery hue in winter. In April or May the whole plant is covered with a mass of brilliant, claret-colored flowers that retain their beauty for several weeks. Very ornamental and desirable for edging of drives and walks or for bordering beds of Kalmia, Ilex, etc. Each 12 to 15 inches. \$3.00

A. hinodegiri. A bright scarlet form of the well known Azalea Amoena, but far surpasses it in brilliancy and general beauty; a profuse bloomer; foliage evergreen.

12 inch plants, set with flower buds, each.\$3.00

#### ILEX—Holly

The Hollies are coming into demand as people get to know what splendid ornamental plants they are. The foliage is always beautiful, the flowers interesting and the fruits ornamental. A group of Hollies is always a source of pleasure.

I. opaca (American Holly). This is our native Holly, but is a rare plant in our American nurseries. Only a limited stock on hand. 

I. verticillata. See Deciduous Shrubs.

#### MAHONIA—Holly Grape

Mahonia aquifolia (Holly-Leaved Mahonia). A native species of medium size, with purplish, shiny, prickly leaves, and showy, bright yellow flowers in May, succeeded by bluish berries. Its glossy foliage and neat habit render it a very popular plant for decorative purposes.

			Each
18 to	24 inches	B-B	\$2.50
24 to	30 inches	В-В	4.00

#### Roses THE QUEEN OF

Soil. Roses delight in a clay loam, enriched with well-rotted barnyard manure. Dig up the soil thoroughly to a depth of 12 to 15 inches, pulverize well; do not raise beds above the level of the surrounding soil. Soak the bed occasionally during the summer with weak manure water.

**Location.** Roses delight in an open, airy situation, unshaded by trees and buildings. Always plant in solid beds and each class for itself.

when to Plant. We advocate planting Hybrid Perpetuals, Ramblers, Prairie, Wichuriana, Moss, Rugosa, Australian and Sweet Briars in the fall, wherever possible. If planted in spring, should be planted as early as possible before growth starts. Hybrid Teas, Tea, China, Polyantha and Climbing Hybrid Teas are best planted in the spring, during April and May. Pot-grown plants are best in these classes and can be planted the same as Geraniums or other bedding plants at any time after freezing particles; in certification. weather is past.

**Protection.** As soon as severe freezing weather sets in, raise the earth around the plant three or four inches, cover entire bed with dry, light manure, then cover with leaves.

manure, then cover with leaves.

Soil Conditions. No Roses should be planted at any time that the soil is in a wet, soggy condition. The soil should be in a loose, pliable condition. The plants should be firmly packed, first with the hands and then with the foot; be careful not to bruise the roots, or to break the ball on the potted class excepting to remove some of the top soil of the ball. Be sure to give your plants a good soaking-of water immediately after planting. The following day after planting loosen up the soil around the plants to a depth of about one-half inch, so as to form a loose soil mulch. Water at intervals according to weather conditions, until the plants have become well established, after which little or no watering need be given except in extreme drouth conditions when a good, thorough soaking about once a week will be found very beneficial. Watering should only be done late in the evening at any time, and the ground raked over the following morning. If you will follow these instructions you should have no trouble in raising a fine lot of Roses.

Pruning. This should be done during March. For Hybrid Per-

raising a fine lot of Roses.

Pruning. This should be done during March. For Hybrid Perpetuals remove about one-third to one-half of the previous year's growth. Strong-growing varieties require less pruning back than weak-growing ones. In the everblooming class two-thirds of the previous year's growth should be removed. Cut out all old or decayed wood annually, also all feeble branches and such as are crowding each other. Some of the Hybrid Perpetual varieties can be made to bloom again in the fall, if pruned soon after spring blossoming time is over.



**American Beauty Roses** 



Ulrich Brunner

**Climbing Roses** should not be cut back severely. After the blooming period the poor growth and very old wood can be removed.

Insects and Diseases. Do not let these discourage you. There are now a number of remedies, easily applied, that will rid your plants of any insects very quickly if applied promptly.

Sulfocide controls Mildew. Use Arsenate of

Lead for Chewing Insects.

## WEBER'S SELECTED LIST Hybrid Perpetual Roses-Rosa Hybrida Cifera

SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS.

This class of roses is admirably suited for garden culture, for the formation of rose beds, hedges and permanent plantations, where hardy varieties of roses are desired. They are of easy culture and luxuriant in a deep, rich soil. They are benefited by mulching in the fall of the year. Prune according to the habit of growth, cutting back close all weak shoots and shortening the long cane to a convenient length. Plant two feet apart in beds.

Prices unless otherwise noted.

Prices unless otherwise noted:

Dormant Plants, 2-yr. No. 1. Each, 75c; per 10, \$6.50; per 100, \$50.00.

American Beauty—Rich red. 15c per plant higher than other varieties.

Anna de Diesbach—Shell pink.

Baron de Bonstettin—Rich dark red.

Capt. Hayward—Bright scarlet.

Frau K. Druschke--One of the best Double Frau K. Druschke—One of the best Double White Roses. The buds are unusually long and sometimes shaded pink. Flowers open up to an immense size. It is a good plan to disbud quite heavily which will well repay in large flowers. Will bloom during the summer if given proper care.

General Jacqueminot—Velvety crimson.

George Ahrendes—Bright carmine rose.

Hugh Dickson—Brilliant crimson, shaded scarlet.

let.

J. B. Clark—Intense scarlet.

Mrs. John Laing—Bright shining pink.
Paul Neyron—Beautiful pink.
Ulrich Brunner—Brilliant cherry red

#### **EVERBLOOMING ROSES**

#### Consisting of Hybrid Teas, Teas, Bourbon, Hybrid Polyantha and China or Bengal Roses

Letters H. T. denote Hybrid Tea Roses. Letter T. denotes Tea Roses. Letter B. denotes Bourbon Roses. Letter C. denotes China or Bengal Roses. Letters H. Pol. denote Hybrid Polyantha.

#### SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS.

This class of roses is suitable for general cultivation, as they are usually our very best roses, blooming continuously throughout the season. Require more care in winter protection than do the Hybrid Perpetuals in this climate and further north, but will repay the extra care in a goodly supply of fine flowers when roses of the hardy variety are scarce. Protect for winter by hilling the soil up around crowns about 6 to 8 inches as soon as heavy freezing winter weather sets in. Cover this with well rotted manure or leaves.

NOTICE—In case we are sold out on any one grade, we reserve the right to substitute variety of same color or send either the next larger or smaller grade, changing prices accordingly. If it is not desirable that we do this, please so state on your order.

smaller grade, changing pines accounts.

do this, please so state on your order.

We are in position to furnish a number of the Everblooming varieties in dormant plants, which can be planted in April. These plants, if cut back to five inches from the ground at planting time, will produce an abundance of bloom the entire summer.

2-year number one plants...... Each Per 10 Per 100 \$0.80 \$7.00 \$60.00

All varieties grown in pots, will not be ready for delivery before May 5th to 10th, according to weather conditions. Each Per 10 6-inch pots, 2-year, Extra Select \$1,50 6-inch pots, 2-year, No. 1 Plants. 1.25 \$11.50 5-inch pots, 2-year, No. 1 Plants. 1.00 9.00 4-inch pots, 2-year, No. 1 Plants. 75 6.50

coppery-red sheen.

Mad. Butterfly (T.). An offspring of the favorite variety Ophelia. All the colors of Ophelia are intensified, making it a symphony of bright pink, apricot and gold. Is fuller petaled, more prolific, and of greater color appeal. The buds are a rich Indian red, yellow at base.

Mad. Caroline Testout (H. T.). Brilliant satiny-rose.



Columbia above; Radiance below

Mad. Edouard Herriot or Daily Mail (H. T.). Coral-red shading of yellow terra cotta, bronze and geranium-red, something of every color.

Mrs. Aaron Ward (H. T.). Indian yellow.

Ophelia. Brilliant salmon flesh shaded with rose on outer petals, with heart of peach pink.

President Taft (H. T.). Shell pink.

President Taft (H. T.). Shell pink.

Premier. A magnificent new variety of large size and distinct character, very deep rose color, the broad roll of the outer petals creating most interesting lights and shadows. It is practically thornless.

Radiance (H. T.). Brilliant rosy carmine.

Red Radiance (H. T.). Golden orange.

Souv. de Claudius Pernet. The latest introduction of the great French grower Pernet-Ducher. Long buds, large flower, fast color of sunflower-yellow. Each \$1.50; per 10.\$12.50.

William F. Dreer (New). Soft silvery shell-pink. Fine for cutting or table use.



Cecil Brunner

#### DWARF POLYANTHA, or **BABY RAMBLERS**

Baby Tausendschoen (Louise Welter). Rose veined with soft clear pink.

Baby Dorothy (Maman Levavasseur). Pure pink.

pink.

Cecil Brunner. White shading salmon.

Erna Teschendorff. Carmine red.

LaFayette. Large brilliant cherry-crimson flowers in immense branching sprays. A remarkable and valuable kind in any capacity.

Orleans. Brilliant geranium red.

Triumph d'Orleans. Very deep red.

#### **EVERBLOOMING ROSES**

When properly planted and cared for will give you an abundance of cut flowers.

See our selected list.



Pink Baby Rambler

# Climbers, Moss, Rugosas and Miscellaneous Roses

#### **CLIMBING ROSES—Ramblers and Trailing Roses** SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS.

American Pillar. Large single flowers, carmine-rose, with cream and yellow center. Each Aviator Bleriot. Saffron yellow, shaded apricot. So. 75 \$6.50 Climbing American Beauty. Large red flowers, strong grower, often blooms during the summer. Each Per 10 Per 100
2-year, No. 1. \$0.75 \$6.50 \$60 00 Dorothy Perkins. Beautiful shell-pink. 2-year, No. 1

Dr. Van Pleet. Rich, flesh-pink.

2-year, No. 1.

Excelsa (Red Dorothy Perkins). Clear scarlet; similar to Dorothy Perkins. This is probably the finest of all hardy climbing Roses; should be more generally planted.

Each Per 10 Per 100

\$0.65 \$5.50 \$45.00 Flower of Fairfield. Color deep crimson, in large clusters. Sometimes called the everblooming Crimson Rambler. Each Per 10 Per 100

Gardenia. Bright yellow. opening cream; early flowering, fragrant and free.

Each Per 10 Per 100 2-year, No. 1...... \$0.75 \$6.50 \$60.00 **Hiawatha.** Glowing ruby-crimson, with a clear white eye; single flowers in clusters.

Each Per 10 Per 100 2-year, No. 1...... \$0.70 \$6.00 \$50.00


lary Wallace (New). Although a good pillar rose, it makes an ideal door-yard bush. The flowers are semi-double, bright clear rose-pink with salmon base. These are of extreme size, and appear intermittently during the season following their first heavy bloom. Mary Wallace (New).

Paul's Scarlet Climber. Brilliant vivid scarlet; color maintained without burning or bleaching until the petals fall. Flowers medium, semi-double, produced in clusters, and covers bush from top to bottom. This is without question the most important addition to our climbing roses.

Each Per 10 Per 100 2-year. No. 1...... \$0.75 \$6.50 \$60.60



Silver Moon



\$6.00

Climbing American Beauty

Seven Sisters. Flowers in large clusters vary 

#### **MOSS ROSES**

Each Per 10 Per 100 \$0.70 \$6.00 \$50.00 2-year, No. 1..... Blanche Moreau. White. Henri Martin. Large deep red flowers. Crested Moss. Rose color, beautifully crested. Salet. Rose-pink, well mossed.



Wichuriana Rose

#### RUGOSA AND HYBRID RUGOSA

rice—2-year, No. 1, each \$0.75; per 10 \$7.00; per 100 \$60.00, unless otherwise noted.

C. F. Meyer. The finest of the Hybrid Rugosas, producing very fragrant, silvery pink flowers of large size. It blooms in June and occasionally thereafter. The bush is extremely vigorous, attaining a height of from 6 to 10 feet and is perfectly hardy.

Hansa. Red.
New Century. Flesh-pink with light red center.

Rugosa Alba. Single white.

Sir Thos. Lipton. White, double flowers constantly in bloom.

Rosa Rugosa Rubra. Single red. Popular as a hedge rose.

as a nedge rose.

Each Per 10 Per 100
2-year, No. 1...... \$0.60 \$5.00 \$40.00 Rose Hugonis (Golden Rose of China). This is a valuable addition to our list of Roses. Every branch of the previous year's growth is, in late April and early May, closely set on both sides to the very tips with exquisitely beautiful, single clear yellow flowers, almost concealing the foliage.

The long arching sprays make Hugonis not only a beautiful shrub to be planted, if one so prefers, with other shrubs but when cut, are charming as table decorations.

It attains a height of six feet by the same in width. The young growth coming from the roots show a beautiful reddish maroon. Foliage turning to a pleasing purple in Fall.

#### MISCELLANEOUS ROSES

Harrison's Yellow. Deep yellow, hardy 2-year, each 75c; per 10 \$6.50.

Rosa Blanda (Wild Meadow Rose). Bright rose. 2-year, each 50c; per 10 \$4.00.

Rosa Lucida (Wild Rose). The familiar red-fruited "Wild Rose." 2-year, each 50c; per

10 \$4.00.
Rosa Multiflora. Strong growing, long arching canes, covered with white clusters in June. 2-year, each yoc; per 10 \$4.00.
Rosa Palustris (Carolina Rose) (Swamp Rose). Flowers pink. Numerous. June to September. Leaves five to nine lobed. Grows four to seven feet high. Largely used in shrub plantings in the east. 2-year, each 70c; per

10 \$6.50.

Rosa Rubiginosa (Common Sweet Briar).

The well known old variety, famous for the fragrance of its foliage. 2-year, each 70c; per 10 \$6.50.

Rosa Setigera. Single, deep rose-colored flower. 2-year, each 50c; per 10 \$4.00.

Sweet Briar. See Rosa Rubiginosa.

# **Classification of Hardy Perennials**

Plant Flowers to beautify your home grounds, to hide unsightly foundations, in borders or hedge, or in artistically arranged beds, to make your grounds radiate with their beauty and fragrance.

Although popularly known as old-fashioned plants, Perennials have never been so popular as they are at the present time, and we feel safe in saying that a permanent taste has been developed which is certain to continue and make Perennials as popular in the United States as they have been in the horticultural centers of Europe for many years. Cultivation is of the simplest, beginning with any good soil for a foundation, which may be enriched with any good fertilizer, such as well decomposed cow manure or bone meal, deeply dug, well pulverized, in season as early as possible, so as to enable them to become well rooted and established before hot, dry weather sets in, keeping the ground well stirred, and where it is convenient to water beds during hot, dry weather, a mulch of any loose material, which will keep the soil from baking, will be found very beneficial.

Short grass, the rakings of the lawn after cutting, will be as good for this purpose as anything.

A covering of manure should be applied in the fall. This may be forked into the soil early in the spring; beyond this, little care need be given, the occasional staking of a plant, the cutting off of decaying flowers, which will prolong the flowering season of many species, and the dividing and replanting occasionally of such varieties that have become too large, being all that is needed.

Our Perennials are mostly all potted in the fall and carried over winter in cold frames. This gives them an excellent root system and they start off in the spring the same as though they had been planted in the fall. They are grown annually from seed or divisions, hence you get only young, thrifty stock that will produce results in the first year. We advise planting during the month of April. But many varieties can be planted all through the month of May.

The heights given indicate the height Plant attains at maturity.

The heights given indicate the height Plant attains at maturity.

		Ultimate					Ultimate		
Botanical Name.	Common Name.	height in feet.	Color.	Time of blooming.	Botanical Name.	Common Name.	height in feet.	Color.	Time of blooming.
PERENNIALS THAT					Lupinus polyphyllus Lupinus polyphyllus alba Monarda didyma	Hardy Lupine Hardy Lupine	3 ft 3 ft	Purple White	June-July. June-July.
GROW 10 TO 12 FT. HIGH. Arundo Donax	Reed Grass	10/12 ft.	Reddish plumes	Aug.		Bergamot or Oswego Tea	3 ft	Bright red	June-Sept.
PERENNIALS THAT GROW 8 TO 10					Phalaris arundinacea	Variegated Ribbon Grass	3 ft	White varie-	
FT. HIGH. Helianthus Orgyalis	Sunflower	A ft	Yellow	SeptOct.	Thalictrum aquilegifolium atropurpeum	Meadow Rue	3 ft	gated foliage Rosy-purple	Aug. June-July.
PERENNIALS THAT	Duninower	<b>T</b> 10	Tenow	Берь. чось.	Tritoma pfitzeriana	Flame Flower or Torch Lily	3 ft	Vermilion-	June-July.
GROW 5 TO 6 FT. HIGH.	10'1 1 TO 11	* (0.5)	DI : 1 . 1 .	a . o .				scarlet	AugOct.
Aster Tartaricus Eulalia gracillima univittata	Michaelmas Daisies Ornamental grass	5/61t 5 ft	Bluish-violet Red-brown plumes	SeptOct.	PERENNIALS THAT GROW 2 TO 3				
Hollyhocks, Double Penstemon barbartus, var.	Althea rosea	5/6 ft	All colors	July-Aug.	FT. HIGH.	75			
TorreyiRudbeckia laciniata	Torrey's Penstemon Golden Glow	5 ft 5/6 ft	Yellow-scarlet. Lemon-yellow.	July-Aug. July-Aug.	Asclepias tuberosa	Butterfly weed Rose Campion	2/3 ft 2 ft	Orange Crimson	July-Aug. Summer.
PERENNIALS THAT GROW 4 TO 5			·		Anthemis kelwayii	Marguerite or Chamomile California Colum-	2/3 ft	Deep yellow	June-Aug.
FT. HIGH.	Sea Bugloss	4/5 ft	Blue	June-Sept.	riquicgia Cantornia 11, brids	bine	2 ft	Yellow and orange	May-June.
Aster Laevis Aster Mrs. F. W. Raynor.	Michaelmas Daisies Michaelmas Daisies	4 ft	Heliotrope blue Reddish-violet.	SeptOct. SeptOct.	Aquilegia Helenae	Hybrid Columbine. Hybrid Columbine	2 ft 2 ft	Blue and white Assorted colors	AprJune.
Aster Novae Angliae Aster Robt. Parker Aster White Queen	Michaelmas Daisies Michaelmas Daisies Michaelmas Daisies	4 ft 4 ft	Violet-purple Pale Heliotrope White	SeptOct. SeptOct.				blue, laven- der, mauve,	
Boltonia asteroides	False Chamomile.	4/5 ft	White Lavender	SeptOct. Sept. Sept.				cream, pink. red and yel- low	May-June.
Boltonia latisquama Campanula pyramidalis Eulalia japonica variegata	Chimney Bells Variegated Pampas	4 ft	Purplish-blue	July.	Aster Feltham Blue Campanula medium blue	Michaelmas Daisies Canterbury Bell Canterbury Bell Peach Bells	2 1/2 ft. 2/3 ft.	Aniline-blue Blue shades	SeptOct. June-July. June-July.
Eulalia Zebrina	GrassZebra grass	4 ft	Red-brown plumes Red-brown	Oct.	Campanula medium rose Campanula persicifolia Campanula persicifolia alba.	Canterbury Bell Peach Bells Peach Bells	2/3 ft 2/3 ft	Rose shades Dark violet White	June-July. June-July. June-July.
Eupatorium ageratoides	Thorough wort or white snakeroot.		plumes	Oct.	Coreopsis grandiflora Delphinium Belladonna	Peach Bells Tickseed Larkspur Larkspur	2/3 ft 2/3 ft 2/3 ft 2/3 ft 2/3 ft	Yellow Light blue	Summer. June-July.
Helianthus Solicl d'Or Hibiscus Crimson Eye	Double sunflower Mallow	4 ft 4 ft 4/5 ft	White Deep yellow White, red eye	AugSept. July-Aug. AugSept.	Delphinium Bellamosum Dictamnus fraxinella alba Dictamnus fraxinella	Gas Plant	2/3 ft 2/3 ft 2/3 ft	Deep blue White Rose-pink	June-July. June-July. June-July.
Hibiscus Mallow Marvels	Mallow	4/5 ft	Red, crimson	AugSept.	Dielytra or Dicentra Digitalis gloxiniaeflora	Gas Plant	2 ft 2/3 ft	Rose	May-June.
Lathyrus latifolia Lathyrus latifolia alba	Perennial Pea	4/5 ft	Rose-pink White	July-Sept. July-Sept.	Digitalis grandiflora	Foxglove	2 1/2-3.	and purple. Yellow	June-July. June-July.
Thalictrum dipterocarpum Yucca filamentosa	Meadow Rue Adam's Needle	4 ft	Lemon-yellow Cream-white	AugSept. June-July.	Digitalis maculata superba Funkia subcordata grandi- flora	-	2/3 ft	White	June-July.  AugSept.
PERENNIALS THAT GROW 3 TO 4					Gypsophila paniculata Hesperis matronalis	Plantain Lily Baby's Breath Sweet Rocket	2 ft 2 ft 2 1/2 ft.	White	July-Aug. June-July.
FT. HIGH. Aquilegia chrysantha	Golden spur red Columbine	2.61	C-13 II	36. 4	Lilium umbellatum	T	2 1/2 ft. 2 ft	Crimson and orange	May-June.
Aquilegia chrysantha alba	White spurred Col- umbine	3 ft	Golden-yellow. White	May-Aug.	Lychinis chalcedonica Paeonia	Jerusalem Cross Herbaceous Peony.	2/3 ft	Scarlet Red, white, pink. See list	June-July. May-June.
Aquilegia nivea grandiflora. Artemesia abrotanum	Hybrid Columbine. Southernwood	3 ft 3/4 ft	White	June-July.	Onoclea struthiopteris Papaver orientalis	Ostrich Fern Oriental Poppy Foxglove Penstemon	2/3 ft 2 ft	Scarlet-pink	June-July.
Aster amethystinus Bocconia cordata Campanula calycanthema	Michaelmas Daisies Plume Poppy Cup a n d saucer	3 ft	Amethyst blue. White	SeptOct. Aug.	Penstemon South Park Gem Phlox paniculata		2/3 ft	Deep coral- pink	June-frost.
Delphinium, Gold Medal	Canterbury Bell.	3/4 ft	Blue	June-July.	Phlox suffruticosa Miss	1 erenmar 1 mox	2/010	list	July-Oct.
Hybrids Helenium	Larkspur Sneeze-wort	3/4 ft 3 ft	All shades Yellow	June-July. AugSept.	Lingard	Smooth-leaved Phlox	2/3 ft	White, pinkeye	June-Aug.
Hemerocallis aurantiaca major Hemerocallis flava	Day Lily Lemon Lily	3 ft 3 ft	Orange-yellow. Deep yellow	July. June-July.	Platycodon grandiflora Platycodon grandiflora alba. Platycodon japonica fl. pl	Phlox. Balloon Flower. Balloon Flower. Balloon Flower.	2/3 ft 2 ft 2 ft 2 ft	Deep blue White Double blue	July-Sept. July-Sept. July-Sept.
Lilium candidum	Double Day Lily Madonna Lily	3 ft 3 ft	White	July-Aug. May-June.	Rudbeckia purpurea Salvia azurea	Meadow sage	2/3 ft	Reddish-purple Sky-blue	July-Oct. AugSept.
Lilium auratum	Golden banded Lily	3 ft	White, marked yellow bands spotted pur-		Statice latifoliaVeronica longifolia subses-	Sea Lavender	2 ft	Bluish-purple	July-Sept.
Lilium rubrum	Spotted Lily	3 ft	ple	July-Aug. AugSept.	siles Veronica spicata alba	Long-leaved Speed- well	2/3 ft 2/3 ft	Deep blue White	AugSept. AugSept.
Lilium Regale	Regal Lily	3 ft	White	AugSept.	Veronica spicata alba Veronica spicata rosea	Spiked Speedwell.	2/3 ft	Rose	AugSept.

Oenothera Missouriensis... Phlox divaricata.....

Ranunculus acris fl. pl....

Veronica amethystinus.... Veronica incana.....

#### PERENNIAL CLASSIFICATION LIST—Continued

Botanical Name.	Common Name.	Ultimate height in feet.	Color.	Time of blooming.	Botanical Name.	Common Name.	Ultimate height in feet.	Color.	Time of blooming.
PERENNIALS THAT GROW 18 TO 24					PERENNIALS THAT				
INCHES.					GROW 6 TO 12 INCHES HIGH.				
Chrysanthemum.	Hardy garden			-	Aegopodium podagraria	Bishop's weed	8/12 in	White, green	
	varieties	18/24 in.	All colors. See list	SeptOct.	Adiantum pedatum	Maidenhair Fern Wild Columbine	8/12 in 6 in.	Searlet and	
Dianthus barbatus	Sweet William	18 in	Asst. colors	June-July.				yellow	May-June
Funkia coerulea.	Plantain Lily	18 in	Blue	Jane-July.	Convallaria	Lily of the Valley.	6 in .	White	May.
Funkia robusta elegans	riantam Lay	15 ш	egated		Festuva glanca	Garden pinks Blue Fescue grass	6/12 in	Blue foliage	May-June
0 70 70	DI 1 . 4	12/21	leaves	June-July.	Lavendula vera. Pachysandra terminalis	Lavender	6 in	Violet	July-Sept
Gaillardia grandiflora Gaillardia maxima kermesina	Blanket flower	18/24 in.	Yellow and red	Summer.	Phiox sublata	Japanese Spurge. Moss pink	6/8 in	Waite	June.
splendens	Blanket Flower	18/24 in.						white	AprMay
			son, canary yellowborder	Summan	Plambago larpentae	Lead-Wort Showy Sedum	8/12 in.	Deep blue	AugSept
Geranium sanguineum	Hardy wild		yenow border	Summer.	Vinca minor	Periwinkle or Trail-	6 in	Amaranth-red.	AugSept
-	Geraniums	18 in	Bright crimson		T. I. D. 4 W. I.	ing Myrtle	6/8 in	Violet	AprJune
Hemerocallis Dumortieri	Day Lily	18 in 18/24 in.	Bright yellow All colors.	June-Sept.	Viola Prince of Wales	Violets hardy	6,5 m	Blue	May.
			See list	May-June.	PERENNIALS THAT				
Lastra Felix-mas Oenothera speciosa	Male Fern Evening Primrose.	18/24 in. 18 in	White	AugSept.	GROW UNDER 6 INCHES.				
Osmunda cinnamomea	Cinnamon Fern	24 in	17 III VG	muguche	Bellis Perennis	English Daisy	3 4 in	Pink	May.
Osmunda elaytonia	Flowering Fern	24 in	D 1		Cerastium tomentosum	Snow in summer	4 6 in	White	June.
Pyrethrum bybridum		18/24in.	Red, rose, white	June-July.	Sedum acre. Veronica rupestris alba	Golden Moss Rock Speedwell	4/6 in	Bright yellow. White	May. May-June
Stokesia cyanez	Stokes Aster	18 in	Light blue	Summer.			1		
PERENNIALS THAT GROW 12 TO 18					PERENNIALS SUITED TO SHADY				
INCHES HIGH.					Aquilegia.	Columbine	Postial al	hade or full sun.	
Achillea millifolium var.	v	10 :-	~ 1	1	Aconitum	Monkshood	Partial s	hade or full sun.	
Achillea ptarmica "Boule de	Yarrow	12 in	Pink	Aug.	Convallaria	Lily-of-the-Valley	Partial s		
Neige"	Double White Yar-				Delphinium Dielytra	Larkspur Bleeding-Heart	Partial s	hade or full sun. hade or full sun.	
Achillea ptarmica "The	row	15 in	White :	Summer.	Digitalis	Foxzlove	Partial sl	hade or full sun.	
Pearl"	Double-white				Ferns.	Hardy Sorts Plantain Lily	Partial s	hade. hade or full sun.	
A smile as a smile a	Yarrow Rocky Mountain	15 in	White	Summer.	Hemerocallis	Day Lily	Partial si	hade or full sun.	
Aquilegia coerulea	Columbine	12 in	Violet & white.	AprJune.	Heuchera Iris	Alum Root	Partial s	hade or full sun.	•
Aspidium acrostichoides	Wood Fern	12 in			Lilies	Hardy	Partial sl	hade or full sun.	
Asplenium Felix Foemina Victoria		12/15in.			Lychnis	Campion	Partial si	hade or full sun.	
Asplenium multifidium		12/15in.			Myosotis Pachysandra	Forget-me-not Terminals	Partial si	nane. nade or full sun.	
Carnation Grenadine	Hardy Carnation	12/18in.	Pink, red.		Peomies	Bellflower	Light sha	de or full sun.	
		12/1011	mixed colors	June-July.	Platycodon	Astilbe	Partial st	hade or full sun.	
Chrysanthemum "Alaska"	Shasta or Moon-	19/12:-	White.		Veronica	Speedwell	Partial si	na de or full sun.	
Chrysanthemum "King	penny Daisy Shasta or Moon-	12/18in.	White	June-Sept.	Viola cornuta	Hardy Violet	Partial s	nade or full sun.	
David"	penny Daisy	12/18in.	White	June-Sept.	Graccelli Diant	Food should be	used es	arly in the se	ason
unkia undulata media picta.	Plantain Lily	12 in	Purple varie-	July.	to give the plan	it a good start.	It prom	notes the dev	elop-
Geum atrococineum fl. pl	Avens	12 in	Deep red	June.	ment of a good	root system a	nd stre	ngthens the	fibre
Iberis gibraltica	Hardy candytuft Shaggy Lychnis	12 in 12 in	Pinkish-white.	May-June.	of the plant. S	oce page 44.			
			crimson	June-Aug.	FL	OWERS AND	SHRL	JBS	
Lychnis viscaria.	N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	12 in	Rose	June					

June-Aug. May.

June-Sept. June-July.

Hollyhock rust, rose mildew, and other diseases of flowers and shrubs are readily controlled with Sulfocide. Use at the rate of 2 lbs. fresh Kayso or Casein Spreader and 1 gallon Sulfocide to 200 gallons of water, If you prefer not to have the spray show on the foliage, use 3 lbs. of son instead of the Kayso, but do not use the soap in combination with a poison. See page 45.

#### "OLD FASHIONED GARDENS"

12 in . . . 12/18in.

12 in ... 12/15in.

n. Amethyst blue. Violet-blue....

Missouri Primrose Canadian Phlox Crow Foot or Bach

elor Button....

Speedwell... 12 in ...

HE flowers our grandmothers loved and planted in their gardens were mostly perennials! The "Old-Fashioned Gardens" so much in vogue at the present time are gardens of perennials! And just as in the days of our grandmothers, the reappearance of the charming bright faces, spring after spring and summer after summer, is like the treasured visits of well-loved friends. Certainly there is great interest and fascination in the changes throughout the whole growing season, -something new every day-as one group of plants after another send up their bewitching buds, followed by great drifts of blue, pink, scarlet, yellow and orange. Furthermore most perennials gain in beauty as they become more firmly established with the years. No garden is complete without at least a portion planted to these old fashioned flowers. We offer here a most complete list of these beautiful hardy plants.



## **Weber's Hardy Perennial Plants**

SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS.

#### **ACHILLEA**—Milfoil or Yarrow

A. millifolium roseum (Rose-flowered Yarrow). Rosy-lilac, from June to August. Each 25c; per doz. \$2.50.

ptarmica "Boule de Neige" (Ball of Snow. Pure white, double flowers. Each

25c; per doz. \$2.5o.

ptarmica fl. pl. (The Pearl). Pure white flowers all summer long. Each 25c; per doz. \$2.50.

#### AEGOPODIUM—Bishop's Weed

Podagraria Variegata. A rapid-growing plant, with neat green and yellow variegated foliage, thriving in any soil; makes a fine border for a bed of shrubs or for covering waste ground. I foot. Each 25c; per doz. \$2.50.

AGROSTEMMA—Rose Campion
A. coronaria (Mullein Pink,). Bright rose-crimson. Each 25c; per doz. \$2.50.

#### ALYSSUM—Madwort

saxatile compactum (Basket of Gold). Showy bright yellow flowers; excellent for rock work. Each 25c; per doz. \$2.50.

#### ANCHUSA—Sea Bugloss

gentian blue. Each 35c; per doz. \$3.50. Rich

#### **ANTHEMIS** – Marguerite

A. kelwayi. Daisy-like golden yellow blossoms all summer. Nice for cutting. Each 25c; per doz. \$2.50.

#### **AQUILEGIA—Columbine**

A. California hybrids. Equisite flowers, yellow and orange shades.

. canadensis. Scarlet and yellow native species, one of the brightest.

A. chrysantha (Golden spurred). Golden yel-

A. chrysantha alba. Very pretty white va-

A. coerulea. Bright blue and white flowers, long spurred.

A. helenae. Strong grower, producing numer-ous flowers of a lovely shade of blue and

white.

hybrids (Long Spurred). Large flowers with long spurs in blue, white, yellow, orange, scarlet and bright rose.

nivea grandiflora. Beautiful large pure

A. nivea grandiflora. white. Each 25c; per doz. \$2.50.

#### **ARTEMESIA**

A. abrotanum. Dark green, finely cut foliage, with pleasant odor.

A. stelleriana (Old Woman). Deeply cut silvery foliage. Good for carpet bedding.

A. lactiflora (Hawthorn scented). Elegantly cut dark-green foliage and terminated by panicles of Hawthorn-scented creamy white Spirea-like light and graceful flowers.

Each 25c; per doz. \$2.50.

#### ASCLEPIAS—Butterfly Weed

A. tuberose. Very showy brilliant orange colored flowers in July and September. Each, 30c; per doz. \$3.00.

#### ASTERS—Michaelmas Daisies

A, amethystinus. Amethyst Blue, 3 ft.
A. feltham Biue. Pretty shade of aniline blue, 2½ ft.
A. laevis. Light heliotrope, 4 ft.
A. movae angliae. Bright violet purple, 4 ft.
A. Robert Parker.—Pale heliotrope, 4 ft.
A. tartaricus. Bluish violet, late, 6 ft.
A. white queen. Fine white, 4 ft.
Each 25c; per dox 82.50.

Each 25c; per doz \$2.50.

#### **BOCCONIA—Plume Poppy**

cordata. A noble plant, beautiful in foliage and with creamy white flowers during July and August. Each 25c; per doz. \$2.5o.

#### **BOLTONIA**—False Chamomile

Native hardy plant with large single aster-like flowers. Blooms during the summer and autumn months with hundreds of flowers.

B. asteroides. White
B. latisquama. Lavender.
Each, 25c; per doz. \$2.50.



Delphinium

(Illustrating Gold Medal Hybrids)

#### CAMPANULA—Bell Flower

C. medium blue (Canterbury Bells). Plants grown from the very best strain of seeds.
C. medium rose (Canterbury Bells). Plants grown from the very best strain of seeds.
C. medium white. Plants grown from the very best strain of seeds.
C. calycanthema blue (Cup and Saucer Canterbury Bells). A very fine clear shade of blue and

flowers nice for cut flowers.

C. calycanthema white. Similar to the blue variety, only flowers are white.

C. pyramidalis (Chimney Bell Flower). An attractive plant for herbaceous borders, forming a perfect pyramid, crowned with large, silver-blue flowers. Each 25c; per doz \$2.50.

CARNATION—Hardy
A fine border plant for the hardy garden.
Grenadine. Pink.
Grenadine. Red.
Strong plants to bloom this year.

Each 25c; per doz. \$2.50.

## **CARYOPTERIS—Blue Spirea**

#### CHRYSANTHEMUM—Shasta Daisy

hybridum (Alaska). Blooms all summer. Height, 12 to 15 inches. Color white. A great improvement over Shasta Daisy, being much larger, 4½ to 5 inches in diameter. Very free bloomer and much hardier than its parent. Each 25c; per doz. \$2.40; per 100 \$15.00. C. hybridum (Alaska).

#### CHRYSANTHEMUM—Hardy

This class of perennials are the glory of the Autumn garden. They are the one remaining cheerful note after devastating frosts have destroyed all other flowers. Excellent

for cutting.

For Winter protection, do not cover with heavy mulch of manure, but rather use some light covering of straw or leaves.

## LARGE FLOWERING HARDY VARIETIES

VARIETIES
Autumn Glow. Rosy red.
Excelsior. Bright orange yellow.
Marisbeau. Large dark rose.
Old Homestead—Buff pink.
Petite Louise. Light pink. Bronze center.
President. Rich purple crimson.
Rosea. Large pink.
Quinala. Golden yellow.
Victoria. Large pink.
Each 20c; per doz. \$2.00; per 100 \$14.00.

#### **BUTTON-SHAPED POMPON**

Bessie Brown. Reddish bronze. Little Dot. Yellowish brown. Each 20c; per doz. \$2.00; per 100 \$14.00.

#### CONVALLARIA—Lily of the Valley

The popular little spring flower, for shady places, 4-in, potted plants, each, 35c; per doz. \$3.50. Dutch pips, per 25, \$1.75; per 100, \$6.00.

#### COREOPSIS—Tickseed

C. lanceolata grandiflora. The most popular summer cut flower, golden yellow. Should be in every garden. Fach 20c; per doz. \$2.00; per 100 \$10.00.

#### **DELPHINIUM—Larkspur**

D. belladonna. Free bloomer, June to frost. Flowers turquoise blue. A fine summer cut-flower plant.

D. bellamosum. The dark blue form of the popular light blue Belladonna with which it is identical in habit of growth, freedom of bloom but with intensely rich, deep blue flowers.

D. gold medal hybrids. A fine strain of mixed hybrids from England. Very fine.

Each 30c; per doz. \$3.00; per 100 \$20.00.

We invite every flower lover to visit our Greenhouses and see the large line of plants we carry.



Pompon, Single and Large Double Chrysanthemum

#### **DIANTHUS BARBATUS—Sweet** William

D. Scarlet Beauty. A fine scarlet variety.
D. Maroon (Single). Almost black.
D. Newport Pink. An excellent pink

D. holborn glory. A beautiful variety. Special Mixed. A mixture of all colors, just the thing for mass planting along walks, or for mixed borders. Each 25c; per doz. \$2.50; per 100 \$15.00.

#### **DIANTHUS PLUMARIUS—Hardy Garden Pinks**

Soft delicate rose-pink. D. delicata.

D. delicata. Soft delicate rose-pink.
D. Elsie. Bright rose with maroon center.
D. Homer. Rosy-red with dark center.
D. Juliette. White-laced crimson.
D. White Reserve. An everblooming white.
Each 25c; per doz. \$2.50; per 100 \$15.00.

#### **DICTAMNUS—Gas Plant**

D. fraxinella. Rose-pink flowers. D. fraxinella alba. Pure white. Each 5oc; per doz. \$5.00.

#### DIELYTRA OR DICENTRA **Bleeding Heart**

spectabillis (Bleeding Heart or Seal

Plowers and lanceolated, growing 16

Flowers, Flowers reddish-purple, drooping.
Foliage silvery and lanceolated, growing 10
to 18 inches high. Each 55c; per doz. \$5.50.

#### **DIGITALIS**—Foxglove

D. gloxiniaeflora. A fine strain of finely spotted varieties in colors, white, rose and purple.

bullet. An extra choice strain of beautifully spotted sorts. Each 25c; per doz. \$2.50; per 100 \$15.00.

#### **EUPATORIUM**

E. ageratoides. A useful border plant of strong free growth with white flowers in August and September. Each 25c; per doz. \$2.50; per 100 \$15.00.

#### FERNS-Hardy

Aspidium christatum (Crested Fern). 10 to

Aspidium goldiana. 2 to 3 feet tall.
Asplenium filix foeminae victoriae. 15 to

Onoclea struthiopteris (Ostrich Fern). 24 Osmunda claytonia (Flowering Fern). 24

Osmunda cinnamomea (Cinnamon Fern).

24 to 30 inches.

Osmunda regalis (Flowering Fern). 2 to 3 feet tall. Strong pot-grown plants: Each 50c; per doz.



Hibiscus

#### FUNKIA-Day Lily

F. coerulea (Plantain Lily). Blue flowers, broad green leaves. Each 35c; per doz. \$3.50.

F. subcordata grandiflora (White Day Lily).
Pure white, lily-shaped flowers in August.
Each 40c; per doz. \$4.00.

F. undulata media picta. Purple flowers, green and white variegated foliage. Each 35c; per doz. \$3.5o.

#### GAILLARDIA—Blanket Flower

**G. grandiflora.** One of the showiest of the perennials, excellent cut flowers. Each 20c; per doz. \$2.00; per 100 \$10.00.

#### GERANIUM -- Crane Bill

**G. Sanguineum.** A desirable plant with pretty cut foliage and bright crimson flowers. Each 25c; per doz. \$2.50.

#### **GEUM**—Avens

**G. atrococcineum.** A pretty border plant, growing about 15 to 18 inches high, producing showy bright colored flowers from May to June. Each 25c; per doz. \$2.50.



**Double Hollyhocks** 

#### **GRASSES—Hardy Ornamental**

For single specimens, beds or groups on the lawn nothing gives a finer effect than these. They are now largely used in prominent positions in many of the public parks, etc.

Eulalia japonica variegata. A very graceful, tall variety from Japan. Long leaf blades, striped with green, white, pink and yellow. Each 35c; per doz. \$3.50.

Eulalia zebrina (Zebra Grass). The long blades of this variety are marked with broad yellow bands across the leaf. Each 35c; per doz. \$3.50.

Eulalia gracillima univittata. Of compact. habit, with a very narrow foliage of bright green color. Each 35c; per doz. \$3.50.

Eiymus glaucus (Blue Lyme Grass). A hand-some grass with narrow glaucous silvery foliage, well adapted for the border or edge of beds containing taller sorts. Grows about three feet high. Each 35c; per doz. \$3.50.

Erianthus ravennae (Plume Grass). Grows 8 to 12 feet high. It resembles the Pampas Grass, but blooms more abundantly. Each 50c; per doz. \$5.00.

Pennisetum japonicum. One of the most valuable for beds and specimens. 4-in pots, each 25c; dozen \$2.50.

Phalaris arundinacea (Variegated Ribbon Grass or Gardener's Grass). Large varie-gated foliage, an excellent grass for bordering large beds. Each 25c; per doz. \$2.50.



Gaillardias

#### GYPSOPHILA—Baby's Breath

Graceful border and rock plants with small flowers on light stems. Greatly prized for cutting.

G. paniculata. Minute white flowers in gauze-like sprays, exquisite in combination with other flowers when used as cut flowers. 2 to 3 feet. July and August. Each 25c; per doz. \$2.50.

Gypsophila flore plena. Beautiful double flowering form; flowers very large and pure white. A valuable subject for a herdy border. A great improvement on the single-flowered type and more lasting, the flowers forming miniature balls of white petals. 2 to 3 feet. July and August. 4-in. pots: Each 65c; per doz. \$7.00.

#### **HELENIUM**—Sneeze Wort

H. autumnale superbum. Golden yellow flowers in late summer. Each 25c; per doz. \$2.50.

#### **HELIANTHUS**—Hardy Sunflower

H. orgyalis. Medium sized yellow flowers in September.

H. soliel d'or. Double golden yellow flowers in August and September. Fine for cutting. Best of the helianthus. Each 25c; per doz. \$2.50.

#### HEMEROCALLIS-Yellow Day Lily

H. aurantiaca major. Rich Indian yellow with flowers in June.

**H. dumortieri.** Rich cadmium yellow, buds and reverse of petals bronze-yellow. Very dwarf. Blooms in June.

H. kwanso fl. pl. Double orange-yellow flowers in July. Each 25c; per doz. \$2.50-

#### **HESPERIS-Sweet Rocket**

H. matronalis. Deliciously sweet-scented flowers for the garden and for cut flowers. Each 30c; per doz. \$3.00.

#### HIBISCUS-Mallow

H. Crimson Eve. Creamy-white flowers with large crimson centers. Each 25c; per doz. \$2.50; per 100 \$18.00.

H. Mallow Marvels. A robust type of upright habit, with abundance of flowers of enormous size in all the richest shades of crimson, pink and red. Each 35c; per doz. \$3.50; per 100 \$25 00.

#### HOLLYHOCKS

We have a popular list of these flowers grown in pots and will bloom this year. Double varieties in maroon, red, white and yellow. Also in the beautiful shade of Newport Pink.

Each 30c; per doz. \$3.00.

#### IBERIS -Perennial Candytuft

gibraltarica. Pinkish-white flowers. Each 25c; per doz. \$2.50.

IRIS Germanica

Fleur de Lis

SEE PAGE 9 FOR SPECIAL COLLECTION **OFFERS** 

The German Iris is one of the most desirable early spring flowering plants. The flowers are of large size and exquisite colors. No garden should be without a collection of these popular



Celeste. S, lavender; F, deep lavender. Large flower.
Crimson King. Rich claret-purple.
Delmariensis. S, pale gray-blue; F, darker shaded violet-brown.
Honorabilis. S, golden-yellow; F, rich deep brown.
Khedive. Both standards and falls soft lavender.
Leonidas. S, clear mauve; F, rosy mauve.
Loute. S, light mauve with bronze sheen; F, soft red violet.
Mme. Chereau. White, elegantly frilled azure-blue.
Mmandraliscae. Rich lavender-purple.
Mrs. Horace Darwin. S, snow-white; F, white, slightly violet at base. Midnight. A rich deep purple.

Monsignor. S, violet; F, velvety purple-crimson.

Nibelungen. S, fawn and yellow; F, violet-purple on bronze.

Prosper Laugier. S, light bronze-red; F, velvety ruby-purple.

Princess Victoria Louise. S, sulphur-yellow; F, rich plum, bordered cream.

Prices on above: Each 20c; per doz. \$2.00.

Archeveque. S, deep purple-violet; F, deep velvety violet.
Caprice. S, rosy-red; F, deeper rosy-red.
Eldorado. Bronze, good variety.
Fro. S, golden-yellow, edged olive-yellow; F, chestnut-brown.
Lohengrin. Deep violet-mauve, large.
Loreley. S, light yellow; F, blue, bordered light yellow.

Prices on above: Each 25c; per doz. \$2.50.

#### SPECIAL VARIETIES

Alcazar. S, light violet; F, deep purple-bronze, veined throat. Each 50c; per doz. \$5.50.

Ambassadeur. S, smoky velvety-purple color; F, velvety purplemaroon. Each \$1.00; per doz. \$10.50.

King of Iris. S, clear lemon-yellow; F, rich maroon, bordered yellow. Each 30c; per doz. \$3.00.

Lent. A. Williamson. A new introduction; very fine. S, lavender-violet. Each \$1.00; per doz. \$10.50.

Oriflame. S, light blue; F, rich violet-purple. Each 40c; per doz. \$4.00.

doz. \$4.00.

Pallida dalmatica. S, clear lavender-blue; F, deep lavender. Each 35c; per doz. \$3.50.

Queen Catarina. Another new introduction; very fine. Azureblue, fragrant. Each 70c; per doz. \$8.00.

Sherwin Wright. S and F, bright clear yellow. Each 35c; per doz. \$3.50.

#### INTERMEDIATE VARIETIES

Walhalla. S, lavender; F, wine-red. Freya. S, pearl; F, flamed violet. Helge. Lemon-yellow, pearl shadings.

Each 20c; per doz. \$2.00.

#### DWARF IRIS FOR EDGING

Pumila. Purple. Each 15c; per doz. \$1.25.

Cyanea. Deep velvety-blue; flowers large. Each 15c; per doz. \$1.25; per 100 \$7.50.

Bride. White with primrose beard. Each 20c; per doz. \$2.00.

Stewart alpina hybrata. Pure yellow. Each 20c; per doz.

\$2.00. Fairy. Pale blue, fine. Each 18c; per doz. \$1.75.

#### LATHYRUS -Perennial Pea

. latifolius. Hardy climbing pea. We have these in pink and white. Each 30c; per doz. \$3.00. L. latifolius.

#### AVANDULA—Lavender

This is the true sweet lavender; grows about eighteen nigh. Delightfully fragrant blue flowers in July and L. vera. Thi August. Each 25c; per doz. \$2.50

#### LILIUM-Lily

Outdoor culture. When planting Lilies out of doors, see that they have a well drained position, and where they will be shaded from very hot sun. Such places can usually be found around the shrub borders, and in the hardy plant border.

Spade over the ground thoroughly to a depth of 18 inches before planting Lilies and enrich-it by adding equal portions of leafmold, peat and rotten manure. Plant the bulbs 4 to 6 inches deep, putting some sand under and around the bulbs.

candidum. The old-fashioned pure white garden lily. One of the hardiest. 5 and 6-inch pots: Each 50c; per doz. \$5.00.

L. auratum. Flowers very large, delicate ivory-white, thickly dotted with rich chocolate crimson spots. A bright golden band runs through the center of each petal. The finest of all lilies. 6-inch pots, each 75c; per doz. \$8.00.

L. rubrum. White, heavily spotted with rich crimson spots. 6-inch pots, each 75c; per doz. \$8.00.

L. tigrinum fl. pl. (Double Tiger Lily). Orange-scarlet with dark spots. Each 50c; per doz. \$5.00.

L. tigrinum. Single form of the above. Each 50c; per doz. \$5.00.

#### THE NEW REGAL LILY

Lilium regale or myriophyllum. Experiments have proven this new lily to be hardier than most kinds; so it is reasonable to expect that the glorious bloom which forces so easily for Easter time, will be as easily available to the amateur for its delightful unfolding within his own home. Many growers predict that Regal Lily will almost entirely supplant the older types of white forcing and garden lilies, within a very few years. The flowers are white, slightly suffused with pink; with a beautiful glow of canary-yellow at center; which continues part way up the trumpet. July. Each 85c; per doz. \$9.00.

#### **LUPINUS**—Lupine

L. polyphyllus. An effective plant, producing large spikes of clear blue flowers during the latter part of May and early June. Grows about 3 feet high. Each 35c; per doz. \$3.50.

#### LYSIMACHIA—MONEY-WORT

L. nummularia (Creeping Jenny or Money-Wort). Valuable for planting under trees or shrubs where grass will not grow, where it quickly forms a dense carpet. Each 20c; per doz. \$2.00, per 100 \$13.00.

#### LYCHINIS—Campion

The Lychnis are of easy culture, thriving in any soil; their bright colors have brought them in high favor with lovers of hardy plants.

L. calcedonica (Jerusalem Cross). Brilliant orange-scarlet flowers all summer, 2 to 3 feet high

L. haageana. Brilliant orange-scarlet flowers in May and June. 12 inches.

L. viscaria. Forms a dense tuft of evergreen foliage; flower spikes of double, deep red, fragrant flowers in June. 1 foot. Each 25c; per doz. \$2.50.

#### **OENOTHERA**—Evening Primrose

O. Missouriensis. Large yellow flowers, often 5 inches in diameter, produced freely from June till August. Each 25c; per doz. \$2.50; per 100 \$15.00.

#### **PACHYSANDRA—Japanese Spurge**

P. terminalis. A trailing plant; glossy green foliage; spikes of flowers in May and June. A cover plant either in sun or shade. Each 20c; per doz. \$2.00; and June. A oper 100 \$15.00.

#### **PAEONIES**—Herbaceous

SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS.

There is no flower that gives more pleasure to the grower than the Paeonia. It is probably the most showy spring flowering plant in our entire list of hardy plants: Easy to grow, requiring very little care and attention, excepting fertilization annually of some well-rotted manure. Every garden should have a goodly supply of this valuable flower. All plants will be strong divisions with from three to five eyes.

In planting see that the eyes are about two inches below the level of the surface of the soil. Remember, too deep planting is one main cause of shy blooming. And, do not expect a full crop of blooms the first year. If properly planted you will have some flowers the first year but you must give the plants time to make new roots and become established before you can expect a normal crop of flowers. And another thing to remember: always leave at least two or three leaves on the stalk when you cut the bloom. This helps the plant store up strength to produce another crop of blooms.

Soil and Planting. Any good garden soil is good for peonies but do not plant in low, wet soil or in light, sandy soil, and do not use any fresh manure near the plant when setting, or for that matter at any time.

Charlemagne. Light pink, late. Each 50c; per doz. \$5.50.

Duchess de Nemours. Pure white, early. Each 50c; per doz. \$5.50.

Duchesse de Orleans. Deep pink, midseason. Each 50c; per doz. \$5.50.

Edulus Superba. Rose-pink, early. Each 50c; per doz. \$5.50.

Festiva Maxima. White, crimson-flecked center. Early. Each 50c; per doz.

Francis Ortegat. Purplish-crimson. Midseason. Each 75c; per doz. \$8.50.

Gen'l McMahon. Brilliant red. Midseason. Each 75c; per doz. \$8.50.

Livingstone. Pale pink, very good. Each 95c; per doz. \$9.50.

Mme. de Verneville. Pure white. Early. Each 50c; per doz. \$5.50.

Mme. Ducel. Silvery-pink. Midseason. Each 50c; per doz. \$5.50.

Mons. Krelage. Dark red. Midseason. Each 75c; per doz. \$8.50.

Officinalis Rubra. Crimson, fringed leaf. Early. Each \$1.15; per doz. \$12.00. Officinalis Rosea. Fringed leaf, pink. Very early. Each \$1.25; per doz. \$13.00.

Following is a list of unnamed sorts, which we are selling by color. All varieties in this list are of the best and are sure to please. 3 to 5-eye plants.

Pink and White. Each 40c; per doz. \$4.25.

Red. Each 50c; per doz. \$5.25.

PAPAVER—Poppy Orientale Pink. Princess Louise. Each 35c; Orientale Red (Royal Scarlet). Each 35c;

per doz. \$3.50.

Orientale Mixed. Each 25c; per doz. \$2.50.

#### PENSTEMON

Brilliant scarlet P. barbatus (Chelone). flowers in June and August. Each 25c; per

doz. \$2.50.

P. South Park Gem. A new variety, being an improvement on Barbatus Torrey1. Flowers of this variety are much closer together and showier on the spikes. The pleasing shade of deep coral pink flowers are produced freely from June until frost. The plant is more compact in growth and at maturity is about thirty inches high. We have a limited stock of these plants for Spring, 1928. This variety should be planted in every garden. Each 30c; per doz. \$3.00.

PHYSOSTEGIA (False

Physostegia Virginica Nana. Dwarf in habit attaining a height of twelve to eighteen inches, very free flowering, color lavender pink, produced on closely set spikes. July and August. Should be in every collection. Each 25c; per doz. \$2.50.

## PHLOX DIVARICATA

PHLOX DIVARICATA
CANADENSIS

One of our native varieties that is but rarely met with, and which has been introduced in Europe the past few years as a novelty. A plant that is certain to meet with much favor when better known, as nothing can produce such a cheerful corner in the garden in the very early spring; frequently beginning to bloom early in April, it continues until about the middle of June, with large, bright, lilaccolored flowers, which are produced on stems about 10 inches high, in large, showy heads, and are very fragrant. Each 15c; per 10 \$1.25.

PHLOX SUFFRUTICOSA

Early Flowering Hardy Phlox.

Miss Lingard. A very fine white variety, begins to flower after the middle of June and continues throughout the season. Largely used for cut flowers. Each 25c; per doz. \$2.50; per 100 \$15.00

\$2.50; per 100 \$15.00.

HARDY PHLOX

The finest and most useful of the herbaceous plants. They succeed in almost any soil, or in any position, and flower throughout a long season. The plants remain in good condition for many years without attention, other than cultivating, and respond rapidly to improved cultivation and care.

Planting. Phlox may be planted in the

cultivation and care.

Planting. Phlox may be planted in the autumn, from September 15th to October 15th, so as to become established before winter; but when they are to be planted in conjunction with other perennials, wait until spring. Plant early, for Phlox puts out new growth as soon as the frost leaves the ground. Always mulch with well-rotted manure; this will be beneficial to the plants, both summer and winter.

Anton Buchner. One of the finest white varieties. Med.

Anton Buchner. One of the ninest winte varieties. Med.

Coquelicot. Clear scarlet with crimson eye.

M. Paul Dutrie. Delicate light rose.

Pantheon. Bright carmine rose.

R. P. Struthers. (Tall). Rosy cherry-red.
Each 25c; per doz. \$2.50; per 100 \$15.00.

Elizabeth Campbell. Salmon-pink. Very fine. Each 35c; per doz. \$3.50; per 100

fine. Each 35c; per doz. \$3.50; per 100 \$25.00.

Thor. Salmon-pink. Medium growth. Each 30c; per doz. \$3.00; per 100 \$20.00.

Salmon Queen (New). A beautiful clear salmon pink. Rivals Elizabeth Campbell. Strong, hardy grower. Large flowers and trusses. Each 40c; per doz. \$4.00; per 100 \$30.00.

Siebold. Orange-scarlet. Each 30c; per doz. \$3.00; per 100 \$25.00.

Special French. Light pink. Extra fine. Each 35c; per doz. \$3.50; per 100 \$25.00.

W. C. Egan. Pleasing shade of soft pink, very fine. Each 30c; per doz. \$3.00; per 100 \$25.00.

\$20.00

#### PHLOX SUBULATA-Moss or **Mountain Pink**

Mountain Pink

A pretty creeping type, with moss-like evergreen foliage, which in early spring is hidden
beneath a mass of bloom. One of the very
best plants in our collection for the rockery,
and invaluable for covering graves or carpeting
the ground. Grows about 6 inches high.

P. s. rosea. Bright rose.
P. s. atba. Pure white.
P. s. atropurpurea. Purplish-rose.
Each 25c; per doz. \$2.50.



Platycodon

#### PLATYCODON-Balloon Flower or Japanese Bell Flower

grandiflorum. Deep blue, cupped, star-

P. grandiflorum alba. Pure white star-

shaped flowers.

P. double white.
Same as Grandiflorum.
Each 25c; per doz. \$2.50.

PLUMBAGO—Leadwort

P. larpentea. Of dwarf, spreading habit. Useful for an edging plant or for rockery, covered with beautiful deep blue flowers during the summer and fall months. Each 25c; per doz. \$2.50.

#### **PYRETHRUM**

P. grandiflorum roseum. Mixed colors.
P. hybridum fl. pl. In colors from deep red through the various shades of rose to pure white.

Each 30c; per doz. \$3.00.

#### RANUNCULUS-Crow Foot

R. acris fl. pl. A double flowered form of our common buttercup. Blooms from May to June. Each 25c; per doz. \$2.50.

RUDBECKIA—Cone Flower
R. laciniata (Golden Glow). Flowers produced in enormous quantities on long stems and resemble golden yellow cactus Dahlias. Each 25c; per doz. \$2.50.
R. purpurea (Giant Purple). Flowers a peculiar reddish purple with a cone shaped center of brown. Blooms from July to October. Each 30c; per doz. \$3.00.

SALVIA—Meadow Sage
S. azurea. A Rocky Mountain species, growing about two feet high. Produces a great number of sky-blue flowers in August and September. Each 25c; per doz. \$2.50; per 100 \$15.00.

#### SEDUM-Stone Crop

The dwarf of creeping varieties; are suitable for rock work, covering graves, dry, sunny banks and carpet bedding.

S. acre (Golden Moss). Creeping, foliage and flowers bright yellow. Each 25c; per doz.

\$2.50

\$2.50.

\$. album (White Stonecrop). 3 inches. White flowers during July and August. Each 25c; per doz. \$2.50.

\$. spectabilis (Pink Stonecrop). I to 1½ feet. August and September. The most popular variety both because of its ability to grow almost anywhere and the beauty of its light only flowers. Each 20c; per doz. to grow almost anywhere and the beauty of its light-pink flowers. Each 30c; per doz.

spectabile brilliant. A rich colored form of the preceding, being a bright amaranth red. Each 30c; per doz. \$3.00.

#### STATICE—Great Sea Lavender

S. latifolia. A most valuable plant either for the border or rockery, with tufts of leathery leaves and immense candelabra-like heads. Purplish minute flowers during July and August. Each 25c; per doz. \$2.50.

STOKESIA—Stokes Aster

S. cyanea. One of the prettiest and most distinct hardy plants in our collection. It produces showy, aster-like deep lavender blue flowers from early in June until cut down by frost. Each 25c; per doz. \$2.50.

#### THALICTRUM-Meadow Rue

T. aquilegifolium atropurpureum. Elegant, graceful foliage and masses of rosy purple flowers in May to July.
T. dipterocarpum. A graceful border plant about four feet high, with pretty, fine-cut foliage, producing lemon-yellow flowers in August and September. Each 30c; per doz. \$3.00.

TRITOMA—Torch Lily

P. pfitzerii. A grand improvement on Tritoma Uvaria Grandiflora. The spikes, which are produced with considerably more freedom than in the old variety, are of gigantic size. frequently four and a half feet high, and with heads of bloom over twelve inches long of a rich paragra explaint should be a size. long, of a rich orange scarlet, shading to salmon rose on the edge. Each 30c; per doz.

#### VERONICA-Speedwell

Most desirable hardy plants, the fall growing sorts being admirably adapted to the border while the dwarf varieties are excellent rock plants

amethystina Amethyst blue, flowers in

V. amethystina Amethyst blue, howers in June and July.
V. incana. Bright. silvery foliage, with spikes of amethyst blue flowers.
V. longiflora subsessillis. Should be planted in the spring; begins to bloom in mid-July and continues to mid-August. Flowers deep blue. Should be mulched in winter and watered at times during dry weather.
V. spicata. A fine border plant, producing long spikes of white flowers.
V. spicata rosea. A fine border plant, producing long spikes of rose colored flowers.
Each 25c; per doz. \$2.50.

VINCA-Trailing Myrtle.

V. minor. An excellent dwarf evergreen trailing plant that is used extensively for carpeting the ground under shrubs and trees or on graves, where it is too shady for other plants to thrive. Each, 15c; per doz. \$1.50; per 100 \$10.00.

VIOLAS—Violets

V. Prince of Wales (English). Hardy and sweet scented. Each 25c; per doz. \$2.50.

#### YUCCA-Adam's Needle, or Spanish Bayonet

Y. filamentosa, Among hardy ornamental foliage and flowering plants this can be classed at the head of the list. Its broad sword-like foliage and tall branched spikes of large flagrant, drooping, creamy white flowers make it an effective plant for all positions. Each 30c; per doz. \$3.00.



Yucca

# **Greenhouse Department**

We have quit growing Cut Flowers and are now devoting our entire range of glass to the growing of pot plants for spring planting and to the propagation of Hardy Perennials.

TIME OF SHIPMENT. We will ship all orders at the best time for planting. If you want special shipments made on certain dates, please state

so on your order.

METHOD OF SHIPMENT. Greenhouse plants should never be shipped by freight. Express is the proper way to ship this class of plants.

PARCEL POST SHIPMENTS. Add to per cent to amount of bill for local, first, second and third zones; 15 per cent for fourth and fifth zones, and 20 per cent for sixth and seventh zones. We are in St. Louis, Mo., zone.



Ageratum

#### **ACHYRANTHUS**

Brilliantissima. Bright red foliage. Each 10c; per doz. \$1.00.

#### AGERATUM-Floss Flower

Stella Gurney. A fine dwarf blue, fine for bedding and borders. Each roc; per doz. \$1.00.

#### **AGLAONEMA**

A. costatum. A dwarf-growing Aroid, suitable for the conservatory or window garden.
Very compact heart-shaped leaves of dark, shining green, with white midrib and scattering blotches of white. Each 75c.

#### **ALTERNANTHERA**

Bright foliage plants of dwarf habit, much used for carpet bedding.

Aurea Nana. Dwarf growing, bright yellow and green foliage.

Brilliantissima. Rather broad leaves, bushy growth; mottled bronze and cream, but mostly bright red.

Each 10c; per doz. \$1.00.

ALYSSUM—Sweet Alyssum
Little Gem (Carpet of Snow). The dwarf
white variety so much used for edging.
Each 10c; per doz. \$1.00.

#### **ANTHERICUM**

A. vittatum variegatum. A most desirable plant for window boxes, vases, or for growing as a single specimen in pot; long narrow green leaves edged with white. Each 3oc.

A. mandaeanum. Similar to the above in the with the with the side of the salve with the side of the salve.

habit, but with narrower foliage, the leaves being green on the edges with creamy white Each 30c.

#### ANTHIRRHINUM—Snapdragon

Daphne. Soft blush pink.
Golden Queen. Rich, pure yellow.
Firebrand. Rich, deep red.
Mont Blanc. Pure white.
Each 15c; per doz. \$1.50.

#### **ASPARAGUS**

Sprengeri. Graceful pot plant for house decoration or for hanging baskets. According to size, 25c, 5oc, 75c each.

A. plumosa. Each 15c and 25c, according to

#### **ASPIDISTRA**

ASPIDISTRA

The Aspidistra is the easiest of all decorative plants to grow well. Give it a loamy soil and plenty of water, and it will ask for nothing more. A useful plant for the veranda in summer, and for hardiness has no equal as a house plant at any season. It will succeed even in a comparatively dark hall where few other plants would live.

Lurida. Green leaved.


According to size, 50c, 75c, \$1.00.

#### **BEGONIA**—Four Varieties

According to size, 25c, 35c, 75c, \$2.00 each.

#### BOUGAINVILLEA

B. crimson lake. On first opening a brilliant crimson-lake, retaining this color for three or four weeks, after which they gradually pass to a crimson-carmine. In Southern California and Florida, the Bougainvilleas make gorgeous climbers for outdoor planting, while in the north they are useful subjects as pot plants for the conservatory or greenhouse. Plants in 4-inch pots, \$1.00 each; strong 5-inch pots, \$1.50 each.



Yellow King Humbert Canna

#### CANNA

crozy. Very brilliant and attractive, rich crimson scarlet bordered with golden yellow, 3 1/2 feet.

Allemania. Orchid flowered. salmon with golden markings. 5 feet.

American Beauty. Velvety oriental carmine or translucent cerise. Very free flowering. 5 feet.

**Burbank.** Yellow. 3 feet. Thickly spotted in the throat with bright scarlet.

City of Portland. A new variety of a good deep clear pink; the full petaled trusses are borne freely on heavy stalks, continuing throughout the summer. 3½ feet.

David Harum. Dark bronze foliage; grand grower and free bloomer; fine large flowers with round petais. Bright vermilion-scarlet, dotted with crimon spots. 3½ feet.

Florence Vaughan (4 feet). Speckled, red

or yellow. Jean d'Arc.

Jean d'Arc. Deep pink. 4 feet.
King Humbert. Bronze leaf, flowers 6 inches
in diameter, brilliant orange scarlet with
bright red markings. Good bedding variety.

Louisiana. Soft, glowing scarlet, with orange

Steet.

Louisiana. Soft, glowing scarlet, with orange throat. 6 feet.

Meteor. Bright blood-red flowers. 5 feet.

The President. Most sensational introduction of recent years. Largest flowered, most vigorous growing red Canna. This variety should have a place in every collection.

Victory (3 feet). A delightful, dainty dwarf type. Creamy ecru toned with shell pink and chamois; rounded florets with crimpled edge in full, compact, self-cleaned trusses.

Yellow King Humbert. A sport of the red flowered King Humbert. Flowers yellow, dotted orange-scarlet.

Prices on above varieties: Potted Plants.

Each 20c; per doz. \$2.00.

#### COLEUS

Best plants for carpet bedding and borders for Canna beds.

for canna beds.

Christmas Gem. Leaves very broad, the underside a bright, yellowish green which carries over and beyond the beaded edge until lost, after fitful struggling, beneath a covering surface of oriental red. Over all lies a distinct sheen of old rose, pointed here and there with pearl and carmine. A beautiful pot plant for conservatory use. Prices 15c, 25c, 35c and 50c, according to size not. size pot.

Flambeau Golden Bedder Brilliancy Chicago Bedder Prince Leopold Setting Sun Vershaffelti Defiance.

2½-inch pots—Each roc; per doz. \$1.00; per roo \$6.00.

Trailing Coleus. For baskets and window boxes

3-inch pots. Each 15c; per doz. \$1.50. 2 1/2-inch pots. Each 10c; per doz. \$1.00.

#### CROTONS

Splendid decorative plants for conservatory use or for use in carpet bedding. Fine selection of variety.

According to size, 30c to \$2.00 each.

#### **DRACENA**

Noted for the odd and beautiful foliage.

D. fragrans. An excellent house plant with broad, dark-green foliage; grows under the most adverse conditions. 4-inch pots, 75c each.

D. kelleriana. Entirely different from the other varieties. Rather compact. Foliage of a leathery texture, rich dark green color, densely marked with spots of creamy white. 4-inch pots, 75c each.

**D.** massangeana. Broad, green foliage with yellow band through the center. 4-inch pots, \$1.25 each.

D. Mrs. Ed. Andre. One of the finest high-colored varieties yet introduced, with heavy bronze foliage developing to an intense brilliant rosy-carmine. 4-inch pots. 750 each.

D. sanderiana. A distinct and pretty variety with glaucous green foliage, edged with a broad border of creamy-white. 3-inch pots,

**D. terminalis.** Rich, crimson foliage, marked with pink and white.

According to size, 50c to \$3.00 each.

#### **FERNS**

Dwarf Boston. Similar to the well - known Boston Fern, only more compact.

Roosevelt. Dwarf com-

pact grower.

Teddy, Jr. Very
dwarf form of
the Roosevelt.

Verona. Very
fine foliage. According to size, 50c to size, 50c \$3.00 each.



**Dwarf Boston Fern** 

#### FERNS-For Fern Dishes

We have at all times a good supply of the most desirable varieties.
Pteris rivertoniana.
Pteris alba liniata.
Aspidium tessineuse.
Holly Ferns.

21/4-inch pots: 15c each; \$1.50 per dozen.

#### **FUCHIAS**

Each 15c and 25c.

**GERANIUMS** 

Our list of geraniums is not a long one, but is made up of the most popular bedding sorts.

Beauty poitevine. Rosy-salmon.

Bertha de Pressily. Double delicate pink.

Francis Meehan. Very pretty double pink

yan Pabon. Blood-red with small white eye. John Doyle. Semi-double, vermilion-scarlet. Madam Barney. Double, brilliant rose. Madam Landry. Semi-double, salmon shaded

orange.

Mme. Recamier. Double pure white.

Mrs. E. G. Hill. Beautiful salmon, single.

Mont Mart. Purphish color.

Red Barney. Double red.

Ruby. Double crimson.

S. A. Nutt. Double, rich dark crimson.

Scarlet Bedder. Rather dwarf, semi-double,

S. A. Nutt. Double, rich dark crimson. Scarlet Bedder. Rather dwarf, semi-double, dark fiery red flowers.
Tiffin. Rich glowing scarlet, shading to crim-son on upper petals; single.
Above varieties, each 25c; per doz. \$2.50; per 100 \$18.00.

#### IVY AND SCENTED GERANIUMS

lvy Leaved. Fine for baskets or vases or where a



trailing or climbing plant may

#### Scented Leaves.

Noted for their scent-We have lemon and nut meg.

Each 25c; per doz. \$2.50; perioo \$18.00

**HEDERA**-Ivy

HEDERA—Ivy
H. helix (English Ivy). A familiar evergreen vine, dark green leaves, favors shady locations. The young wood sometimes winterkills in this section, due to the action of the sun more than the cold. Suitable to cover buildings, rocks, trellis work, graves and as a carpet under trees in places where grass will not grow.
5-inch pot plants, each 6oc; per doz. \$6.50.
4-inch pot plants, each 5oc; per doz. \$5.50.
3-inch pot plants, each 35c; per doz. \$3.75.

#### HELIOTROPE

A favorite flower with everyone. Each 25c; per doz. \$2.50.

#### HIRISCUS

Sinensis. Single, red and pink; double red and pink.

According to size: Each 25c, 50c, 75c, \$1.00, \$1.50.

#### LANTANA

Well known useful summer bedding plants; the varieties offered are of dwarf habit. Comtesse de Biencourt. A splendid pink. M. Schmitt. A fine yellow. Leo Dex. A fine red.

Each 25c; per doz. \$2.50.

#### LANTANA

Weeping. Showy bedding or basket plants. Each 20c; per doz. \$2.00.

#### MARANTA

Beautiful variegated foliage plants, suitable

beautiful variegated ionage plants, surdone for the warm conservatory.

M. rosea liniata. Rich deep green leaves beautifully variegated with many narrow lines of a soft salmon-rose. 4-inch pots

S1.50 each.

M. vanden heckel. Rich dark green leaves beautifully variegated with silvery-white.
4-inch pots, \$1.50 each.

#### MARIGOLD

Both the African and French sorts are among the most popular annuals for bedding and for cut flowers.

Golden Ball (French). Pure golden-yellow, a fine bedding plant.

Lemon Ball (French). Light lemon-yellow.
Each 15c; per doz. \$1.50; per 100 \$10.00.

#### MOONFLOWER

Mexican. The fastest growing climbing annual. Each 20c; per doz. \$2.00.

#### PELARGONIUMS-Lady Washington Geraniums

Easter Greeting. Each 25c, 35c, 50c.

#### PHILODENDRON or MONSTERA

Giganteum. Of strong climbing habit, with large deep green foliage, a splendid wall plant for a warm conservatory. Each 15c; per

#### PANSY-Mammoth Strain

We will have ten thousand to offer this spring. Per doz. 75c; per 100 \$5.00.

#### **PALMS**

Kentia Belmoreana. Of dwarfer habit than Fosteriana, but with more spreading leaves. The Kentias are the hardiest house plants.

The Kentias are the hardiest house plants. They are of slow growth and are less affected by dust and dry atmosphere.

Kentia Fosteriana. Of taller habit than the belmoreana, somewhat heavier foliage.

Phoenix roebeleni. Most graceful of the Phoenix and a palm which has become one of the most popular for room decoration. Graceful recurving leaves, with narrow dark green pinnae give it a lightness and airiness not surpassed.

According to size, \$1.00 to \$3.00.



#### Salvia

#### **PANDANUS**

Pandanus Veitchii (Screw Pine). One of the best and most attractive decorative plants for the house. The leaves are light green, beautifully marked with stripes of white and gracefully curved.

According to size: Each \$1.00 to \$5.00.

#### PENNISETUM—Fountain Grass

Tender ornamental grasses, valuable either as individual specimens in the garden or for massing. For border plants for canna beds nothing equals them.

nothing equals them.

Pennisetum cooperianium. Pretty bronze foliage and grows three to four feet tall. Fine for edging canna beds. 3-inch pots. each 25c; per doz. \$2.75.

Pennisetum longistylum. Extremely graceful greenish plumes; excellent for bedding purposes. 3-inch pots, 15c each; \$1.50 per doz.

#### PETUNIA

Double Fringed Mixed. 4-inch pots, 25c each; \$2.50 per doz.
Single Giant Fringed Mixed. 4-inch pots, 25c each; \$2.50 per doz.
Rosy Morn. Soft rose-pink. Each 15c; doz. \$1.50; per 100 \$10.00.

#### **PLUMBAGO**

Capensis. Light lavender-blue. Each 15c; per doz. \$1.50.

SALVIA—Scarlet Sage
Zurich. A splendid dwarf variety, growing
about two feet high, and is especially valuable on account of being the earliest to bloom,
flowering ten days in advance of any other

4-inch pots, each 20c; per doz. \$2.00; per 100

#### SANSEVIERA

SANSEVIERA

Zeylanica. An elegant variegated plant, especially adapted for house decoration, the thick, leathery leaves standing the heat and dust of the house with impunity.

According to size, 75c to \$1.50 each.

Zeylanica Laurenti. This plant has a band of creamy-yellow, varying from ¼ to ½ inch or more in width on each edge of the leaves, which adds greatly to its decorative effect.

4-inch pots \$1.25.

#### SANTOLINA—Lavender Cotton

S. incana. A dwarf evergreen perennial with attractive, silvery-white foliage; useful as a rock or border plant, and largely used for carpet bedding. Each roc; per doz. \$1.00; per 100 \$6.00.

#### TRADESCANTIA

Wandering Jew. Splendid plants for basket and window boxes. Each 10c; per doz., \$1.00.

#### VINCA—Vine

Major Variegata. A popular plant for vases, baskets and window boxes, trailing vines. According to size, 25c each; doz. \$2.50.

#### VINCA--Periwinkle

A splendid plant for bedding or for borders, grows 18 to 24 inches high. Always clean and blooms continuously throughout the summer.

blooms continuously throughout the Flowers single.

V. alba. White.
V. aurea. Rose.
V. aurea reticulata. White with red eye.
Each 10c; per doz. \$1.00; per 100 \$6.00.

#### VERBENA

We have a nice collection of assorted colors. Each 10c; per doz. \$1.00; per 100 \$6.00.

#### **AQUATIC PLANTS FOR** AQUARIUMS

Fish will not thrive unless some plants are growing to supply oxygen.

CYPERUS-Umbrella Plant Alternifolius. A splendid aquatic plant. According to size, each 25c to 50c.

EICHORNIA—Water Hyacinths
Crassipes Major. A very free-growing and
showy floating aquatic, bearing flowers of
delicate lilac rose in trusses like a hyacinth.
Does splendidly out doors in summer. Each
15c; per doz. \$1.50.

MYRIOPHYLLUM—Parrot's Feather Properpinacoides. Long, trailing stems, clothed with whorls of the most exquisite foliage, as delicate as the cypress vine. An aquatic plant. Each 10c; per doz. \$1.00.



Verbenas

# **Fruit Department**

SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS

#### ATTENTION BUYERS OF NURSERY STOCK

Please note that we specify age, caliper and approximate height of our fruit trees; there is no guesswork when you buy from us. Kindly remember this when placing your order.

Preparation of the Soil.—For fruit trees the soil should be dry, either natural or made so by thorough drainage, as they will not live or thrive on a soil constantly saturated with stagnant moisture. The soil should be well prepared by plowing at least twice beforehand, using a subsoil plow after the common one at the second plowing. On new, fresh land manuring will be unnecessary, but on lands exhausted by cropping, fertilizers must be applied, either by turning in heavy crops of clover, or well decomposed manure or compost. To insure a good growth of fruit trees, lands should be in as good condition as for a crop of wheat, corn or polatoes. corr or potatoes

Preparation of the Trees Before Planting.—This is one of the most important operations to be performed, and one in which the most fatal errors are liable to be committed. The object of pruning is twofold: First, to secure a head properly shaped and sufficiently open to the sun and air for the successful ripening of the fruit. Second, to prepare the natural balance between the roots and branches of the trees, that a healthy growth may be secured.

In both Standard and Dwarf Trees, it will be usually found a safe rule to cut back, when pruning at transplanting, one-half of the growth of the previous season. The ends of the large roots should be made smooth with a sharp knife, where they have been roughly cut with the spade in

digging, always cutting from the bottom of the root with an outward cut. New roots will form, and the injured parts heal more readily with this attention.

Pruning Fruit Trees.—Pruning after the first year should be varied according to the purpose of the planter and the variety of the tree. It should be trimmed as early as possible up to the height it is intended the future head should be, and the cutting off of large limbs may not in the future head should be, and the cutting off of large limbs may not in the future head should be, and the cutting off of large branches should be avoided in all cases whenever it is possible to do so, as decay is liable to commence at the point of separation and extend into the trunk; whenever it is done the wound should be carefully pared smooth and a coating of paint or grafting wax applied to protect the action of the weather. After the removal of lower branches until the head has reached the desired height, the only pruning needed is to remove such branches as are crossing and interfering with each other, and keep the heads in a symmetrical shape and well open to the sun and air. Trees should receive proper shape by judicious pruning and attention early in the spring of each year, while they are young, and very little pruning will be necessary afterwards. When trees are to be pruned and trained for specific purposes and in a special manner, the orchardist will find full directions in the standard works on horticulture which may be read with great benefit and followed with success, but are beyond the scope of an ordinary catalog.

Use SCALECIDE, the best dormant spray. Contains a fungicide which no other miscible oil has. Kills Scale, controls Scab, Blotch, Fire Blight, Cankers and all fungous troubles which harbor on the trees during the dormant period. See page 44.

### Standard Apple APPLES YIELD PROFITABLE RETURNS

SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS

Owing to its adaptability to various soil conditions, its hardiness, productiveness and commercial value, we must consider the apple the most important of our tree fruits. Planted only in well-drained soil, with proper care taken in the selection of varieties one may expect fruit from early summer throughout the winter months. An acre or so devoted to apples, properly planted and with ordinary attention to pruning and cultivation will yield very satisfactory returns. Our list has been further reduced to only the most dependable sorts, and those listed below may be planted with confidence. As the trees develop, the trimming out of the cross and crowded branches is all the pruning required.

When pruning Apple trees permit 3 to 5 well developed branches to remain, but shorten these to 6 to 8 inches.

PLANT standard apple trees from 30 to 40 feet apart each way, according to the nature of the soil.


At 30 feet apart it takes 48 trees per acre; 40 feet apart it takes 27 trees per acre.

	Eacn	10	100
Extra selected trees			
2-year, 11/16 to 1 inch, 5 ft. and up	.65	\$5.50	\$45.00
2-year, 9/16 to 11/16, 4 ft. and up	. 55	4.50	35.00



Oldenburg (Russian). Medium to large; striped, mostly red. best summer cooking apple; tree hardy, early and a good bearer. July and August. Red June. Medium size, red; flesh white, tender, juicy, sub-acid; an abundant bearer. July.

Yellow Transparent (Russian). Skin clear white, changing to pale yellow when fully ripe; flesh white, tender, sprightly subacid; good early bearer. July.



ing David. A beautiful apple, resembles Jonathan in color. Tree strong, vigorous grower, healthy, bears young. September. Maiden Blush. Large, flat, pale yellow; beautiful blush: mild, sub-acid; valuable for market, cooking and drying. September.

'ealthy. Fruit medium, oblate, skin smooth, whitish-yellow, shaded with deep red in the sun, splashed and spotted in the shade. Flesh white, tender, juicy, sub-acid, very good. August to September.

### EARLY WINTER VARIETIES

rimes. Medium to large, roundish, oblate, slightly conical, large specimens oblong. Skin yellowish-white, with a mild subacid, agreeable good to best flavor. September to December.

Jonathan. Medium size, unless thinned on tree, when it becomes a fair size; form roundish, conical; skin thin and smooth, the ground clear, light yellow, nearly covered with lively red stripes and deepening into brilliant or dark red in the sun; flesh white, rarely a little pinkish; very tender and juicy; mild, sprightly vinous flavor. September to December.



Wealthy

### WINTER VARIETIES

Arkansas (Mammoth Black Twig). A seedling of Winesap, which it resembles in every way except that the tree is a better and much more vigorous grower, more hardy, and the fruit is much larger. Color dark red; flesh firm; flavor mild. A good keeper. One of the best. October to May.

Arkansas Black. Large, very dark red, smooth, roundish flat, lightly dotted white; flesh yellow, sub-acid; long keeper. November to April.

lack Ben. Of the Ben Davis type, said to be better than Gano. Fruit large, deep red, long keeper, good shipper and sells well on the market. September to February.

Delicious. This variety should be in every orchard. large, almost covered with beautiful dark red, blending to yellow at the blossom end. Sweet, pleasant flavor, only enough acid to make it pleasing. Flesh crisp, juicy, finegrained, melting. September to February.

en Davis. Large, roundish, oblong, red striped, very hand-some. Mild, sub-acid, not rich. Tree very vigorous, hardy and productive. This is one of the safest and most profitable market apples grown in this country at present. October to March.

Gano. Tree very healthy, vigorous, hardy, having stood 32 degrees below zero without injury. A rapid grower, large and spreading in orchard. Color bright red without stripes or blotches. Similar but superior to Ben Davis. Large and even in size. Prolific bearer and a good keeper. October to March.

Northwestern (Greening). A Wisconsin seedling of great promise, having taken first prize at their state societies. Tree a good grower and hardy. Fruit yellow, smooth, rich, of good size, resembling Grimes' Golden in shape and color. Good quality. November to December.

Rome Beauty. Large roundish flat; bright red, mild, sub-acid, very good. A good grower and early bearer. November to March.

Spitzenburg (Esopus). Large, round, brilliant red, with gray dots. Flesh firm, rich, crisp, juicy, delicious. A fine apple where it succeeds. October.

is a vigorous grower, drooping in habit and adapts itself to soils and situations; fruit large size bright red color and produced in large quantities. A profitable market variety. October to March.



York Imperial



**Delicious Apple** 

**/inesap.** Medium, conical, dark red; very smooth. Acid to sub-acid, juicy and rich, very valuable for both family and market. Tree very hardy and an early and constant bearer. December to April. Winesap.

Huntsman. Fruit large, flat, deep yellow; very mild, sub-acid, fine-grained. Very good. Valuable for family and market. Tree fair grower and good bearer, but does not bear heavily while young. October to April.

Yellow Bellflower. Large to very large; oblong, pale yellow, sometimes blushed; acid to sub-acid, rich and good. Tree a fine spreading grower and hardy. October to Tanuary.

Medium to large, oblate; color white, shaded with crimson; flesh firm, crisp, juicy and sub-acid; a good bearer and keeper; one of the best winter apples. November to April.

Janet (Rawles). Also called Geneton. Medium to large when grown on good soil and not allowed to overbear; flat, conical striped, red, sub-acid; very good for market and family use. Good cider apple. October to April.

#### CRAB APPLES

Same price as Apple.

Florence. Originated in Minnesota. Fruit medium in size; color carmine when well colored; flesh yellowish, fine, acid. Excellent for cooking and for jelly. Valuable for early market. Tree hardy and spreading; bears when young and inclined to overhear.

Transcendent. Medium size; flavor pleasant and agreeable; extremely hardy. Hyslop. Large size, beautiful dark crimson. Hangs in clusters. September.


### Table Showing Number of Trees or Plants to the Acre

	9	I idiles ee	, 4110 , 1010
Distance.	No. of trees.	Distance.	No. of trees.
I foot apart each way		12 feet apart each way	302
2 feet apart each way		13 feet apart each way	
3 feet apart each way	4 . 840	14 feet apart each way	
4 feet apart each way		15 feet apart each way	193
5 feet apart each way	I .7/2	16 feet apart each way	170
6 feet apart each way	I.210	17 feet apart each way	I50
7 feet apart each way		18 feet apart each way	I34
8 feet apart each way		19 feet apart each way	128
9 feet apart each way	537	20 feet apart each way	100
10 feet apart each way		25 feet apart each way	68
II feet apart each way	360	30 feet apart each way	
Rule—Multiply the c	listance in feet between tl	he rows by the distance the plant	s are anart in the

Rule—Multiply the distance in feet between the rows by the distance the plants are apart in the rows, and the product will be the number of square feet for each plant or hill, which, divided into the number of feet in an acre (43,560), will give the number of plants or trees to the acre.

Distances for planting various fruits will be given under respective headings in this catalogue.

Proper planting and cultivation with correct pruning is the best insurance on an orchard.



Dig a square hole 24x24x18 inches.

### Peach

#### SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS.

The Peach is probably the finest of our fruits; everybody delights in the flavor of a fine, juicy Peach. In this section, select high, dry lands, northern or western exposure preferred.

Pruning at time of planting. Cut away all side branches to within 2 inches of the body and shorten the leaders to form a balanced low and compact head. Branches that are too low should be cut somewhat to the body.

that are too low should be cut somewhat to the body.

In order to preserve the continued healthy growth of the trees and the fine quality of the fruit, the trees should have careful pruning at least every two years, so as to preserve a round, vigorous lead, with plenty of young wood. The land should not be seeded to grass, but kept in constant cultivation. Fertilize with occasional crops of Cowpeas, Rye or other legume, plowing the crop in while in green state. Wood ashes are a fine fertilizer where it can be obtained. When borers appear on trees under five years it is best to hunt them and destroy. This should be done annually in May and September. They are found just under the ground level, directly above the roots. When the trees attain the age of five years, the borer can be killed by using "Paradichlorobenzene." This is a new crystal, which when put around tree, and covered over with ground, will kill by the gases which form. For further information, write us. For Scale Insects, use "Scalecide" in the fall after leaves have fallen.

We have this year arranged our Peach list as nearly as possible according to time

We have this year arranged our Peach list as nearly as possible according to time of ripening. We think this will make it easier for our customers to make up their order, beginning with the earliest and on through the list to the latest.

Plant Peach 20 feet apart, 100 trees to the acre.

- and - and - and appropriate to the dore.	Each	10	100
I-year, II/16 and up, 5 to 7 ft	\$0.60	\$5.00	\$35.00
I-year, 7/16 to 9/16, 3 ½ to 4 ft	.40		25.00

Peach are in exceedingly heavy demand and stock is limited. Place your order early while our stock is complete.

Wheeler (Red Bird Cling). Fruit larger than Greensboro, round, flesh white, juicy; tough skin nearly covered with deep red. A good shipper. July 1st to 5th.

Mayflower. Originated in North Carolina; very early; color perfectly red; a valuable market sort. Perfectly hardy in bud and a heavy cropper. July 10th to 15th.

Greensboro. The largest and most beautifully colored of the extra early peaches: A freestone; flesh white, juicy and excellent. July 10th to 15th.

Carman. Large, resembles Elberta in shape; color creamy white, with deep blush; skin very tough; flesh tender, fine flavor and quite juicy. One of the hardlest in bud. In shipping qualities and freedom from rot it is unsurpassed. Profitable market variety. July 10th to 15th.

**Belle.** Very large; skin white, with red cheek; flesh white, firm and excellent flavor; the fruit is uniformly large and showy; a very prolific bearer. July 15th to 20th.

Mamie Ross (Cling). Very large, oblong; color similar to Chinese Cling, but has more of a red cheek. With us one of the best early clingstones. July 20th to 25th.



Goldfinch or Early\_Elberta



Carman

Rochester. A new yellow freestone variety. The fruit is large, yellow, sweet, juicy and of delicious flavor, keeping and shipping well; skin prettily blushed. Tree strong grower and hardy; prolific bearer. Ripens about July 25th.

Crawford Early. The best early yellow freestone; one of our oldest varieties. Ripens about August 1st.

**Champion.** Originated at Nokomis, Ill. Flavor delicious, sweet, rich, juicy, surpassing all other early varieties. Skin creamy white with red cheek. Early, productive and large. Perfect freestone. August 10th to 15th.

Goldfinch (Early Elberta): Color beautiful yellow, red on the sunny side; flesh juicy and sweet. August 10th to 15th.

Ede. Large to very large; a rich orange yellow; flesh yellow, small stone; melting, rich, highly flavored. Freestone. August 15th to 20th.

Elberta. Supposed to be a seedling of Chinese Cling, but is entirely free. Very large, yellow, with red cheek; flesh yellow, firm, juicy and of high quality; exceedingly prolific; sure bearer and hardy. August 15th to 20th.

J. H. Hale. "Everybody has heard of this variety; ripens about the same time as Elberta; said to be larger and better flavored; highly colored." We have only a limited number to offer this year. August 15th to 20th.

Rex (Late Elberta). Almost identical with Elberta, but ripens several weeks later. Fine market peach, good shipper.

Crawford Late. Ripens from 14 to 20 days later than the Crawford Early and is larger in size; color about the same, only a little darker red and yellow. One of the best and finest yellow freestones; moderately productive. August 25th to 30th.

Stump. Very large, roundish; skin white, with bright red cheek; flesh white, juicy. One of the best late freestones. September 1st to 5th.

Golddust. A large, fine peach in every respect; color, bright yellow shaded with red; juicy, sweet; valuable for canning.

**Picquet.** Large yellow with red cheek. Rich and sweet and a better flavor than Salway. Freestone.

Ringold. A good late clingstone. White, 10 days earlier than Heath Cling.

Salway. Large, creamy yellow, with crimson cheek; flesh deep yellow, juicy, rich, sweet. September 15th to 20th.

**Heath Cling.** One of the finest canning peaches; good size; lemon shape; tree a good grower and excellent bearer. September 15th to 20th.

**Krummel's Late.** Found in an orchard on property of Mr. Krummel of St. Louis. Color a rich golden yellow, with bright red cheek; round, free-stone; juicy. Ripens here about October 5th, and is a good keeper.

October Beauty. A late yellow cling. When ripe, a dark purple. Originated on the grounds of Judge Hugo Muench of St. Louis. We recommend it as the best late yellow cling. October 5th to 10th.

Spray Your Orchard Regularly Each Year With



Keeps Your Trees Healthy; Kills All Kinds of Scale
See page 44.

# Cherry SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS

The Cherry is one of the finest and most delicate dessert fruits. The acid varieties are also highly esteemed for preserving and cooking purposes. Although a very perishable fruit, the period of its use may be prolonged to six weeks by a proper selection of varieties. The trees thrive well in any soil which is sufficiently well drained, but will not succeed a long time where the sub-soil is wet.

Our Cherry trees are all budded on Mahaleb stock, which makes a healthy tree, and does not sprout from the roots, which is a nuisance when common Morello stocks are used. Plant 20 feet each way; 109 trees to the acre.

Pruning at time of planting. Sour Cherry should have at least one-third the previous year's growth taken off in such a manner as to leave a proposition of the proposition of

Pruning at time of planting. Sour Cherry should have at least one-third the symmetrical well balanced head.

Sweet Cherry should have at least one-half or more of the young wood pruned back leaving center limb a little higher than the sides.

Spray Cherry trees with SCALECIDE in the fall or spring. For summer spray use Sulfocide. This will control the shot-hole fungous which affects Cherry trees during the summer, often defoliating the entire tree. Ask us about it.

Cherries sprayed with Sulfocide and soap when ripening will greatly extend picking season. The material is non-poisonous and does not show on the fruit.

#### SWEET VARIETIES

	Eacn	10	100
Extra selected	\$1_25		
2-year, 11/16 and up, 5 ft. and up	I.00	\$9.00	\$75.00
2-year, 9/16 to 11/16, 4 ft. and up	.90	8.00	60.00

Bing. Very large, dark brown-almost black; flesh firm, sweet, rich and delicious.

A noted western sort. Late.

Spanish (Sweet). Large, pale yellow, firm, juicy and excellent. One of the best light colored cherries. Tree productive and a fine grower.

Schmidt. Immense size, deep black, flesh dark, tender, very juicy, fine flavor; productive. July.

Barbarian (Black).

Late Duke. Fruit similar to May Duke, but later and not so sweet.

Barbarian (Black). Very large, black, juicy, rich. Wood. Large, light red, juicy, rich, delicious. Ju

#### **DUKE AND SOUR VARIETIES**

		10	
2-year, extra selected trees	\$1.10		
2-year, 11/16 and up, 41/2 ft. and up	.90	\$7.50	\$05.00
2-year, 9/16 to 11/16, 3½ ft. and up	.80	0.50	55.00

**DUKE VARIETIES**Medium, dark red, melting, rich, juicy, excellent. A reliable early May Duke. nearly sweet

SOUR VARIETIES

SOUR VARIETIES

Pychouse. A very early and sure bearer. Ripens a week before the Early Richmond.

Richmond. Medium size, light red; melting, juicy, sprightly acid flavor. Tree healthy and productive. One of the most popular early cherries.

Montmorency. Large red cherry, ripening ten to fourteen days after Early Richmond. Tree a slow but stiff grower; very profitable bearer; valuable late sour cherry.

Morello. Good size, very dark red when fully ripe, rich, acid, juicy, excellent for canning. Later than Montmorency.

Plant a Cherry Tree in your back yard. Makes a fine shade tree.



Montmorency Cherries

### Pears

The cultivation of this noble fruit is extending as its value is appreciated. The Pear, like most things highly desirable and valuable cannot be had without attention, labor and skill. One of the most important points in the management of the pear is to gather them in the proper time. Summer pears should be gathered at least ten days before they are ripe; and August pears at least a fortnight. Winter varieties, if they hang so long, may be left until there is danger of frost; gather when, on gently lifting the fruit, the stem will readily separate from the limbs. Place in a dark room until fully

untif there is danger of frost; gather when, on gently lifting the fruit, the stem will readily separate from the limbs. Place in a dark room until fully matured.


The Pear succeeds on most soils, but probably does better on rather sandy loam.

Dwarf pears must always be planted deep enough to cover the junction of pear and quince three or four inches, and about one-half of the previous summer's growth cut off each spring. The side branches should not be removed higher than one foot from the ground in Dwarfs, while Standard Pears may be trimmed to the height desired.

The principal generate pear trees is the blight. This is a besteried.

may be trimmed to the height desired. The principal enemy to pear trees is the blight. This is a bacterial disease that at first appearance causes the terminals to wither and later die. Prune out below the injured part and burn all branches thus affected. Spraying will practically control this disease. Scalecide is considered the best for this purpose and should be applied in the spring during dormant period followed up with Sulfocide for summer spray. Luxuriant growth seems to be affected more quickly than slow maturing branches.

At planting time prune to 3 to 5 well developed branches distributed evenly about the main stem. Shorten these to 6 to 8 inches. (The letters "D" and "S" appended to the descriptions of varieties indicate favorable growth, either as Dwarfs or Standards, or both.) Plant Standard varieties 20 to 25 feet apart; Dwarfs 10 to 12 feet apart.



AUTUMN VARIETIES

Bartlett (S). One of the most popular pears; large, buttery and melting, with rich flavor. Tree a vigorous and erect grower; bears young and abundantly.

Clairgeau (S). Very large, yellow and red. Flesh yellowish. Keeps solid a long time after gathering. Free grower and abundant bearer.

Angouleme (Duchess) (D). The largest of our good pears; succeeds on pear, but attains its highest perfection on quince, and is a beautiful and vigorous tree. Most profitable for market.

Anjou (S). A large, fine pear, buttery and melting, with sprightly vinous flavor. Tree a vigorous grower, and good bearer. Best on quince.

Garber (S). One of the Japan Hybrids; the best and handsomest of its class. Earlier than Kieffer, larger and much better quality; free from blight; very hardy. Immensely productive; bears young; excellent for canning or preserving.

or preserving.

Howell (S). One of the finest American pears. Large, handsome, sweet and melting; tree very vigorous, hardy

Howell (S). One of the finest American pears. Large, nangsome, sweet and menning, the rest of and productive.
 Kieffer (S). This is a seedling raised from the Chinese Sand Pear crossed with the Bartlett. Skin rather rough. Color yellow, with red cheek in the sun. Flesh white, juicy, buttery and rich. Tree a very strong, upright grower. Very profitable for market.
 Seckel (S). The standard of excellence in pears. Small but of highest flavor. Tree a strong, slow, erect grower; very hardy and bears abundantly.
 Sheldon (S). Fruit medium; color greenish-yellow, mostly covered with russet and a little brownish-crimson in the sun. Juicy, rich, aromatic and sweet.

WINTER VARIETIES



Lawrence (S). Size medium to large; obovate; color a golden yellow; flesh melting, with a rich, aromatic flavor. Tree a moderate grower and an abundant bearer.



Wild Goose



### Plum

#### SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS,

SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS.

The plum demands a rich soil well drained and additional fertility given after a few years proves beneficial. The trees usually are planted about 20 feet apart and can be used as a filler in an orchard between permanent trees. They thrive especially well in back yards, gardens and in chicken runs.

For home consumption the fruit should be allowed to ripen on the trees but for shipping they should be gathered a few days earlier. Some varieties always over-bear and thinning should be done to increase the size of the fruit. The two enemies are curculio and rot, both can be controlled by proper spraying and cultural methods. See Spray Calendar for control.


As the trees bear soon and are productive, more should be used each year. The borer, similar to the one that attacks peaches, is also found. Scraping is the only practical way to eliminate.

Pruning at planting time should consist of removing one-half to two-thirds of the length of all the side branches, leaving 4 to 7 evenly distributed around the body of each tree.

Plant 20 feet apart; 109 to the acre.

Our plums are budded on imported plum roots.

#### **EUROPEAN VARIETIES**



Deck's Damson. Larger than the common blue and an earlier bearer. Freestone.

German Prune. Large, dark purple, sweet, good. One of the most popular and desirable for canning. September.

Lombard. Medium, violet red, juicy, good, hardy and productive; the leading market variety.

Shropshire. An English variety of great merit for preserving. An abundant bearer and hardy. Moore's Arctic. Small, purplish-black, juicy, sweet, immense bearer; one of the hardiest in bud and bloom. September.

and bloom. September.

JAPAN OR ORIENTAL VARIETIES

This class of plums and their hybrids are strong-growing trees with light green foliage and attractive bloom, productive and usually commence bearing the third to fourth year after planting. They bloom very early, should be planted on north or west slopes and in sections not subject to late spring frosts.

Each 10 100

11/16 and up, 5 ft. and up. \$0.75 \$6.50 \$50.00

9/16 to 11/16, 4 ft. and up. 60 5.00 40.00

Botan. Beautiful lemon-yellow ground, nearly overspread with bright cherry. Large to very large; oblong, tapering to a point like the Wild Goose; flesh orange yellow, melting, rich and aromatic. Algerist.

August.

Burbank. Large, nearly globular; clear cherry red, with a thin lilac bloom; flesh a deep yellow, very sweet and agreeable flavor. Hardy; one of the best for both garden and market planting. August. Wickson. A sturdy, upright grower, productive almost to a fault; fruit remarkably handsome, deep maroon; stone small; flesh fine texture, firm, sugary and delicious. Excellent keeper and fine shipper.

The varieties we are offering are all selected varieties that have proven profitable over a wide territory. Trees do not grow large, hence can be planted quite close together, 15 feet being sufficient. Trees should be grown more in bush form for best results. We recommend the planting of several varieties close together as the blossoms fertilize each other. Try a few of these new plums, you will be more than pleased with them.

11/16 and up, 5 ft. and up......

Underwood. The Underwood is valuable because of its large, early fruit and annual bearing. It is the earliest of the large plums, attaining a size of 1¾ inches in diameter. The tree is a vigorous grower, the limbs being strong and well distributed and are able to carry great loads of fruit. Fruit, attractively red with fairly firm juicy flesh, small pit, clingstone, splendid quality, hangs well to the tree, ripening over a long period, August I to 15, enabling three pickings to be made. The Underwood is an annual bearer. These features appeal alike to the commercial grower and to the home orchardist.

Janeta was originated by Professor Hansen at the Dakota Experiment Station. It is without question the best one of the numerous plums that have been sent out by him. The Waneta attains a size of two inches in diameter. Fruit, a dark purplish red overlaid with blue bloom; has a delicious flavor. This variety, like the others here described, is a regular annual bearer, free the station of the stationary of

often producing some fruit year after planting and getting into full bearing very quickly thereafter. The pit is very small for a fruit of its size. First blossoming period.

Monitor is one of the market plums we have been looking for. It has high quality, firm flesh and a large size—some being more than 134 inches in diameter. It is very productive and a regular bearer. The Monitor is an unusually vigorous grower and naturally produces a compact, well-shaped head without pruning. The limbs are strongly shouldered so that they will carry heavy loads of fruit. It is one of the best for you to plant:

It is a regular annual bearer.

3. Firm flesh, excellent flavor.

Firm the productive and the work of the market the market of the market with the productive and the work of the market with market with market and the work of the market with marke

It is a regular annual bearer.
 Fruit large size, dark red.
 Limbs have strong forks so carry heavy loads of fruit without splitting.

CHICKASAW VARIETIES Each



Lombard







The demand for fresh berries is ever increasing; grow them and cash in at a time when you can use this extra money

# Miscellaneous Fruits, Nuts and Berries

#### QUINCE

The Quince is hardy and prolific, bearing its crops with great regularity. The fruit always commands a good market, and with most families is considered indispensable for canning and jelly.

The trees or bushes should have a good, rich soil, clean cultivation and an annual dressing of well rotted manure. Thinning out the twigs so as to keep the head open to the sun and air, and removing dead or decaying branches, is all the pruning that is required. Plant 10 feet apart each way, 435 trees to the acre.

**Champion.** Originated in Connecticut. The tree is a prolific and constant bearer; fruit averaging larger than the Orange, but not so high colored; more oval in shape. Quality equally as fine, and a good keeper.

Orange. Fruit large, bright yellow color; a good bearer. The standard variety in quince.

Each 10 \$1.20 \$10.00

#### APRICOT

There is no fruit more delicious or beautiful than the Apricot, and its ripening between cherries and peaches renders it especially valuable. Its chief enemy is the curculio, which can be kept in check by the method suggested for plums. Plant the same as plums.

Early Golden. Small size; color pale orange yellow; juicy and sweet; exquisite flavor.

Royal. Large, yellow, juicy, rich and delicious; a very fine variety.


Moorpark. One of the largest; color orange yellow, with red cheek; firm, juicy, with a rich flavor; very productive.

Each 10 \$0.90 \$3.00



Orange Quince

### MULBERRIES-MORUS





American Mulberries

HARDY GRAFTED PECAN TREES
We have arranged for a supply of Grafted and Budded Pecan Trees for

These trees will bear in one-third the time that a seedling tree will fruit. You are saving time and getting results much sooner when planting budded nut trees. Planting instructions will accompany each tree. Plant 40 to 50 feet apart as they make very large trees. Frotscher. Medium size, rather long and tapering, rich meat, tree strong grower and extremely hardy. Schley. Thrifty, strong grower. Nut of the very highest quality and very thin shell. Stuart. Extremely hardy, strong grower, nuts of good size, plump, well filled stop.

### **NUT TREES**

The growing demand for nuts and the immense quantities imported annually is giving an impetus to the planting of nut-bearing trees in America. Many farms contain land that would be far better planted to nut trees than in anything else, and would pay better than farm crops, besides annually growing more valuable as timber. In planting ordinary nut trees we would advise planting the smaller size stock—say one or two year seedlings—for best results.

Chestnut (Japan or Giant). A dwarf grower. Very distinct from other kinds, the leaf being long and narrow, of a dark green color. A fine ornamental tree in any situation. Commences bearing very young; two-year trees in nursery row frequently produce nuts. Nuts are of good size. The productiveness, early bearing and enormous size render these of great value.

Each .... \$1.25 \$10.00

Chestnut (American Sweet). A valuable native tree, both useful and ornamental; timber very durable and possesses a fine grain for oil finish. Nuts sweet and of delicate flavor, and a valuable article of commerce. No farm should be without a grove of these where the soil is adapted to their

Each 4 to 5 ft..... \$1.50 \$12.50 Wainut (American Black). The large, oily nuts are borne in heavy crops. They are much relished and always bring a fair price in market. The tree grows quite fast; its wood is exceedingly

4 to 5 ft	Each \$0.90	10 \$8.00
5 to 6 ft	I.IO	10.00
6 to 7 ft	1.25	11.00

Walnut (Japan Siebold). From the mountains of Northern Japan. Leaves of immense size, a charming shade of green. Nuts resemble pecans and are produced in abundance, grow in clusters of ten to fifteen.

	Each	10
	\$1.00	\$9.00
	I.30	12,00
5 to 6 ft	I.50	14.00
	These are not the tend variety grown in New York <b>Mayette.</b> Probably the ia	TED ENGLISH WALNUT TREES ler varieties grown in the South, but are the hardy State, Pennsylvania and Ohio. rgest, thin shell, smooth and attractive. and reliable, nuts medium large, shell fairly thin,

cracks easily.

spring delivery.



**English Walnut** 

Each \$1.50

Each

\$13.00



PERSIMMON (American)

The Persimmon makes a very handsome ornamental tree, and is hardy in this section. The fruit, although pungent when green, becomes sweet and palatable if allowed to remain on the tree exposed

#### BLACKBERRIES

Many kinds of blackberries will succeed, not only on good fruit land, but even on the most sandy, porous soil. They require the same treatment as recommended for raspberries, but in field culture should be planted in rows seven feet apart and three feet distant in the rows; in garden culture, plant rows five feet apart and three feet distant in the rows. The pruning should be governed by the growth of cane and should be severe. Pinch back the canes in summer when three feet high, causing them to throw out laterals.

Heavy mulch of straw or other light litter is very beneficial.

When planting 7 by 3 feet it takes 2,078 plants for an acre.
When planting 5 by 3 feet it takes 2,004 plants for an acre.
When planting 5 by 3 feet it takes 2,004 plants for an acre.
Our blackberry plants are all grown from root cuttings: they are free from disease.
If wanted by parcel post, add 5c to the 10 price, 10c to the 25 price, 30c to the 100 price, to cover postage and extra packing.
For 1st, 2nd and 3rd zones. Larger lots should be sent by express.

**lowers.** Originated in Chautauqua County, New York. Claimed to be the hardiest, most productive and the finest quality of all the blackberries. Large size, jet black, good shipper. We believe this variety has special merit. Blowers. Per 10, \$1.10; per 25, \$2.00; per 100, \$6.00; per 1,000, \$50.00.

Early Harvest. This is one of the earliest blackberries in cultivation; a compact, dwarf grower; fruit medium size and fine quality; an enormous bearer.

Per 10, 75c; per 25, \$1.50; per 100, \$4.75; per 1,000, \$36.00.

**Idorado.** Very vigorous and hardy, enduring the winters of the far Northwest without injury, and their yield is enormous. The berries are large, jet black, melting and pleasing to the taste; have no hard


Per 10, \$1.00; per 25, \$1.85; per 100, \$5.50; per 1,000, \$45.00.



quality equals any of the tall-growing, trailing blackberries; in size and quality equals any of the tall-growing sorts. Perfectly hardy, healthy and remarkably productive, with large showy flowers. The fruit, which ripens early, is often one and one-half inches long by one inch in diameter; soft, sweet and luscious throughout, with no hard core; ripe before late raspberries are gone. Should be mulched to keep berries from the

If wanted by parcel post add 5c to the 10 price, 10c to the 25 price, 30c to the 100 price. For 1st, 2nd and 3rd zones.

Each, 10 cents; per 25, \$1.75; per 100, \$4.50; per 1,000, \$36.00.



Early Harvest



Lucretia Dewberries



4 to 5 ft., each.....

Eldorado Blackberries



**RED SORTS** 

uthbert. A remarkably strong, hardy variety; berries very large, rich crimson, very handsome, sweet, rich and luscious; highly flavored.
Each, 10 cents; per 25, \$1.50; per 100, \$5.00; per 1,000, \$25.00. Cuthbert.

King. Said by many to be the best early red raspberry. Plant a strong grower, hardy and productive. Berry firm, good shipper; large size; color, bright scarlet, Each, 10 cents; per 25, \$1.50; per 100, \$5.00; per 1,000, \$25.00.

Latham. The Big Red Raspberry. The production of this new variety, together with the fine appearance of the fruit and its splendid shipping qualities make it a very profitable sort. Its extreme hardiness and splendid vigor insure big crops. We consider this a valuable addition to our list of Red Raspberries.

Each, 13c; per 25, \$2.10; per 100, \$6.50; per 1,000, \$52.00.

St Regis. This variety has proven its worth again during the season of 1927, producing fine crops of fruit. Begins to ripen with the earliest and continues to bear on young wood until October. Berries bright crimson, large size, rich sugary raspberry flavor. Flesh firm and meaty, a good shipper. Wonderfully productive, the first or main crop, equalling any red variety known. Canes stocky, of strong growth, with abundant dark green leathery foliage. Thy it.

Each, 10 cents; per 25, \$1.50; per 100, \$5.00; per 1,000, \$25.00.

#### **PURPLE SORTS**

olumbian. An improvement on Shaffer's, which it resembles, but the berry is much firmer, adheres to the bush much longer and retains its shape better, both on the market and for canning. Bush a stronger grower, attaining a very large size. One of the hardiest and wonderfully prolific. Unexcelled for productiveness, and stands at the head for canning, making jam, etc. Each, 10 cents; per 25, \$1.50; per 100, \$5.00; Columbian. per 1,000, \$25.00.

#### BLACK SORTS

**Cumberland.** The largest of all black caps. A healthy, vigorous grower, throwing up stout, stocky, well-branched canes that produce immense crops of magnificent berries. Fruit very large, firm; quality about the same as Gregg; keeps and ships well as any of the blacks. The most profitable market variety.

Each 25 TOO \$0.10 \$1.50 \$5.00 \$25.00

**ansas.** A strong, vigorous grower, standing extremes of drought and cold and bearing immense crops. Early, berries size of Gregg, of better color; jet black and almost free from bloom; firm, of best quality; presents a handsome appearance and brings highest price in market.

...... \$0.10 \$1.50 \$5.00 \$25.00 Plum Farmer. A few days later than Kansas; matures its crop in a very short period, making it one of the most profitable early market sorts. Berries are thick-meated, firm, with a bloom similar to Gregg. Large

Each IOO \$0.10 \$1.50 \$5.00 \$25.00





King Raspberries

Can not be shipped to states west of Iowa, Missouri and Arkansas, or to

Can not be shipped to states west of lowa, Missouri and Arkansas, or to Minnesota, account embargo.

Requires same cultivation as the currant. Mulch deeply six or more inches with straw. The mulch retains moisture and the fruit is large and evenly ripened. In mulching, be sure that the ground is underdrained, or it is worse than useless. Good cultivating is better than half mulching. The American varieties are not subject to mildew. To prevent mildew, spray the bushes as soon as the leaves appear in the spring, and several times during the summer with potassium sulphide (liver of sulphur),

spring, and several times during the summer with potassium sulphide (liver of sulphur), one ounce to four gallons of water.

Plant in rows five feet apart and the plants three feet apart in the rows—2,904 plants to the acre. Write for prices on larger quantities than quoted.

If wanted by parcel post add 3c per plant to the price quoted to cover postage and extra packing. For 1st, 2nd and 3rd zone.

Downing.—Size medium to large, oval, greenish white; plants vigorous, upright, very productive; never mildews.

Each 10 100 2-year, No. 1.

So.25 \$2.00 \$15.00

Houghton. A vigorous grower; very productive; not subject to mildew. Flesh tender and very good. Red when ripe.

So.20 \$1.75 \$13.00

SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS.

SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS.



#### **CURRANTS**

#### SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS.

Cannot be shipped to states west of Iowa, Missouri and Arkansas, or to Minnesota, account embargo

Currants should be planted in good, very fertile soil, with liberal manuring, and the tops should be cut back nearly to the crown, allowing only three or four canes to grow the first year. Prune more or less every year to get rid of old wood and keep the bushes open. Currant worms can be destroyed by white hellebore, one ounce to three gallons of water, and applied with sprayer can. Be sure to use the remedy as soon as, or before, the worms appear. Plant the same as can. Be sure Gooseberries.

Write for prices on larger quantites than quoted.

If wanted by parcel post add 2 cents per plant to cover postage and extra packing. For 1st, 2nd and 3rd zones.

Fay. The best currant yet introduced; berries are large, uniform in size, with long stems, good flavor, and is very productive and easy to pick.

.. \$0.25 \$2.00 \$15.00 2-vear. No. 1..... London. Largely planted in Michigan and regarded there as one of the best market varieties. Plant is extremely vigorous, with perfect foliage, which it retains through the season; and enormous cropper; ripens with Victoria; is large in bunch and berry.

Each 10 100

\$0.25 \$2.00 \$15.00 2-year, No. 1. So. 25 \$2.00 \$15.00 Perfection. The color is a beautiful red. Size as large or larger than Fay, the clusters averaging longer. The Perfection has a long stem from the point of attachment to the bush to the first berry, making it easy to pick without crushing any of the berries. It is a great bearer, and on account of its great productiveness the plants should be kept well cultivated and fertilized, as should all heavy bearers. The Perfection ripens about the same time as the Fay. Quality rich, mild, sub-acid; plenty of pulp, with few seeds. Received the "Barry Medal" in July, 1901, the highest award given to any new fruit at the Pan-American Exposition. The Gold Medal was awarded this currant at the Louisiana Purchase Exposition in 1904.

Each 10 100

\$0.35 \$3.00 \$25.00 Wilder. Introducer says: "Wilder will make twice as much wood as will Fay's Prolific, while setting as large fruit with double and triple the quantity; combines more good qualities than any red currant he has ever fruited." It is large, very productive, sweet and hangs a long time on the bushes in fine condition after fully ripe.

Each ..... \$0.20 \$1.50 \$13.00 White Grape. Large, yellowish white; sweet or very mild acid; excellent quality and valuable for table use. Productive.


Each .....\$0.25 \$2.00 \$15.00 2-year, No. 1.....

Cherry. Very popular in market and brings several cents more per quart than any other old Each TOO 



# CURRANTS, GOOSEBERRIES, BLACKBERRIES and RASPBERRIES

Apply Scalecide (I-15) just as or before new growth starts, to kill scale. Spray the clumps and ground around them to control fungous troubles and insects wintering there. To control mildew and rust, apply Sulfocide as often



Conover's Colossal Asparagus

### **ASPARAGUS**

Asparagus is the earliest and best of all esculents and easy to grow. There are two ways to grow Asparagus. The owner of a town lot needs a bed of five feet wide and as long as he wishes. Let it be made rich and spaded over, three rows eighteen inches apart, setting plants about sixteen inches apart in the row, and say, four inches deep. Spread roots out well so the plant will not be cramped, then let the earth be raked over, covering plant about two inches; as the plant grows up, more ground should be added and let this bed be kept clean and free from weeds at all times and well manured. Asparagus plants grow upward in place of downward; hence the filling in at intervals.

of downward; hence the filling in at intervals.

The gardener, with a plow and ample ground, can do better. Let him lay off rows five or six feet wide, and plant and manage just as indicated. After two years' growth, the town man must fork over his bed, but the farmer can just cut the earth from the rows and turn it back. The old idea was to set the roots a foot deep, so that the shoots might be long and white. The new idea is to let the plant grow like any other and then mound over the crown when the shoots are wanted otherwise than nature intended, and at the end of that time to plow the soil and restore normal conditions. This can be done by the large grower, but the town man can only heap more manure and force the plant to make a new tier of roots nearer the surface. Asparagus wants to be near the surface like any other plants, therefore heap the earth over them for a time and then remove it when shoots long, white and tender are no longer needed. The things that cause failure are planting near trees or vies, the covering of plants so deep that resurrection is impossible, the mowing of tops when green, or letting weeds overtake the bed. The plants may be set with equal certainty either fall or spring.

100 ... \$1.00 \$2.00 \$15.00 2-year, No. 1.....

Columbian Mammoth White. It produces shoots which are white and remain so as long as fit for use. In addition to the marvelous advantage of its white color, the Columbian Mammoth White Asparagus is even more robust and vigorous in habit, and throws larger shoots and fully as many of them as the Conover's Colossal.

Conover. A mammoth variety of vigorous growth; an old and well-tried sort; very popular. Palmetto. Of Southern origin. It is earlier, a better yielder, more even and regular in its growth, and in quality equal to that old favorite. Conover's Colossal.
 Washington (New). A new rust-resistant pedigreed Asparagus.

..... \$1.00 \$2.00 \$15.00 

If wanted by parcel post, add 10c for 25 plants; 30c for 100 plants; larger lots should be sent by Express or Freight.

RHUBARB OR PIE PLANT

This deserves to be ranked among the best early fruits of the garden. It affords the earliest material for pies and tarts, continues long in use and is valuable for canning. Make the bed very rich and deep. Plant in rows four feet apart and the plants three feet distant. Set the roots so that the crowns are about an inch below the surface. Linnaeus. Large, early, tender and fine; the very best of all.

Victoria. Large stems, not quite as red as Linnaeus. A heavy cropper. If wanted by parcel post, add 5c per clump to cover postage and extra packing.

Each 10 100
Large clumps......\$0.20 \$1.50 \$10.00 .15 1.00 Large sets.

## Grapes

#### SEE PAGE 9 FOR SPECIAL COLLECTION OFFERS.

There is scarcely a yard so small, either in country or city, that room for one to a dozen or more grape vines cannot be found. They do admirably trained up to the side of any building, or along the garden fence, occupying but little room and furnishing an abundance of the healthiest fruit. Make the soil mellow and plant the vines somewhat deeper than they stood in the nursery. Plant about eight feet apart, along the fence or building. For vineyard purposes make rows eight feet apart, ix feet in rows. For Arbor, plant four feet apart.

Grape Vines require a dry, mellow, well-drained soil, deeply worked and well enriched, with a warm, sunny exposure. In planting, give the roots plenty of room and settle soil firmly about them. All newly planted vines should be cut back to 2 to 3 buds or eyes as soon as planted. Two sprouts or canes should be allowed to grow the following summer and should be carefully tied to stakes to keep them from becoming broken in cultivation, winds, etc. The following winter these canes should be cut back to five feet and tied to the lower wire of the trellis, which should be put up the following fall or winter after planting. For the subsequent pruning of vines as well as trees, planters would do well to consult some practical work on the subject.

#### SPRAYING GRAPES

Soak the vines with Scalecide (I/I5) just before the growth starts. We believe that this dormant spray with Scalecide is of greater value than anything else you can do in the way of spraying. This cleans up the eggs and larvae of insects, helps to control fungous troubles such as black-rot cankers and mildew and tends to make your vines more vigorous and productive.

When the blossom buds are forming, or when shoots are 4 to 6 inches long, use 3 pounds soap and one gallon Suffocide to 200 gallons water. Repeat this spray after fruit sets. Any good soft soap will do, such as fish oil soap. Bordeaux mixture can also be used for this spray with good

results. Do not use later sprays until fruit is ripe—as, occasionally, severe injury results—but we know of no spray, outside of Sulfocide that will stop black rot after it sets in. Direct spray at fruit rather than the foliage as Sulfocide does not show on the fruit. If the dormant spray with Scalecide or the two early Sulfocide sprays are omitted it is unreasonable to expect healthy vines in mid-season, but if the early sprays are properly done, mid-season sprays are unnecessary. If you spray in mid-season use Bordeaux. Ripe grapes that have been sprayed with Sulfocide and left on the vines will often shrivel rather than rot.

To plant an acre 6, by 8 feet, requires oo8 plants. Write us for prices on larger quantities.

To plant an acre, 6 by 8 feet, requires 908 plants. Write us for prices on larger quantities.

If wanted by parcel post add 1c per plant to the prices quoted up to 100 lots to cover postage and extra packing. Larger lots should be sent by Express or Freight. Campbell Early. A fine healthy and early variety, profuse bearer. Ripens with the Moore's Early but keeps on the vine or in the house for weeks.


..... \$0.35 \$3.00 \$25.00 Concord. The old stand-by. A large, purplish black grape; vines remarkably hardy, vigorous and productive. Very popular; best market sort.

Each ..... \$0.20 \$1.50 \$10.00 \$80.00 ..... .15 1.25 8.00 60.00 

Each IO 2-year, No. I... \$0.25 \$2.00 \$16.00 \$140.00 I-year, No. I... 20 I.80 I40.00 I20.00 Norton's Virginia. A most productive grape, both for garden and vineyard, bearing large crops in all seasons. Skin thin, flesh tender, with a brisk, refreshing flavor. Late. Each

\$0.50 4.00 \$30.00 **Worden.** A splendid large grape, of the Concord type, but earlier, and in every way as healthy. Quality good to best.





Agawam (Rogers' No. 15). Berries very large, with thick skin; pulp soft. sweet and sprightly; very vigorous; ripens early.

quality; one of the earliest in ripening.

2-year, No. 1. Each 10 100

Catawba. Bunches of good size, rather loose; berries large, round; when fully ripe of a dark copper color, with a sweet, rich musky flavor.


\$0.40 \$3.50 \$30.00

WHITE SORTS Diamond. Grape from Concord seed, fertilized with Iona, in vigor of growth, color and texture of foliage and hardiness of vine it partakes of the nature of its parent Concord, while in quality the fruit is equal to many of the best tender sorts, and ripens two weeks earlier than the Concord.

center.

## **Strawberries**

As we have not grown Strawberry plants for the past few years and have accommodated our patrons by securing them from reliable growers, we wish to announce that we have discontinued handling these plants on account of the heavy loss sustained each year, owing to delays in delivering after being shipped. We would advise our patrons to buy direct from the growers. Get plants while they are in good condition.



## SPRAYING—SIMPLE AND EASY

With the Most Effective Summer and Dormant Sprays



Any fruit grower who understands the value of Scalecide will select it as his regular dormant spray. Scalecide is truly "the complete dormant spray." When you spray with Scalecide, you can rest assured that you have done all that can be done, at that particular time, by any dormant spray or combination of sprays. Scalecide is the quality miscible oil. It is a profit maker and not merely a bug killer. The invigorating effect alone is worth the cost. Many of the finest orchards are sprayed every year with Scalecide. Dilute one gallon to fifteen gallons of water. Is 100 per cent effective for killing Scale and Aphis. Kills eggs of Leaf Roller and Red Mite.

Kills fire blight cankers, fungous cankers and fungous spores. Invigorates your trees, saves labor and is a guaranteed product.

Kills fire blight cankers, fungous cankers and fungous spores.

Invigorates your trees, saves labor and is a guaranteed product.

One gallon of SCALECIDE makes fifteen gallons spray.

Pleasant to Use. When you spray with Scalecide, you do away with slickers and gauntlets and goggles. You will enjoy spraying with Scalecide—it is so pleasant to use. You can look straight at your wotk, without fear of injuring your eyes. Fruit growers say, "The job I used to dread so much before, I now actually look forward to. I like to spray with Scalecide."

Guaranteed to Make a Better Orchard Than Lime-Sulphur. The manufacturer's guarantee that, if an orchard is divided in two parts, one part being sprayed with Scalecide, and the other part with limesulphur for three years, other things being equal, the part sprayed with Scalecide will be better than the part sprayed with limesulphur, or they will refund the money you have paid for the Scalecide. Ask for copy of the guarantee. of the guarantee.

We are the Western Distributing Agents for the B. G. **Pratt Co., Manufacturers** 

Briefly, these are the reasons why Sulfocide is "a better summer spray". It does not russet apples (Bordeaux does); it does not devitalize the foliage and dwarf the fruit (lime-sulphur does); it can be used on both peaches and apples and on all kinds of fruits and vegetables (no other fungicide can); it imparts to the fruit a beautiful lustre and finish; it costs no more than home-made Bordeaux. Sulfocide is a highly concentrated, nonpoisonous, liquid sulphur fungicide, quite distinct from lime-sulphur.

The most powerful fungicide. Will control apple scab, stops brown rot, retards decay in ripening fruit. The best remedy on the market for controlling the shot-hole fungous which defoliates the cherry tree in early One gallon makes 200 gallons spray.

Combines With Kayso and Arsenate of Lead. We can now recommend the new combination of Kayso (mix it in the water first), and arsenate of lead (mix it in the water second), with Sulfocide (mix it in the water last). Always mix in the order named. Add the sulficide after all the water has been put in the spray tank. Use only plain arsenate of lead—in the case of an arsenate of lead containing a so-called self spreader, there is apt to be burning. This combination has been thoroughly tested for a number of years with good success.

#### SCALECIDE PRICES F. O. B. St. Louis, Missouri.

50-gal. bbls	38.00
30-gal. bbls	26.00
15 gals\$11.50	13.50
Drum 2,00)	
Io-gal. cans	10.60
5-gal. can	6.25
One I-gal. can	1.75
One I-qt. can	•75

CARBOLEINE The safest and most effective low priced oil spray on the market since 1907. It mixes instantly in any kind of water and stays mixed. Diluted 1 to 20, Carboleine kills scale, aphis, and many other pests. But it does not have fungicidal or invigorating properties and does not control fire-blight cankers—Scalecide is the only oil spray that has these advantages. You can buy Carboleine at \$20.00 per \$0.9allon barrel F. O. B. Hackensack, N. J., with full assurance that no dormant spray—except Scalecide—will serve you so well.

#### SULFOCIDE PRICES F. O. B. St. Louis, Missouri.

50-gal. bbls	\$60.00
30-gal. bbls	39.00
10-gal. cans	
5-gal. can	
One I-gal. can	
One T qt. can	
One 1-pt. can	.70

Owing to limited space we kindly ask you to send for our special literature on the above sprays.

Ask for Booklet entitled "Successful Spraying" and "Bigger Profits from Spraying." These are valuable and will help you in securing the best of results.

#### **PROPORTIONS**

For small quantities of spray solution, these figures will help you to get the proper mixture. Be accurate. Dilution

Material	Recommended							
Scalecide	I gal. to I5 gals. water.							
Sulfocide								
Arsenate of lead								
Kayso	3 lbs. to 200 gals. water.							
Soap (liquid)	3 lbs. to 200 gals. water.							
Nicotine sulphate	2 lbs. to 200 gals. water.							

#### AMOUNTS OF DILUTE SPRAY REQUIRED

These figures will be fairly accurate for both Scalecide as a dormant spray and Sulfocide as a summer spray.

2 to	5-year-old	trees.	 	 			 		 			٠.		1/8	to	3/4	gal.
6 to	8-year-old	trees.	 	 			 	 		 				3/4	to	I	gal.
9 to	13-year-old	trees.	 	 			 	 		 				I -	to	13/4	gal.
I4 to	18-year-old	trees.	 	 			 				٠.	٠.	. :	2	to	21/2	gal.
19 to	24-year-old	trees.	 	 			 	 ٠.						3	to	31/2	gal.
25 to	30-year-old	trees.	 ٠.	 	٠.		 						. :	3 1/2	to.	4	gal

# Paradichlorobenzine, Now Called Parazene

#### DIRECTIONS FOR KILLING THE PEACH TREE BORER

Application should be made in the early spring or early fall, on trees 5 years old or over.

The earth for 15 or 18 inches around the base of trees should be cleared of grass and weeds and leveled off, without, however, digging up the soil more than necessary to break the surface crust. After the soil around the base of the tree has been prepared, then one ounce of PARAZENE is applied evenly in a circular band an inch or two wide, entirely around the tree. This band or trench should be about three inches away from the tree trunk. After the application the chemical should be quickly covered with soil, and a mound should be made sloping up toward the tree, and the soil should be patted down with a shovel or some other convenient tool, so that no vapor, will escape.

PRICES: 1-lb. cartons 60c each; 5-lb. drums 45c per lb.; larger quantities priced upon application.

## Grasselli Plant Food

#### DIRECTIONS FOR USING GRASSELLI PLANT FOOD

For Trees, Shrubs, Vines, Roses, etc. When it can be done without injury to the lawn, the ground around trees, shrubs or vines should be worked occasionally, particularly in the spring, and the fertilizer distributed over the finely divided soil, as evenly as possible, at the rate of I ounce per square foot, and thoroughly watered in.

In case the ground under the trees or shrubs is in sod-applications should be made as directed for old lawns.

Gardens. To obtain best results in flower or vegetable gardens, it is necessary to give careful attention to the preparation of the soil, and care should be taken to see that the top soil is made as fine as possible. Grasselli Plant Food should be mixed with the fine top soil, before planting, at the rate of one ounce per square foot, and should be distributed as evenly as possible, and well raked in.


Lawns. For best results on old lawns, Grasselli Plant Food should be applied early in the spring, before the growth starts, at the rate of one-half ounces are square foot, and again in the fall after growth has stopped, at the same rate. For new lawns Grasselli Plant Food should be used as directed

#### **GUARANTEED ANALYSIS**

Nitrogen. 4.12%. Equivalent to Ammonia, 5.00%. Available Phosphoric Acid, 13.00%. Potash (K20), 4.00%. Ammonia from Mineral Matter. PRICES: 100-lb. bags \$5.00 each; 50-lb. bags \$3.00 each; 25-lb. bags \$1.75 each; 10-lb. bags 85c each; 5-lb. bags 50c each; 1-lb. cartons 20c each; F. O. B. St. Louis.

## **Spray Pumps for All Purposes**

We are agents for the well-known DEMING PUMPS. As our space is limited we can only show a small portion of the various styles we carry. If you are in the market for a pump, kindly send for a catalogue, showing a complete line. Free to all applicants.





The acknowledged leader of all barrel pumps or more than twenty years. Will supply two tor more than twenty years. leads of hose and four nozzles.

and 2 nozzles Pump only—without hose or nozzles...

#### THE "GARDENERS' CHOICE"

#### A "One-Man" Machine

This is a very convenient outfit for general use. The pump is fitted with mechanica lagitator and is good for 125 pounds pressure. It has a large air chamber. Working parts are

Tank holds 24 gallons; has hinged wood top. Leg, tongue and handle are wrought iron pipe. Metal wheels, diameter 24 inches, with staggered spokes and 2-inch tires. Strong iron axles. Hub-tank, 30 inches; height to top of purps 43 inches

pump, 42 inches.

Six feet of ½-inch discharge hose and a Bordeaux nozzle are furnished. When crated, deaux nozzle are furnished. When crated, with cart, shipping weight is about 120 pounds. Net cash price......\$38.70

### DEMING SPRAY NOZZLES AND ACCESSORIES

For Use With Any Make Sprayer







Fig. 766

Fig. 766 1/2

Parcel Post paid on all nozzles and accesso-

Parcel Post paid on all nozzles and accessories except as noted.

Fig. 965—"Bordeaux." Best general purpose spray nozzle. Throws solid stream, fine or coarse fan-shaped spray. Excellent for whitewashing. Each \$1.05.

Fig. 766—"Simplex." Has two interchangeable steel spray disks, one for coarse and one for medium-fine spray. Each 50c.

Fig. 766½—Same as Fig. 766, but with angle connection. Each 60c.

Fig. 754—"Bureka." Throws conical-shaped spray. Disgorges by pushing against fence or tree. Highly recommended for whitewashing. Each 50c.

### Fig. 1002. "SPRA-RITE" KNAPSACK SPRAYER

Very convenient to operate, as horizontal pump lever is attached to bottom of tank, where it is with-

in easy reach of operator's



Price, F. O. B. St. Louis, Mo. \$17.85.

#### Fig. 689-THE "PERFECT SUCCESS"



The "Perfect Success" consists of the "Success" pump with malleable iron bucket clamp and adjustable foot-rest which holds pump and bucket together, so entire outfit can be carried from place to place when bucket is filled with mixture. Four feet of hose and Bordeaux nozzle are included. Bucket is not furnished. Shipping weight, crated, 12 pounds.

Net cash price..... If wanted by Parcel Post, add sufficient postage for St. Louis zone.

#### "SAMSON" SPRAYER

#### With Complete Equipment

This outfit consists of a "Samson" pump, with 50-gallon barrel, anchored by steel tie rods to substantial wood platform.

Pump is connected to barrel with r-inch suction hose with strainer.

Mechanical agitator operates from pump lever. Filling hole with hinged cover in top of barrel. Outfit may be placed in any wagon

box. Equipment includes "Samson" pump; pressure gauge; 50-gallon barrel; mechanical agitator; 1-inch suction hose and strainer; discharge "Y" for one or two leads of hose; 25-foot section of 1/2-inch "Deco" sprayer hose; 8-foot extension pipe with stop cock; also rubber hand-hold and drip shield; double spraying attachment and two "Simplex" nozzles, all mounted on platform, as illustrated above. Shipping weight, crated, 310 pounds.

Net cash price, complete as described.. \$93.75

# **Insecticides and Fungicides**

#### KAYSO **Revised Directions**

Revised Directions
Spraying authorities and commercial fruit growers in the Atlantic Coast and Middle Western states have concluded after two years' practical use and experimentation, that for best results KAYSO should be used at the rate of 1 pound to 100 gallons of dilute spray (2 pounds to 200-gallon tank). This amount not only gives better spreading but, by increasing adhesiveness, it makes the sprays more resistant to weathering by rain, wind and dews.

100-lb. sacks, per lb	
50-lb. sacks, per lb.	. 19
10-lb. sacks, per lb	.21
2-lb. packages, per lb	.22
Io-oz. packages, each	.25
10-lb., 2-lb. and 10-oz. packages	can be

#### RORDFAUX MIXTURE POWDER

good many people prefer to use Bordeaux A good many people prefer to use Bordeaux mixture for various fungous diseases for summer spraying. We recommend the use of KAYSO in combination with Bordeaux to avoid any possibility of burning foliage or staining of fruit.

too-lb. drum, per lb	\$0.16
4-lb. bags, per lb	 .20
I-lb. cartons, each	

#### CALCIUM ARSENATE (Powder) (Same as Cal-Arsenate)

I-lb. cartons, each. . Poison-Cannot be sent by Parcel Post.

### NICOTINE SULPHATE (40%)

For Spraying Fruit Trees and Truck Crops—40 per cent Nicotine guaranteed. Aphilds, thrips and similar soft-bodied, sucking insects can be wiped out of the orchard or garden by systematic spraying with Nicotine Sulphate. Being a vegetable poison it will not injure fruit or foliage.

IO-lb. tins	
2-lb. tins	3.50
½-lb. tins	1.25
I-oz. bottles	.35
Can be sent by Parcel Post.	

#### ARSENATE OF LEAD (Powder)

100-lb. drums, per lb...... \$0.18 

# **GENERAL INDEX**

Da ===	Page	Page	Page	Page
Page			Matrimony Vine 19	Salvia31, 33
Collection offers 9	Bramble 17	Funkia 29		Cambusus
Directions for trans-	Buckthorn 16	Fungicides 45	Meadow Rue 31	Sambucus 17
planting trees and	Buddleia		Meadow Sage 31	Sanseviera 33
shrubs4, 12	Butterfly Bush 13	G '	Meadow Sweet 17	Santolina 33
Evergreens20, 21, 22	Butterfly Weed 28	Gaillardia 29	Michaelmas Daisies 28	Scarlet Sage 33
		C Di	Milfoil 28	Sea Bugloss 28
Evergreen shrubs 22	Button Bush 13	Gas Plant 29	Mock Orange 16	Screw Pine 33
Fruit Department34-43		Geranium27, 33	Monography	
Greenhouse Depart-	С	Geranium Lady Wash-	Moneywort 30	
ment32, 33		ington 33	Monstera 33	Sedum31
Introductory I	Callicarpa 13	Geum	Moonflower 33	Shadblow 5 Shasta Daisy 28
Instructions on spray-	Calycanthus 13	Ginkgo 6	Morus8, 39	Shasta Daisy 28
	Campanula 28		Moonflower. 33 Morus. 8, 39 Mountain Ash. 8	Silver Bell 6
ing and when to ap-	Campion 30	Golden Bell 15	Mulberry	Silver Bell
ply44, 45		Golden Glow 31	Myriophyllum 33	
Landscape Department 3	Candytuft 29	Gooseberry 40	Mynophynum 33	Snapdragon 32
Nut Trees 40 Ornamental Climbers	Canna 32	Grapes		Sneeze Wort 29
Ornamental Climbers	Canterbury Bells 28	Grasselli Plant Food 44	N	Snowball 18
and Vines 19	Carnation 28	Grasses 29	Nuts 40	Snowberry 18
Ornamental Depart-	Carolina Allspice 13	Groundsel Tree 12		Sorbus 8
Ornamental Departs	Caryopteris13, 28		0	Spanish Bayonet 31
ment		Gymnocladus 6	Oak 7	Special Collections 9
Ornamental Shrubs12-18		Gypsophila 29	Old Woman 28	Speedwell31
Ornamental Trees 4-11			Olegator TA	C-i Duch
Perennials26-31	Celastrus 19	H	Oleaster 14	Spice Bush 12
Roses23, 25 Terms, Conditions and	Cephalanthus 13	** ** *	Opulaster 16	Spindle Tree 14
Terms, Conditions and	Cercis 6	Halesia6, 15	Order Blank47, 48	Spirea 17
General Remarks 2	Chaste Tree 18	Hamamelis 15	Oriental Arborvitae 21	Spray Pumps 45
General Remarks 2	Cherry	Hazel 13		Spruce 22
	Chestnut 5, 40	Hedera19, 33	P	Spruce
A	Chinonanthus 6	Helenium 29	Paeonia 30	St. John's Wort 18
	Cimponantiago			St. Peter's Wort 15
Abelia 12	Chokeberry 12	Helianthus	Pachysandra 30	St. Peter's Wort 15
Abies	Chrysanthemum 28	Heliotrope 33	Papaver 31	Statice
Acacia	Cinquefoil 16	Hemerocallis 29	Pandanus 33	Stephanandra 18
Acanthopanax 12	Clematis 19	Hemlock 22	Palms 33	Stokesia 31
Acer 5, 8	Clethra 13	Hesperis 29	Pansy 33	Stoke's Aster 31
Aesculus 5	Coleus	Hibiscus15, 29, 33	Parazene 44	Stone Crop 31
Achyranthus 32	Columbine	Holly 22	Parrot Feather 33	Strawberry 43
Achillea		Holly Grape 22	Pea, Perennial 30	Strawberry Tree 14
Adam's Nordle	Colutea 13	Holly Grape 22		
Adam's Needle 31	Cone Flower 31	Hollyhocks 29	Pear 37	Sumach
Aegopodium 28	Coniferae20-22	Honeysuckle16, 19	Pearl Bush 14	Summer Sweet 13
Ageratum 32	Convallaria 28	Hop Tree 7	Peach	Sunflower, Hardy 29
Aglaonema 32	Corchorus 15	Hydrangea 15	Pecan 40	Sweet Gum 6
Agrostemma 28	Coreopsis	Hypericum 15	Pelargonium 33	Sweet Alyssum 32
Ailanthus 5			Penstemon 31	Sweet Rocket 20
Akebia	Cornel	•	Periwinkle31, 33	Sweet Rocket 29 Sweet Pepper Bush 13
A11	Cornus6, 13	· ·		Sweet repper busit 13
Allspice	Corylus 13	Iberis 29	Persimmon 40	Sweet Shrub 13
Almond 5, 12	Cotoneaster 14	Ilex15, 22	Petunia	Sweet William 29
Althea	Crab 7	Indian Bean 6	Pennisetum29, 33	Sycamore 7
Althea	Crab Apple 35	Insecticides 45	Philadelphus 16	Symphoricarpus 18
Alyssum28, 32		Iris 30	Philodendron 33	Syringa
Amelanchier 5			Phlox, Hardy 31	
American Ivy 19	Cratacgab	Ivy19, 33	Phoenix	T
American ivy 19	Crepe Myrtle 15		Physocarpus 16	Tamarisk 18
Amorpha 12	Creeping Jenny 30			Tamarisk
Ampelopsis 19	Crotons 32	Japan Quince 14	Physotegia 31	Tamarix 18
Amygdalus	Crow Foot 31	Jetbead	Picea 22	Tetraptera 15
Anchusa 28	Currant17, 42	Juglans 6	Pie Plant 42	Thalictrum 31
Angelica Tree 5	Cydonia	Juneberry 5	Pine 22	Thorn 6
Anthemis 28		Juniper 21	Pinks, Hardy Garden 29	Thuya 22
Anthericum 32	Cyperus 33	Tuningrue	Pinus 22	Tickseed 28
		Juniperus 21	Plane 7	Tilia 8
Antirrhinum 32	D		Plantain Lily 29	Torch Lily 31
Apple	the state of the s	K	Plantain Lily 29	
Apricot 39	Day Lily 29	Kentia	Plantanus 7	Tradescantia 33
Aquatic Plants 33	Delphinium 28	Kentucky Coffee Tree. 6	Platycodon 31	Tree of Heaven 5
Aquilegia 28	Desmodium 14	Kerria 15	Plum 5, 7, 38	Tritoma 31
Aralia	Deutzia 14	Kudzu Vine 19	Plume Poppy 28	Trumpet Vine 19
Arborvitae21, 22	Dewberry 40	Industrial 19	Plumbago31, 33	Tsuga 22
Aronia 12	Dianthus 29	L	Plume Grass 29	Tulip Tree 6
Artemisia	Dicentra 29	1 -	Polygonum 19	
	Dictamnus 29	Lagerstroemia 15		U
Asclepias		Lantana 33		Ulmus 8
Ash 6, 8		Larkspur 28		
Ash, Mountain 8	Diervilla 14	Lathyrus 29	Poppy 31	Umbrella Plant 33
Asparagus	Digitalis 29	Lavender 30	Potentilla 16	
Aspidistra 32	Dogwood	Lavender Cotton 33	Privet 16	V
Asters 28	Dolichos 19	Lavendula 30	Prunus 7	Verbena 33
Avens 29	Dracena 32	Leadwort 3I	Pseudtsuga 22	Veronica 31
Azalea		Lespedeza14, 15	Ptelia 7	Viburnum 18
22	E	Lilac 18	Pueraria 19	Vinca
_	Eichornia 33	Ligustrum 16	Pyrethrum 31	Vinca Vine 33
В В			- 3.20 2	Violas
Baccharis 12	Elder	Lilium		Violets
Baby's Breath 29	Eleagnus 14	Lily 30	Q	Virginia Creeper 19
Balloon Flower 31	Elm 8	Lily of the Valley 28	Quercus 7	
Barberry 13	English Ivy 19	Linden 8	Quince 14, 39	Vitex 18
	Eulalia (grasses) 29	Liquidamber 6		
Beauty Berry 13	Euonymus14, 19	Liriodendron 6	R	W
Begonia 32	Eupatorium 29	Locust	Ranunculus 31	Walnut
Bell Flower 28, 31	Exochorda 14	Lonioera		Wandering Jew 33
Benzoin	Daochorda	Lonicera16, 19	Raspberry 40	Waxberry 18
Berberis		Lupine 30	Red Bud 6	Water Hyacinth 33
Betula 6, 8	F	Lupinus 30	Rhamnus 16	Weeping Trees 8
Bignonia	False Chamomile 28	Lychinis 30	Rhodotypus 17	
Biota21	False Dragonhead 31	Lycium	Rhubarb 42	Weigela14, 18
Birch 6, 8	False Indigo 12	Lysimachia 30	Rhus 17	White Fringe 6
Bishop's Weed 28		30	Rhus	White Kerria 17
Distor Sweet 28	Ferns, Hardy 29	M		Willow 8
Bitter Sweet 19	Ferns, Tender 32			Winterberry 15
Blackberry 40	Filberts	Madwort 28	Robenia	Wistaria 19
Bladder Senna 13	Fire Bush 14	Magnolia 6	Rose Campion 28	Witch Hazel 15
Blanket Flower 29	Fir	Mahonia 22	Rose of Sharon 15	
Bleeding Heart 20	Fleur de Lis 30	Maiden Hair Tree 6	Roses23-25	Y
Blue Beard 13	Floss Flower 32	Malus 7	Rubus 17	
Blue Beard	Forsythia	Mallow 29	Rudbeckia 31	Yarrow 28
Blue Spirea 28	Forsythia	Maple 5, 8		Yucca 31
Bocconia	Foxglove	Maranta 33	S	
Boltonia 28	Fraxinus	Marigold 33	Salisburia 6	Z
Boston Ivy 19	Fuchias 32	Marguerite 28	Salix 8	Zebra Grass 29
20000 IVy 19	1 Lucinas	, Language 20		

Quantity	VARIETIES .	Price
	Amount Brought Forward	
You will oblige us by sending us a names of Friends who may be in ested in our Goods.	ter- cial Collection Offers listed on page 9. They are big enough for many require- ments and priced to per- mit including in this order	

PLEASE USE THIS ORDER SHEET WHEN ORDERING FROM THIS CATALOG

## H. J. WEBER & SONS NURSERY CO.

AFFTON P. O., MO.

(In St. Louis County) Make All Money Orders Payable on St. Louis, Mo. Date Forward by Mail, Express or Freight Name Prefix Mr., Mrs. or Miss. Write Plainly Street, P. O. Box or R. F. D. Post Office **Express or Freight Office** if different from Post Office..... County Amount Enclosed
State whether P. O. Order, Express Money Order, Draft, Stamps or Cash

Please Do Not Write Here

NON-WARRANTY CLAUSE. If nursery stock proves untrue to the name under which it is sold by us, a replacement of the stock, as originally ordered, without charge, or a refund of the purchase price shall be a complete satisfaction of our liability, except for such liability, we give no undertaking or warranty, express or implied, as to description, quality, growth, productiveness, or any other matter on any nursery stock we sell. We assume no liability for delays in delivery, or for nondelivery of nursery stock caused by frost, fire, flood, drought, hail, strikes, embargoes, war or other causes beyond our control. Our responsibility ceases upon the delivery of stock in good condition. Complaints, if any, must be made within five days after delivery. Railroad, express companies and boat lines must be held responsible for losses in case of delay or damage in transit. H. J. WEBER & SONS NURSERY CO.

Quantity **VARIETIES** Price






Biota Orientalis Aurea Nana

# **EVERGREENS**

Enhance the value of your home. We invite you to come and make your own selection. Plant Weber's Quality Trees.

See pages 20, 21 and 22




Pinus Mugho



Picea Pungens Glauca



Pinus Austriaca



Philadelphus Virginalis — New Fragrant Variety
See Description On Page 16

H. J. WEBER & SONS NURSERY CO., AFFTON, MISSOURI